



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-12 00:00:00	58,5	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-12 00:00:00	56,3	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-12 00:00:00	49,4	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-12 00:00:00	59,6	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 23:30:00	58,6	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 23:30:00	56,1	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 23:30:00	48,1	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 23:30:00	60,0	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 23:00:00	58,9	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 23:00:00	56,7	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 23:00:00	48,8	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 23:00:00	60,2	67,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 22:30:00	59,1	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 22:30:00	57,1	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 22:30:00	51,2	74,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 22:30:00	60,4	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 22:00:00	59,5	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 22:00:00	57,9	74,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 22:00:00	49,8	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 22:00:00	60,8	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 21:30:00	59,7	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 21:30:00	57,8	74,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 21:30:00	49,9	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 21:30:00	60,8	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 21:00:00	59,9	67,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 21:00:00	58,3	80,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 21:00:00	50,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 21:00:00	61,3	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 20:30:00	60,2	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 20:30:00	58,9	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 20:30:00	51,0	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 20:30:00	61,8	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 20:00:00	60,2	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 20:00:00	59,1	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 20:00:00	50,7	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 20:00:00	61,9	67,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 19:30:00	60,1	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-11 19:30:00	59,5	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-11 19:30:00	51,3	75,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-11 19:30:00	62,1	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-11 19:00:00	60,3	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 19:00:00	59,8	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 19:00:00	52,6	80,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 19:00:00	62,4	69,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-11 18:30:00	60,4	66,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 18:30:00	60,2	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 18:30:00	52,2	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 18:30:00	62,7	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 18:00:00	60,4	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 18:00:00	60,0	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 18:00:00	52,2	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 18:00:00	62,6	66,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 17:30:00	60,2	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 17:30:00	60,4	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 17:30:00	52,8	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 17:30:00	62,4	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 17:00:00	60,3	66,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 17:00:00	59,8	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 17:00:00	54,9	89,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 17:00:00	62,0	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 16:30:00	60,5	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 16:30:00	59,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 16:30:00	54,0	88,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 16:30:00	62,8	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 16:00:00	60,6	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 16:00:00	59,3	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 16:00:00	51,1	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 16:00:00	62,9	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 15:30:00	60,4	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 15:30:00	59,9	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 15:30:00	51,8	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 15:30:00	62,9	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 15:00:00	60,3	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 15:00:00	59,9	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 15:00:00	51,7	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 15:00:00	63,0	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 14:30:00	60,1	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 14:30:00	59,9	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 14:30:00	52,1	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 14:30:00	62,5	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 14:00:00	60,3	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 14:00:00	60,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 14:00:00	52,5	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 14:00:00	62,9	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 13:30:00	60,0	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 13:30:00	59,9	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 13:30:00	51,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 13:30:00	62,6	77,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-11 13:00:00	57,8	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 13:00:00	58,5	77,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 13:00:00	50,3	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 13:00:00	61,3	66,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 12:30:00	58,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 12:30:00	51,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 12:30:00	62,0	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 12:30:00	59,6	66,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 12:00:00	59,9	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 12:00:00	51,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 12:00:00	63,0	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 12:00:00	60,3	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 11:30:00	60,0	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 11:30:00	51,4	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 11:30:00	63,3	81,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 11:30:00	60,6	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 11:00:00	59,6	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 11:00:00	50,4	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 11:00:00	63,3	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 11:00:00	60,7	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 10:30:00	59,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 10:30:00	51,6	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 10:30:00	63,2	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 10:30:00	60,6	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 10:00:00	59,2	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 10:00:00	50,7	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 10:00:00	63,0	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 10:00:00	60,2	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 09:30:00	58,6	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 09:30:00	50,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 09:30:00	62,1	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 09:30:00	59,9	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 09:00:00	57,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 09:00:00	49,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 09:00:00	61,4	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 09:00:00	58,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 08:30:00	57,5	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 08:30:00	49,9	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 08:30:00	61,5	76,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 08:30:00	58,5	66,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 08:00:00	56,8	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 08:00:00	49,8	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 08:00:00	61,1	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 08:00:00	58,0	67,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-11 07:30:00	56,9	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 07:30:00	48,9	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 07:30:00	60,7	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 07:30:00	58,6	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 07:00:00	56,1	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-11 07:00:00	48,8	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-11 07:00:00	59,2	67,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-11 07:00:00	57,8	65,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-11 06:30:00	55,5	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 06:30:00	48,3	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 06:30:00	58,4	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 06:30:00	57,4	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 06:00:00	53,4	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 06:00:00	46,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 06:00:00	55,9	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 06:00:00	54,8	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 05:30:00	53,1	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 05:30:00	46,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 05:30:00	55,4	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 05:30:00	54,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 05:00:00	54,8	76,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 05:00:00	47,0	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 05:00:00	57,2	84,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 05:00:00	57,3	87,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 04:30:00	52,5	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 04:30:00	45,5	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 04:30:00	55,1	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 04:30:00	54,6	72,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 04:00:00	51,3	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 04:00:00	44,3	60,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 04:00:00	53,7	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 04:00:00	53,1	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 03:30:00	51,1	60,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 03:30:00	42,5	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 03:30:00	54,0	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 03:30:00	53,6	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 03:00:00	51,2	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 03:00:00	42,0	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 03:00:00	54,1	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 03:00:00	53,4	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 02:30:00	52,4	62,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 02:30:00	43,3	51,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 02:30:00	54,8	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 02:30:00	54,1	70,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-11 02:00:00	53,3	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 02:00:00	44,2	56,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 02:00:00	55,9	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 02:00:00	54,9	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 01:30:00	52,2	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 01:30:00	44,2	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 01:30:00	56,5	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 01:30:00	54,9	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 01:00:00	53,6	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 01:00:00	46,5	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 01:00:00	56,8	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 01:00:00	55,1	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 00:30:00	54,3	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 00:30:00	46,6	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 00:30:00	58,3	79,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 00:30:00	56,6	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-11 00:00:00	54,7	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-11 00:00:00	47,9	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-11 00:00:00	57,9	77,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-11 00:00:00	56,4	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 23:30:00	55,7	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 23:30:00	48,8	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 23:30:00	58,4	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 23:30:00	57,2	71,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 23:00:00	56,8	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 23:00:00	49,5	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 23:00:00	59,0	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 23:00:00	57,6	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 22:30:00	57,2	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 22:30:00	49,9	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 22:30:00	60,1	65,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 22:30:00	58,6	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 22:00:00	58,1	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 22:00:00	50,8	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 22:00:00	60,5	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 22:00:00	58,3	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 21:30:00	58,5	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 21:30:00	50,7	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 21:30:00	61,0	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 21:30:00	59,1	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 21:00:00	58,9	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 21:00:00	50,5	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 21:00:00	61,6	79,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 21:00:00	59,7	73,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-10 20:30:00	59,3	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 20:30:00	51,8	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 20:30:00	62,1	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 20:30:00	60,3	77,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 20:00:00	59,4	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 20:00:00	51,4	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 20:00:00	62,5	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 20:00:00	60,3	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 19:30:00	59,6	75,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-10 19:30:00	51,8	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-10 19:30:00	62,3	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-10 19:30:00	60,5	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-10 19:00:00	59,9	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 19:00:00	52,2	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 19:00:00	62,5	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 19:00:00	60,9	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 18:30:00	60,2	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 18:30:00	51,6	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 18:30:00	63,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 18:30:00	61,3	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 18:00:00	60,3	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 18:00:00	51,5	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 18:00:00	63,6	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 18:00:00	61,7	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 17:30:00	60,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 17:30:00	52,1	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 17:30:00	65,9	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 17:30:00	61,8	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 17:00:00	60,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 17:00:00	52,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 17:00:00	65,9	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 17:00:00	61,8	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 16:30:00	61,1	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 16:30:00	52,5	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 16:30:00	66,8	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 16:30:00	61,6	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 16:00:00	60,8	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 16:00:00	52,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 16:00:00	64,0	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 16:00:00	62,0	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 15:30:00	60,9	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 15:30:00	52,1	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 15:30:00	65,0	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 15:30:00	61,5	68,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-10 15:00:00	60,5	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 15:00:00	52,6	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 15:00:00	66,4	85,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 15:00:00	60,9	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 14:30:00	59,8	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 14:30:00	53,7	77,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 14:30:00	65,9	84,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 14:30:00	60,1	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 14:00:00	59,6	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 14:00:00	52,2	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 14:00:00	62,7	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 14:00:00	59,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 13:30:00	59,2	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 13:30:00	50,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 13:30:00	62,4	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 13:30:00	58,6	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 13:00:00	59,8	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 13:00:00	52,1	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 13:00:00	62,6	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 13:00:00	59,0	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 12:30:00	58,7	79,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 12:30:00	50,6	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 12:30:00	61,7	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 12:30:00	58,2	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 12:00:00	56,5	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 12:00:00	48,6	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 12:00:00	60,4	84,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 12:00:00	55,3	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 11:30:00	59,7	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 11:30:00	50,7	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 11:30:00	62,5	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 11:30:00	59,9	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 11:00:00	60,8	80,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 11:00:00	51,8	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 11:00:00	63,8	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 11:00:00	61,2	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 10:30:00	59,7	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 10:30:00	51,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 10:30:00	64,8	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 10:30:00	62,9	81,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 10:00:00	59,1	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 10:00:00	51,1	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 10:00:00	64,9	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 10:00:00	63,7	70,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-10 09:30:00	59,5	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 09:30:00	50,6	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 09:30:00	64,7	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 09:30:00	63,6	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 09:00:00	59,7	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 09:00:00	50,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 09:00:00	65,1	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 09:00:00	63,8	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 08:30:00	59,5	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 08:30:00	51,2	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 08:30:00	65,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 08:30:00	64,0	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 08:00:00	59,6	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 08:00:00	50,5	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 08:00:00	65,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 08:00:00	64,2	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 07:30:00	59,5	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 07:30:00	50,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 07:30:00	65,5	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 07:30:00	64,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 07:00:00	59,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-10 07:00:00	50,5	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-10 07:00:00	64,8	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-10 07:00:00	63,9	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-10 06:30:00	59,6	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 06:30:00	50,5	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 06:30:00	64,4	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 06:30:00	64,2	74,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 06:00:00	58,9	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 06:00:00	50,3	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 06:00:00	62,7	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 06:00:00	62,6	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 05:30:00	56,0	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 05:30:00	47,1	67,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 05:30:00	60,8	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 05:30:00	59,9	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 05:00:00	53,9	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 05:00:00	46,4	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 05:00:00	58,1	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 05:00:00	57,2	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 04:30:00	52,1	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 04:30:00	42,9	63,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 04:30:00	56,6	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 04:30:00	55,6	69,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-10 04:00:00	50,9	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 04:00:00	41,8	60,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 04:00:00	55,9	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 04:00:00	54,7	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 03:30:00	50,6	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 03:30:00	40,7	51,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 03:30:00	54,9	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 03:30:00	54,2	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 03:00:00	52,3	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 03:00:00	40,8	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 03:00:00	54,7	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 03:00:00	54,3	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 02:30:00	50,1	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 02:30:00	40,3	51,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 02:30:00	54,7	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 02:30:00	54,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 02:00:00	50,4	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 02:00:00	40,8	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 02:00:00	54,3	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 02:00:00	53,5	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 01:30:00	52,4	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 01:30:00	45,1	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 01:30:00	56,2	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 01:30:00	55,8	72,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 01:00:00	54,6	75,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 01:00:00	47,2	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 01:00:00	58,2	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 01:00:00	56,9	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 00:30:00	54,6	70,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 00:30:00	47,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 00:30:00	57,7	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 00:30:00	56,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-10 00:00:00	55,9	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-10 00:00:00	47,6	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-10 00:00:00	59,2	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-10 00:00:00	58,3	72,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 23:30:00	57,0	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 23:30:00	49,2	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 23:30:00	59,9	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 23:30:00	59,2	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 23:00:00	57,5	70,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 23:00:00	49,6	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 23:00:00	60,1	67,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 23:00:00	59,1	69,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-09 22:30:00	57,7	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 22:30:00	48,8	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 22:30:00	60,0	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 22:30:00	58,3	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 22:00:00	58,0	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 22:00:00	48,7	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 22:00:00	61,4	79,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 22:00:00	60,3	79,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 21:30:00	58,7	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 21:30:00	49,0	68,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 21:30:00	62,4	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 21:30:00	61,7	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 21:00:00	58,9	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 21:00:00	50,3	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 21:00:00	62,2	72,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 21:00:00	60,7	72,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 20:30:00	59,0	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 20:30:00	50,2	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 20:30:00	61,6	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 20:30:00	60,4	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 20:00:00	58,9	70,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 20:00:00	50,2	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 20:00:00	62,4	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 20:00:00	61,3	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 19:30:00	58,9	73,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-09 19:30:00	51,2	74,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-09 19:30:00	62,0	69,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-09 19:30:00	60,6	72,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-09 19:00:00	59,2	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 19:00:00	50,7	68,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 19:00:00	62,1	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 19:00:00	60,5	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 18:30:00	59,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 18:30:00	51,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 18:30:00	62,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 18:30:00	60,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 18:00:00	60,2	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 18:00:00	52,5	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 18:00:00	62,4	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 18:00:00	60,3	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 17:30:00	60,6	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 17:30:00	52,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 17:30:00	62,9	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 17:30:00	60,4	66,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-09 17:00:00	61,2	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 17:00:00	54,0	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 17:00:00	63,1	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 17:00:00	60,4	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 16:30:00	61,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 16:30:00	53,5	67,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 16:30:00	63,7	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 16:30:00	60,6	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 16:00:00	61,5	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 16:00:00	54,6	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 16:00:00	63,7	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 16:00:00	60,6	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 15:30:00	61,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 15:30:00	54,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 15:30:00	63,9	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 15:30:00	60,7	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 15:00:00	61,3	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 15:00:00	52,9	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 15:00:00	64,2	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 15:00:00	61,2	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 14:30:00	61,5	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 14:30:00	52,9	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 14:30:00	64,2	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 14:30:00	61,5	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 14:00:00	62,0	82,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 14:00:00	53,5	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 14:00:00	64,2	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 14:00:00	61,7	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 13:30:00	61,7	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 13:30:00	52,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 13:30:00	64,4	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 13:30:00	61,7	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 13:00:00	59,8	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 13:00:00	51,1	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 13:00:00	62,2	66,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 13:00:00	60,9	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 12:30:00	59,5	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 12:30:00	51,7	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 12:30:00	61,4	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 12:30:00	60,8	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 12:00:00	59,7	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 12:00:00	50,9	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 12:00:00	61,8	66,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 12:00:00	60,8	71,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-09 11:30:00	60,6	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 11:30:00	52,0	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 11:30:00	63,4	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 11:30:00	60,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 11:00:00	62,9	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 11:00:00	52,9	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 11:00:00	63,9	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 11:00:00	60,8	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 10:30:00	61,2	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 10:30:00	52,0	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 10:30:00	63,2	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 10:30:00	60,2	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 10:00:00	61,3	82,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 10:00:00	52,6	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 10:00:00	63,2	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 10:00:00	59,8	66,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 09:30:00	60,5	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 09:30:00	52,5	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 09:30:00	62,7	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 09:30:00	59,5	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 09:00:00	59,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 09:00:00	51,9	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 09:00:00	62,0	67,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 09:00:00	59,4	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 08:30:00	59,3	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 08:30:00	50,6	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 08:30:00	61,6	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 08:30:00	58,5	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 08:00:00	58,1	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 08:00:00	50,3	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 08:00:00	60,8	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 08:00:00	57,7	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 07:30:00	58,2	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 07:30:00	50,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 07:30:00	60,3	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 07:30:00	57,5	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 07:00:00	57,2	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-09 07:00:00	49,2	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-09 07:00:00	59,7	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-09 07:00:00	57,2	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-09 06:30:00	56,8	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 06:30:00	48,1	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 06:30:00	58,7	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 06:30:00	56,4	68,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-09 06:00:00	55,7	73,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 06:00:00	47,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 06:00:00	58,0	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 06:00:00	55,0	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 05:30:00	54,7	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 05:30:00	46,9	63,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 05:30:00	56,6	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 05:30:00	54,7	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 05:00:00	55,6	70,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 05:00:00	46,2	60,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 05:00:00	57,1	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 05:00:00	55,7	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 04:30:00	53,3	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 04:30:00	45,2	63,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 04:30:00	55,1	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 04:30:00	53,4	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 04:00:00	52,4	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 04:00:00	44,6	52,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 04:00:00	54,4	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 04:00:00	53,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 03:30:00	51,4	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 03:30:00	43,2	59,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 03:30:00	53,6	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 03:30:00	52,3	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 03:00:00	51,5	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 03:00:00	42,9	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 03:00:00	53,9	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 03:00:00	52,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 02:30:00	53,1	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 02:30:00	43,5	56,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 02:30:00	54,7	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 02:30:00	53,0	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 02:00:00	52,7	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 02:00:00	43,8	51,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 02:00:00	55,0	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 02:00:00	52,9	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 01:30:00	53,7	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 01:30:00	46,5	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 01:30:00	56,0	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 01:30:00	53,5	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 01:00:00	55,5	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 01:00:00	48,0	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 01:00:00	57,9	71,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 01:00:00	55,6	67,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-09 00:30:00	55,5	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 00:30:00	48,9	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 00:30:00	57,4	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 00:30:00	55,3	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-09 00:00:00	56,3	73,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-09 00:00:00	49,1	69,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-09 00:00:00	59,1	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-09 00:00:00	57,0	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 23:30:00	57,6	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 23:30:00	50,7	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 23:30:00	60,7	76,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 23:30:00	58,2	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 23:00:00	57,1	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 23:00:00	50,4	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 23:00:00	60,2	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 23:00:00	58,6	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 22:30:00	58,4	79,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 22:30:00	49,9	68,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 22:30:00	61,3	74,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 22:30:00	60,4	81,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 22:00:00	58,3	77,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 22:00:00	51,2	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 22:00:00	61,7	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 22:00:00	60,3	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 21:30:00	60,7	86,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 21:30:00	51,8	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 21:30:00	62,4	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 21:30:00	61,1	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 21:00:00	59,5	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 21:00:00	51,7	67,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 21:00:00	63,2	73,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 21:00:00	62,0	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 20:30:00	60,1	77,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 20:30:00	52,1	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 20:30:00	63,6	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 20:30:00	62,2	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 20:00:00	62,2	85,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 20:00:00	52,9	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 20:00:00	63,7	81,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 20:00:00	61,9	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-08 19:30:00	60,5	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-08 19:30:00	52,6	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-08 19:30:00	64,2	78,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-08 19:30:00	62,5	69,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-08 19:00:00	60,2	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 19:00:00	54,1	85,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 19:00:00	65,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 19:00:00	62,2	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 18:30:00	59,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 18:30:00	52,6	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 18:30:00	65,1	92,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 18:30:00	61,7	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 18:00:00	57,3	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 18:00:00	50,8	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 18:00:00	60,6	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 18:00:00	59,7	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 17:30:00	56,6	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 17:30:00	55,5	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 17:30:00	61,3	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 17:30:00	60,1	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 17:00:00	58,3	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 17:00:00	51,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 17:00:00	62,5	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 17:00:00	60,1	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 16:30:00	57,3	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 16:30:00	50,1	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 16:30:00	60,3	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 16:30:00	56,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 16:00:00	54,4	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 16:00:00	50,1	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 16:00:00	56,1	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 16:00:00	53,5	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 15:30:00	54,7	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 15:30:00	51,0	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 15:30:00	56,4	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 15:30:00	54,5	80,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 15:00:00	61,3	86,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 15:00:00	62,3	89,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 15:00:00	62,3	86,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 15:00:00	62,1	84,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 14:30:00	58,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 14:30:00	50,3	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 14:30:00	61,2	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 14:30:00	59,0	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 14:00:00	60,7	77,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 14:00:00	53,3	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 14:00:00	62,4	86,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 14:00:00	59,9	74,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-08 13:30:00	59,9	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 13:30:00	51,7	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 13:30:00	64,6	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 13:30:00	60,2	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 13:15:00	68,5	82,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 13:00:00	62,8	85,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 13:00:00	56,2	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 13:00:00	61,6	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 12:30:00	62,7	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 12:30:00	52,3	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 12:30:00	66,0	88,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 12:30:00	61,3	74,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 12:00:00	60,5	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 12:00:00	52,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 12:00:00	67,5	92,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 12:00:00	60,8	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 11:30:00	60,7	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 11:30:00	51,4	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 11:30:00	63,2	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 11:30:00	60,6	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 11:00:00	60,4	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 11:00:00	51,5	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 11:00:00	64,7	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 11:00:00	61,0	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 10:45:00	83,6	99,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 10:30:00	60,6	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 10:30:00	59,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 10:30:00	61,2	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 10:00:00	60,2	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 10:00:00	56,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 10:00:00	66,1	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 10:00:00	59,5	78,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 09:30:00	59,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 09:30:00	61,8	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 09:30:00	62,4	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 09:00:00	59,7	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 09:00:00	63,2	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 09:00:00	62,4	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 08:30:00	59,1	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 08:30:00	57,0	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 08:30:00	60,0	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 08:00:00	58,3	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 08:00:00	52,1	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 08:00:00	65,8	79,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-08 08:00:00	59,3	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 07:30:00	58,5	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 07:30:00	51,0	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 07:30:00	63,2	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 07:30:00	59,7	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 07:00:00	59,4	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-08 07:00:00	51,5	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-08 07:00:00	63,9	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-08 07:00:00	61,3	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-08 06:30:00	59,5	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 06:30:00	51,4	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 06:30:00	63,9	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 06:30:00	60,6	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 06:00:00	60,2	74,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 06:00:00	51,0	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 06:00:00	63,6	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 06:00:00	62,2	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 05:30:00	58,6	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 05:30:00	50,1	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 05:30:00	61,5	68,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 05:30:00	61,2	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 05:00:00	55,8	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 05:00:00	47,1	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 05:00:00	58,7	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 05:00:00	57,8	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 04:30:00	53,9	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 04:30:00	44,3	53,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 04:30:00	57,3	72,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 04:30:00	56,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 04:00:00	52,0	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 04:00:00	43,0	55,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 04:00:00	55,4	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 04:00:00	54,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 03:30:00	51,7	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 03:30:00	42,3	58,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 03:30:00	54,8	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 03:30:00	54,3	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 03:00:00	51,5	61,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 03:00:00	41,7	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 03:00:00	55,2	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 03:00:00	54,3	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 02:30:00	50,6	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 02:30:00	40,8	49,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 02:30:00	55,0	64,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-08 02:30:00	53,7	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 02:00:00	51,6	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 02:00:00	41,4	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 02:00:00	56,0	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 02:00:00	54,8	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 01:30:00	51,8	73,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 01:30:00	45,7	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 01:30:00	55,8	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 01:30:00	54,3	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 01:00:00	53,2	74,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 01:00:00	45,0	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 01:00:00	56,9	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 01:00:00	55,6	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 00:30:00	52,8	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 00:30:00	45,1	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 00:30:00	57,0	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 00:30:00	55,6	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-08 00:00:00	54,6	75,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-08 00:00:00	47,6	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-08 00:00:00	58,5	77,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-08 00:00:00	56,9	78,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 23:30:00	55,4	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 23:30:00	48,8	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 23:30:00	58,8	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 23:30:00	57,1	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 23:00:00	57,6	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 23:00:00	50,8	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 23:00:00	60,4	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 23:00:00	58,7	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 22:30:00	58,8	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 22:30:00	51,1	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 22:30:00	61,6	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 22:30:00	59,9	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 22:00:00	58,7	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 22:00:00	51,1	73,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 22:00:00	61,3	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 22:00:00	59,3	67,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 21:30:00	59,2	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 21:30:00	51,5	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 21:30:00	62,0	76,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 21:30:00	60,2	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 21:00:00	59,7	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 21:00:00	52,3	74,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 21:00:00	62,7	69,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-07 21:00:00	60,9	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 20:30:00	59,9	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 20:30:00	51,4	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 20:30:00	64,3	82,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 20:30:00	61,0	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 20:00:00	60,2	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 20:00:00	52,8	78,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 20:00:00	64,3	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 20:00:00	61,1	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 19:30:00	60,6	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-07 19:30:00	52,7	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-07 19:30:00	64,0	79,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-07 19:30:00	61,7	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-07 19:00:00	63,1	85,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 19:00:00	53,6	80,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 19:00:00	63,9	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 19:00:00	61,4	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 18:30:00	60,8	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 18:30:00	52,0	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 18:30:00	63,7	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 18:30:00	60,2	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 18:00:00	60,7	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 18:00:00	54,1	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 18:00:00	67,4	87,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 18:00:00	59,2	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 17:30:00	59,4	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 17:30:00	54,9	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 17:30:00	58,5	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 17:00:00	59,7	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 17:00:00	62,7	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 17:00:00	58,8	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 16:30:00	58,5	81,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 16:30:00	63,2	80,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 16:30:00	63,8	84,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 16:30:00	57,5	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 16:00:00	55,8	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 16:00:00	55,5	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 16:00:00	67,1	91,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 16:00:00	55,9	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 15:30:00	56,6	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 15:30:00	58,4	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 15:30:00	56,3	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 15:15:00	64,9	89,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 15:00:00	57,9	73,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-05-07 15:00:00	56,5	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 15:00:00	56,0	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 14:30:00	61,7	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 14:30:00	53,7	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 14:30:00	68,8	91,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 14:30:00	60,8	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 14:00:00	61,5	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 14:00:00	52,9	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 14:00:00	64,2	85,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 14:00:00	62,0	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 13:30:00	61,2	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 13:30:00	54,8	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 13:30:00	64,4	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 13:30:00	62,0	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 13:00:00	60,2	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 13:00:00	51,4	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 13:00:00	67,4	89,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 13:00:00	62,3	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 12:30:00	60,6	76,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 12:30:00	59,4	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 12:30:00	70,0	97,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 12:30:00	64,4	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 12:00:00	59,5	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 12:00:00	51,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 12:00:00	65,7	92,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 12:00:00	63,1	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 11:30:00	59,7	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 11:30:00	51,8	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 11:30:00	63,9	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 11:30:00	61,8	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 11:00:00	59,6	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 11:00:00	51,6	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 11:00:00	63,3	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 11:00:00	61,1	67,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 10:30:00	60,0	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 10:30:00	59,9	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 10:30:00	82,7	100,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 10:30:00	60,3	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 10:00:00	59,6	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 10:00:00	55,3	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 10:00:00	75,2	97,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 10:00:00	59,5	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 09:30:00	60,4	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 09:30:00	52,9	70,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-07 09:30:00	64,7	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 09:30:00	60,1	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 09:00:00	59,4	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 09:00:00	55,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 09:00:00	76,9	100,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 09:00:00	59,4	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 08:30:00	59,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 08:30:00	51,9	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 08:30:00	68,1	83,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 08:30:00	58,7	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 08:00:00	59,7	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 08:00:00	57,2	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 08:00:00	82,8	99,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 08:00:00	59,1	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 07:30:00	59,3	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 07:30:00	52,9	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 07:30:00	65,7	87,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 07:30:00	58,7	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 07:00:00	58,7	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-07 07:00:00	50,8	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-07 07:00:00	62,8	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-07 07:00:00	60,0	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-07 06:30:00	59,4	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 06:30:00	53,0	74,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 06:30:00	63,2	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 06:30:00	60,2	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 06:00:00	60,6	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 06:00:00	52,2	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 06:00:00	64,5	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 06:00:00	63,0	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 05:30:00	57,8	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 05:30:00	49,9	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 05:30:00	61,4	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 05:30:00	60,6	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 05:00:00	54,3	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 05:00:00	47,1	74,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 05:00:00	58,1	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 05:00:00	56,9	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 04:30:00	53,6	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 04:30:00	44,3	59,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 04:30:00	57,0	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 04:30:00	56,6	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 04:00:00	50,7	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 04:00:00	41,9	54,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-07 04:00:00	54,4	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 04:00:00	53,8	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 03:30:00	50,4	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 03:30:00	40,6	49,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 03:30:00	54,3	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 03:30:00	53,7	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 03:00:00	50,7	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 03:00:00	40,4	50,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 03:00:00	53,9	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 03:00:00	53,7	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 02:30:00	50,1	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 02:30:00	42,4	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 02:30:00	53,0	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 02:30:00	52,6	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 02:00:00	49,7	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 02:00:00	39,9	48,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 02:00:00	53,9	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 02:00:00	53,2	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 01:30:00	51,5	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 01:30:00	42,9	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 01:30:00	55,2	65,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 01:30:00	54,2	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 01:00:00	56,3	82,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 01:00:00	49,3	77,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 01:00:00	55,6	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 01:00:00	54,1	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 00:30:00	52,5	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 00:30:00	46,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 00:30:00	56,7	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 00:30:00	55,2	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-07 00:00:00	53,3	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-07 00:00:00	47,4	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-07 00:00:00	57,0	80,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-07 00:00:00	55,1	67,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 23:30:00	55,9	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 23:30:00	48,4	77,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 23:30:00	56,8	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 23:30:00	55,4	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 23:00:00	55,6	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 23:00:00	50,3	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 23:00:00	61,5	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 23:00:00	56,8	67,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 22:30:00	56,0	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 22:30:00	47,3	69,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-06 22:30:00	60,6	84,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 22:30:00	60,3	75,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 22:00:00	56,0	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 22:00:00	49,1	73,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 22:00:00	58,5	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 22:00:00	58,4	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 21:30:00	55,5	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 21:30:00	47,7	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 21:30:00	59,0	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 21:30:00	59,4	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 21:00:00	57,6	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 21:00:00	50,5	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 21:00:00	62,7	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 21:00:00	62,1	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 20:30:00	59,3	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 20:30:00	51,0	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 20:30:00	64,7	74,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 20:30:00	63,4	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 20:00:00	58,2	73,7	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 20:00:00	49,9	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 20:00:00	64,2	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 20:00:00	62,8	75,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 19:30:00	59,4	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-06 19:30:00	51,5	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-06 19:30:00	65,2	72,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-06 19:30:00	63,9	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-06 19:00:00	59,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 19:00:00	52,1	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 19:00:00	65,0	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 19:00:00	63,9	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 18:30:00	59,6	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 18:30:00	58,1	92,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 18:30:00	65,5	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 18:30:00	64,4	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 18:00:00	59,7	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 18:00:00	52,9	76,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 18:00:00	65,5	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 18:00:00	64,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 17:30:00	58,5	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 17:30:00	57,8	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 17:30:00	65,6	86,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 17:30:00	63,4	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 17:00:00	58,0	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 17:00:00	56,1	84,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-06 17:00:00	66,7	89,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 17:00:00	61,4	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 16:30:00	57,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 16:30:00	49,7	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 16:30:00	66,9	93,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 16:30:00	60,2	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 16:00:00	53,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 16:00:00	48,9	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 16:00:00	60,8	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 16:00:00	58,7	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 15:30:00	54,5	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 15:30:00	48,6	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 15:30:00	60,6	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 15:30:00	59,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 15:00:00	59,9	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 15:00:00	52,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 15:00:00	66,2	81,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 15:00:00	63,9	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 14:30:00	60,4	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 14:30:00	53,0	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 14:30:00	67,9	93,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 14:30:00	65,5	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 14:00:00	60,0	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 14:00:00	51,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 14:00:00	66,6	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 14:00:00	65,3	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 13:30:00	60,0	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 13:30:00	50,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 13:30:00	66,1	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 13:30:00	64,6	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 13:00:00	59,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 13:00:00	51,9	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 13:00:00	75,6	97,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 13:00:00	64,8	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 12:30:00	59,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 12:30:00	51,1	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 12:30:00	67,9	94,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 12:30:00	64,3	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 12:00:00	57,4	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 12:00:00	49,7	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 12:00:00	66,5	98,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 12:00:00	63,1	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 11:30:00	59,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 11:30:00	50,3	68,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-06 11:30:00	65,3	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 11:30:00	64,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 11:00:00	60,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 11:00:00	54,1	75,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 11:00:00	68,1	90,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 11:00:00	65,6	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 10:30:00	59,9	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 10:30:00	51,4	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 10:30:00	68,4	90,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 10:30:00	65,5	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 10:00:00	58,5	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 10:00:00	50,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 10:00:00	67,2	86,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 10:00:00	63,3	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 09:30:00	58,5	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 09:30:00	52,3	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 09:30:00	66,5	87,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 09:30:00	62,9	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 09:15:00	80,7	97,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 09:00:00	58,3	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 09:00:00	58,2	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 09:00:00	65,2	80,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 08:30:00	58,0	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 08:30:00	51,3	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 08:30:00	66,4	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 08:30:00	62,0	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 08:00:00	57,7	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 08:00:00	51,2	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 08:00:00	65,8	87,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 08:00:00	61,5	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 07:30:00	58,1	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 07:30:00	50,6	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 07:30:00	64,0	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 07:30:00	61,7	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 07:00:00	59,9	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-06 07:00:00	52,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-06 07:00:00	65,2	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-06 07:00:00	63,2	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-06 06:30:00	60,3	78,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 06:30:00	52,2	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 06:30:00	65,4	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 06:30:00	63,6	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 06:00:00	61,2	83,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 06:00:00	52,5	68,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-06 06:00:00	65,3	71,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 06:00:00	64,6	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 05:30:00	58,9	78,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 05:30:00	51,4	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 05:30:00	62,2	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 05:30:00	61,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 05:00:00	55,2	74,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 05:00:00	47,6	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 05:00:00	58,7	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 05:00:00	58,0	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 04:30:00	53,8	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 04:30:00	46,3	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 04:30:00	57,7	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 04:30:00	56,8	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 04:00:00	51,5	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 04:00:00	43,9	57,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 04:00:00	55,7	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 04:00:00	55,0	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 03:30:00	48,6	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 03:30:00	40,3	57,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 03:30:00	52,6	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 03:30:00	52,7	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 03:00:00	48,9	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 03:00:00	39,6	50,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 03:00:00	52,3	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 03:00:00	51,8	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 02:30:00	48,5	60,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 02:30:00	39,8	50,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 02:30:00	53,3	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 02:30:00	51,8	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 02:00:00	49,4	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 02:00:00	40,0	50,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 02:00:00	54,1	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 02:00:00	52,8	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 01:30:00	51,0	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 01:30:00	43,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 01:30:00	55,4	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 01:30:00	53,7	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 01:00:00	51,9	71,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 01:00:00	45,1	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 01:00:00	56,1	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 01:00:00	54,5	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 00:30:00	52,3	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 00:30:00	45,6	68,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-05-06 00:30:00	56,4	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 00:30:00	54,7	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-06 00:00:00	53,5	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-06 00:00:00	45,9	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-06 00:00:00	57,8	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-05-06 00:00:00	56,5	68,7	-6,0	45	