



Landesgesellschaft
Österreich

Certificate of constancy of performance Certificate - No.: 0531 – CPR – 1317 – 2538

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

PRODIGY 7.20s 200

Containment level:	N2	H1	L1
Normalized working width:	W2	W3	W3
Impact severity:	A	A	A
Normalized dynamic deflection (m):	0,6	0,8	0,8
Normalized vehicle intrusion:	KLF	VI6	VI6
Resistance to snow removal:	Class 3		
Durability:	Steel, hot dip galvanized, EN ISO 1461		

placed on the market by

DELTA BLOC International GmbH

Industriestraße 28
2601 Sollenau, Österreich

and produced in the manufacturing plants

ALKA Sanayi Insaat ve Ticaret A.Ş.

Cumhuriyet Mah. Erhan Sok. 10
41435 Cayirova, Turkey

ÇEPAŞ Galvaniz Demir Celik Madencilik Ins. Nak. Tic. ve San. A. Ş.

175. Sokak No: 2 - 2/A (İstanbul yolu 25.KM.)
Saray Mahallesi Kahramankazan / Ankara / Turkey

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA 1.b of the standard

EN 1317-5:2007+A2:2012/AC:2012

under system 1 for the performances set out above are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on 01.08.2019 based on the assessment report 725131736/31.07.2019 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performances of the declared essential characteristics, do not change, and the construction product, and the manufacturing conditions in the plant are not modified significantly, unless suspended or withdrawn by the product certification body.

Wien, 28.01.2021



(Dipl. – Ing. Gerald Bachler)



**Annex to
certificate of constancy of performance
Certificate - No.: 0531 – CPR – 1317 – 2538**

For the construction product PRODIGY 7.20s 200

**Placed on the market by DELTA BLOC International GmbH
Industriestraße 28
2601 Sollenau, Austria**

Modification 1:

Equivalence of B, A and W profile:

Approved on
31.07.2019

The system may also be installed with the guardrail beams A and W. This was positively assessed in the modification report 25113788_3_rev2.

Modification 2:

Equivalence of post bolted connection:

Approved on
21.11.2019

The bolted connection between inner and outer post can be further offset downwards. The mentioned modification was judged and assessed in the modification report 725139370_1

Modification 3:

Steel quality of the inner post:

Approved on
21.11.2019

The inner posts may be made from S355JR instead of S235JR. This was positively assessed in the modification report 725139370_2.

Wien, 28.01.2021

Notified body, No. 0531

(Dipl.-Ing. Gerald Bachler)