



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-07 00:00:00	58,5	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-07 00:00:00	55,4	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-07 00:00:00	48,8	73,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-07 00:00:00	59,2	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 23:30:00	57,7	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 23:30:00	54,8	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 23:30:00	47,0	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 23:30:00	58,6	74,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 23:00:00	58,2	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 23:00:00	55,5	69,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 23:00:00	47,8	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 23:00:00	59,2	65,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 22:30:00	58,5	73,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 22:30:00	56,0	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 22:30:00	48,2	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 22:30:00	59,3	65,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 22:00:00	58,5	66,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 22:00:00	55,4	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 22:00:00	47,4	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 22:00:00	59,7	65,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 21:30:00	58,9	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 21:30:00	55,8	70,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 21:30:00	47,5	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 21:30:00	59,8	67,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 21:00:00	58,1	72,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 21:00:00	56,0	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 21:00:00	48,4	75,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 21:00:00	58,9	68,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 20:30:00	59,0	67,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 20:30:00	56,8	74,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 20:30:00	49,0	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 20:30:00	59,9	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 20:00:00	60,6	75,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 20:00:00	57,8	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 20:00:00	49,4	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 20:00:00	60,9	65,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 19:30:00	60,3	73,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-06 19:30:00	58,1	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-06 19:30:00	50,0	73,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-06 19:30:00	61,1	67,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-06 19:00:00	61,2	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 19:00:00	59,1	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 19:00:00	50,6	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 19:00:00	62,2	68,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-06 18:30:00	61,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 18:30:00	59,3	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 18:30:00	50,6	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 18:30:00	62,2	66,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 18:00:00	61,6	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 18:00:00	59,8	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 18:00:00	51,0	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 18:00:00	62,8	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 17:30:00	61,7	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 17:30:00	59,9	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 17:30:00	51,0	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 17:30:00	62,7	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 17:00:00	61,2	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 17:00:00	60,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 17:00:00	51,4	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 17:00:00	62,7	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 16:30:00	61,4	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 16:30:00	51,9	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 16:30:00	61,6	83,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 16:30:00	63,9	77,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 16:00:00	61,5	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 16:00:00	51,4	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 16:00:00	59,9	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 16:00:00	68,8	84,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 15:30:00	61,7	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 15:30:00	51,8	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 15:30:00	60,1	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 15:30:00	64,9	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 15:00:00	61,8	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 15:00:00	51,7	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 15:00:00	60,0	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 15:00:00	63,2	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 14:30:00	61,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 14:30:00	51,3	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 14:30:00	59,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 14:30:00	63,2	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 14:00:00	62,1	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 14:00:00	52,6	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 14:00:00	60,2	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 14:00:00	64,2	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 13:30:00	61,4	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 13:30:00	51,9	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 13:30:00	60,5	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 13:30:00	63,3	72,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-06 13:00:00	61,7	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 13:00:00	53,5	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 13:00:00	60,4	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 13:00:00	64,2	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 12:30:00	61,7	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 12:30:00	63,7	86,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 12:30:00	60,1	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 12:30:00	64,6	76,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 12:00:00	61,1	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 12:00:00	51,5	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 12:00:00	60,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 12:00:00	64,8	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 11:30:00	60,9	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 11:30:00	51,4	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 11:30:00	60,4	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 11:30:00	62,5	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 11:00:00	60,9	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 11:00:00	51,5	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 11:00:00	60,0	67,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 11:00:00	63,3	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 10:30:00	60,9	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 10:30:00	51,8	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 10:30:00	59,7	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 10:30:00	65,9	86,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 10:00:00	60,6	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 10:00:00	50,5	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 10:00:00	59,1	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 10:00:00	63,9	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 09:30:00	60,8	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 09:30:00	49,7	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 09:30:00	58,1	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 09:30:00	62,0	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 09:00:00	59,7	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 09:00:00	48,1	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 09:00:00	56,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 09:00:00	61,6	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 08:30:00	59,5	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 08:30:00	48,4	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 08:30:00	57,0	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 08:30:00	65,0	85,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 08:00:00	48,1	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 08:00:00	56,0	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 08:00:00	63,8	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 08:00:00	58,1	70,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-06 07:30:00	46,7	66,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 07:30:00	55,3	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 07:30:00	60,9	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 07:30:00	57,6	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 07:00:00	45,9	65,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-06 07:00:00	54,5	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-06 07:00:00	56,9	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-06 07:00:00	56,0	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-06 06:30:00	45,5	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 06:30:00	54,6	73,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 06:30:00	56,7	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 06:30:00	56,2	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 06:00:00	44,8	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 06:00:00	52,3	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 06:00:00	53,6	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 06:00:00	53,8	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 05:30:00	43,3	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 05:30:00	50,4	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 05:30:00	52,8	64,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 05:30:00	52,5	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 05:00:00	42,3	57,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 05:00:00	49,6	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 05:00:00	53,0	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 05:00:00	52,8	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 04:30:00	40,2	50,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 04:30:00	48,3	59,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 04:30:00	51,5	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 04:30:00	51,3	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 04:00:00	48,6	75,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 04:00:00	53,7	77,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 04:00:00	52,6	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 04:00:00	52,1	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 03:30:00	45,1	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 03:30:00	53,5	82,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 03:30:00	52,3	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 03:30:00	51,7	68,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 03:00:00	39,3	49,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 03:00:00	49,1	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 03:00:00	52,3	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 03:00:00	51,6	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 02:30:00	39,4	48,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 02:30:00	49,8	61,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 02:30:00	53,1	74,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 02:30:00	53,4	72,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-06 02:00:00	39,8	49,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 02:00:00	50,1	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 02:00:00	53,5	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 02:00:00	53,3	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 01:30:00	44,1	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 01:30:00	51,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 01:30:00	54,6	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 01:30:00	54,3	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 01:00:00	43,8	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 01:00:00	51,0	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 01:00:00	54,1	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 01:00:00	53,5	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 00:30:00	45,3	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 00:30:00	53,0	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 00:30:00	55,6	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 00:30:00	55,1	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-06 00:00:00	46,5	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-06 00:00:00	53,6	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-06 00:00:00	56,3	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-06 00:00:00	55,6	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 23:30:00	47,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 23:30:00	54,3	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 23:30:00	56,7	77,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 23:30:00	55,2	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 23:00:00	48,0	73,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 23:00:00	55,0	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 23:00:00	57,1	64,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 23:00:00	56,0	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 22:30:00	46,4	65,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 22:30:00	55,1	66,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 22:30:00	58,5	67,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 22:30:00	57,1	67,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 22:00:00	48,0	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 22:00:00	56,3	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 22:00:00	59,8	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 22:00:00	60,2	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 21:30:00	48,2	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 21:30:00	56,0	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 21:30:00	59,6	65,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 21:30:00	59,6	70,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 21:00:00	48,5	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 21:00:00	56,2	72,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 21:00:00	60,1	68,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 21:00:00	59,9	70,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-05 20:30:00	48,6	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 20:30:00	57,5	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 20:30:00	60,8	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 20:30:00	60,6	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 20:00:00	49,3	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 20:00:00	57,7	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 20:00:00	62,3	80,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 20:00:00	61,4	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 19:30:00	51,3	71,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-05 19:30:00	58,2	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-05 19:30:00	67,4	87,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-05 19:30:00	62,2	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-05 19:00:00	50,6	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 19:00:00	59,9	81,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 19:00:00	63,8	80,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 19:00:00	62,7	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 18:30:00	50,9	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 18:30:00	59,0	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 18:30:00	64,3	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 18:30:00	63,6	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 18:00:00	50,5	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 18:00:00	59,4	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 18:00:00	66,6	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 18:00:00	64,0	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 17:30:00	52,1	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 17:30:00	59,9	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 17:30:00	63,5	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 17:30:00	62,6	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 17:00:00	51,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 17:00:00	59,8	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 17:00:00	64,7	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 17:00:00	62,8	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 16:30:00	60,5	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 16:30:00	51,8	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 16:30:00	63,7	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 16:30:00	63,0	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 16:00:00	61,4	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 16:00:00	54,7	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 16:00:00	64,0	86,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 16:00:00	62,4	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 15:30:00	60,9	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 15:30:00	53,5	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 15:30:00	64,1	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 15:30:00	62,8	70,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-05 15:00:00	59,8	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 15:00:00	51,5	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 15:00:00	64,0	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 15:00:00	63,5	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 14:30:00	59,5	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 14:30:00	51,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 14:30:00	63,9	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 14:30:00	63,9	82,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 14:00:00	59,0	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 14:00:00	51,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 14:00:00	64,7	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 14:00:00	63,2	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 13:30:00	59,4	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 13:30:00	51,3	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 13:30:00	64,0	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 13:30:00	63,9	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 13:00:00	59,1	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 13:00:00	51,4	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 13:00:00	64,0	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 13:00:00	63,3	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 12:45:00	58,6	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 12:30:00	50,0	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 12:30:00	65,9	83,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 12:30:00	63,8	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 12:00:00	58,8	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 12:00:00	50,1	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 12:00:00	64,0	83,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 12:00:00	63,3	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 11:30:00	58,1	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 11:30:00	49,5	66,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 11:30:00	68,8	91,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 11:30:00	63,7	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 11:00:00	57,8	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 11:00:00	48,7	66,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 11:00:00	63,9	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 11:00:00	63,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 10:30:00	57,9	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 10:30:00	49,5	65,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 10:30:00	71,0	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 10:30:00	62,0	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 10:00:00	57,6	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 10:00:00	49,1	65,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 10:00:00	64,6	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 10:00:00	62,6	70,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-05 09:30:00	57,2	67,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 09:30:00	48,5	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 09:30:00	62,2	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 09:30:00	62,6	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 09:00:00	55,6	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 09:00:00	47,6	65,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 09:00:00	60,9	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 09:00:00	61,1	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 08:30:00	55,8	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 08:30:00	48,9	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 08:30:00	60,9	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 08:30:00	60,6	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 08:15:00	54,8	64,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 08:15:00	60,0	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 08:00:00	46,6	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 08:00:00	59,0	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 07:30:00	54,6	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 07:30:00	47,0	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 07:30:00	59,8	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 07:30:00	59,8	77,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 07:00:00	54,1	67,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-05 07:00:00	46,4	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-05 07:00:00	58,7	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-05 07:00:00	58,3	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-05 06:30:00	53,4	67,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 06:30:00	45,3	65,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 06:30:00	58,5	75,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 06:30:00	59,0	75,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 06:00:00	53,3	64,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 06:00:00	44,9	63,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 06:00:00	57,4	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 06:00:00	58,2	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 05:30:00	52,2	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 05:30:00	44,0	61,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 05:30:00	57,6	76,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 05:30:00	56,4	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 05:00:00	53,8	76,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 05:00:00	52,2	81,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 05:00:00	55,8	75,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 05:00:00	55,6	77,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 04:30:00	47,8	59,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 04:30:00	39,1	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 04:30:00	52,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 04:30:00	52,5	68,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-05 04:00:00	48,3	66,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 04:00:00	39,6	56,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 04:00:00	53,9	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 04:00:00	52,3	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 03:30:00	47,0	58,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 03:30:00	37,4	50,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 03:30:00	51,3	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 03:30:00	52,1	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 03:00:00	45,9	58,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 03:00:00	36,2	48,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 03:00:00	49,1	62,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 03:00:00	48,3	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 02:30:00	50,4	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 02:30:00	43,6	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 02:30:00	55,5	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 02:30:00	56,3	74,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 02:00:00	46,0	57,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 02:00:00	36,9	48,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 02:00:00	50,1	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 02:00:00	50,6	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 01:30:00	48,9	65,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 01:30:00	41,2	64,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 01:30:00	53,8	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 01:30:00	53,5	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 01:00:00	50,8	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 01:00:00	43,4	63,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 01:00:00	56,5	75,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 01:00:00	55,1	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 00:30:00	49,0	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 00:30:00	42,4	66,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 00:30:00	53,5	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 00:30:00	52,8	66,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-05 00:00:00	50,1	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-05 00:00:00	43,0	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-05 00:00:00	54,0	64,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-05 00:00:00	53,7	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 23:30:00	51,8	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 23:30:00	45,1	66,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 23:30:00	57,0	76,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 23:30:00	56,6	77,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 23:00:00	52,6	66,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 23:00:00	46,3	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 23:00:00	58,3	74,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 23:00:00	56,9	70,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-04 22:30:00	52,2	67,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 22:30:00	45,8	65,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 22:30:00	57,7	77,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 22:30:00	57,3	78,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 22:00:00	52,5	68,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 22:00:00	45,9	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 22:00:00	57,5	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 22:00:00	56,8	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 21:30:00	54,0	67,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 21:30:00	47,2	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 21:30:00	58,6	77,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 21:30:00	58,1	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 21:00:00	53,6	66,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 21:00:00	46,1	65,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 21:00:00	58,3	65,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 21:00:00	58,3	65,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 20:30:00	55,0	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 20:30:00	47,1	67,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 20:30:00	60,0	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 20:30:00	59,3	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 20:00:00	56,7	70,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 20:00:00	49,5	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 20:00:00	61,6	68,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 20:00:00	61,9	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 19:30:00	57,7	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-04 19:30:00	49,3	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-04 19:30:00	63,2	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-04 19:30:00	63,6	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-04 19:00:00	58,5	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 19:00:00	51,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 19:00:00	64,1	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 19:00:00	63,9	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 18:30:00	58,3	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 18:30:00	48,8	67,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 18:30:00	64,0	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 18:30:00	64,4	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 18:00:00	58,7	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 18:00:00	49,3	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 18:00:00	65,3	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 18:00:00	64,2	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 17:30:00	59,2	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 17:30:00	51,1	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 17:30:00	71,5	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 17:30:00	64,9	74,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-04 17:00:00	59,3	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 17:00:00	49,9	66,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 17:00:00	66,8	74,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 17:00:00	65,4	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 16:30:00	59,2	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 16:30:00	49,6	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 16:30:00	66,1	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 16:30:00	65,3	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 16:00:00	59,2	69,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 16:00:00	50,5	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 16:00:00	68,2	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 16:00:00	65,9	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 15:30:00	58,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 15:30:00	50,5	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 15:30:00	69,0	80,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 15:30:00	65,3	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 15:00:00	58,8	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 15:00:00	50,0	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 15:00:00	66,1	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 15:00:00	64,5	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 14:30:00	59,6	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 14:30:00	50,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 14:30:00	70,3	84,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 14:30:00	64,1	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 14:00:00	59,8	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 14:00:00	55,7	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 14:00:00	82,1	99,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 14:00:00	66,0	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 13:30:00	60,5	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 13:30:00	54,6	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 13:30:00	78,6	97,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 13:30:00	65,9	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 13:00:00	60,8	80,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 13:00:00	55,6	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 13:00:00	79,6	99,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 13:00:00	65,4	80,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 12:30:00	60,3	83,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 12:30:00	51,5	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 12:30:00	66,0	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 12:30:00	65,1	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 12:00:00	58,7	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 12:00:00	50,4	66,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 12:00:00	67,0	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 12:00:00	63,8	73,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-04 11:30:00	59,7	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 11:30:00	51,1	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 11:30:00	68,8	82,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 11:30:00	63,5	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 11:00:00	61,0	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 11:00:00	53,2	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 11:00:00	69,3	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 11:00:00	63,6	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 10:30:00	61,0	79,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 10:30:00	53,0	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 10:30:00	66,6	89,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 10:30:00	63,4	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 10:00:00	60,1	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 10:00:00	53,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 10:00:00	72,3	93,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 10:00:00	64,0	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 09:30:00	60,2	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 09:30:00	54,1	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 09:30:00	76,4	93,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 09:30:00	64,3	78,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 09:00:00	60,6	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 09:00:00	54,9	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 09:00:00	73,7	90,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 09:00:00	63,5	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 08:30:00	58,4	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 08:30:00	53,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 08:30:00	71,6	88,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 08:30:00	61,2	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 08:00:00	57,9	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 08:00:00	50,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 08:00:00	65,5	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 08:00:00	61,7	76,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 07:30:00	57,2	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 07:30:00	49,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 07:30:00	63,6	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 07:30:00	61,0	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 07:00:00	57,6	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-04 07:00:00	50,2	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-04 07:00:00	63,8	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-04 07:00:00	62,3	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-04 06:30:00	57,8	74,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 06:30:00	50,7	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 06:30:00	63,5	71,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 06:30:00	62,3	73,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-04 06:00:00	58,1	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 06:00:00	50,3	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 06:00:00	62,5	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 06:00:00	61,8	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 05:30:00	56,8	79,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 05:30:00	48,1	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 05:30:00	59,9	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 05:30:00	59,3	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 05:00:00	53,2	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 05:00:00	46,1	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 05:00:00	57,2	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 05:00:00	56,3	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 04:30:00	51,1	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 04:30:00	40,9	52,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 04:30:00	55,1	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 04:30:00	54,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 04:00:00	51,1	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 04:00:00	40,7	50,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 04:00:00	55,3	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 04:00:00	54,5	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 03:30:00	52,8	77,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 03:30:00	47,0	74,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 03:30:00	54,2	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 03:30:00	53,4	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 03:00:00	50,6	64,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 03:00:00	40,2	49,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 03:00:00	54,8	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 03:00:00	54,0	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 02:30:00	50,1	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 02:30:00	39,6	50,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 02:30:00	54,5	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 02:30:00	53,7	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 02:00:00	49,1	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 02:00:00	38,9	49,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 02:00:00	53,8	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 02:00:00	53,0	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 01:30:00	51,2	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 01:30:00	43,6	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 01:30:00	55,2	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 01:30:00	55,2	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 01:00:00	51,9	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 01:00:00	45,4	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 01:00:00	61,5	78,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 01:00:00	61,0	75,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-04 00:30:00	51,8	69,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 00:30:00	44,4	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 00:30:00	60,9	78,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 00:30:00	58,4	74,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-04 00:00:00	53,5	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-04 00:00:00	46,4	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-04 00:00:00	63,9	78,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-04 00:00:00	63,1	78,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 23:30:00	54,4	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 23:30:00	47,0	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 23:30:00	58,1	73,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 23:30:00	58,4	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 23:00:00	55,1	76,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 23:00:00	49,8	74,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 23:00:00	59,9	74,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 23:00:00	58,9	76,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 22:30:00	54,9	68,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 22:30:00	47,5	72,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 22:30:00	60,0	73,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 22:30:00	59,3	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 22:00:00	55,8	69,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 22:00:00	47,9	67,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 22:00:00	61,1	75,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 22:00:00	59,9	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 21:30:00	56,8	75,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 21:30:00	48,5	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 21:30:00	61,9	72,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 21:30:00	61,3	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 21:00:00	57,2	72,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 21:00:00	48,0	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 21:00:00	62,6	76,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 21:00:00	62,0	86,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 20:30:00	57,7	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 20:30:00	48,8	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 20:30:00	62,8	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 20:30:00	61,9	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 20:00:00	58,3	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 20:00:00	51,4	74,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 20:00:00	66,1	85,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 20:00:00	62,0	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-03 19:30:00	58,7	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-03 19:30:00	50,9	74,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-03 19:30:00	70,1	88,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-03 19:30:00	63,0	71,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-03 19:00:00	58,3	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 19:00:00	50,0	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 19:00:00	64,0	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 19:00:00	62,8	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 18:30:00	59,3	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 18:30:00	51,2	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 18:30:00	65,7	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 18:30:00	63,4	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 18:00:00	59,0	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 18:00:00	51,1	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 18:00:00	66,2	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 18:00:00	63,2	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 17:30:00	58,8	79,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 17:30:00	50,2	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 17:30:00	65,0	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 17:30:00	63,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 17:00:00	57,4	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 17:00:00	50,0	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 17:00:00	65,1	81,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 17:00:00	62,5	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 16:30:00	56,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 16:30:00	50,9	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 16:30:00	63,5	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 16:30:00	61,2	75,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 16:00:00	57,7	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 16:00:00	51,0	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 16:00:00	65,8	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 16:00:00	62,1	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 15:30:00	57,9	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 15:30:00	51,1	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 15:30:00	66,2	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 15:30:00	62,9	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 15:00:00	59,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 15:00:00	52,0	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 15:00:00	70,3	85,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 15:00:00	63,6	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 14:30:00	59,9	73,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 14:30:00	52,9	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 14:30:00	67,9	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 14:30:00	63,3	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 14:00:00	59,5	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 14:00:00	51,8	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 14:00:00	66,4	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 14:00:00	63,3	72,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-03 13:30:00	59,6	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 13:30:00	52,9	75,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 13:30:00	65,9	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 13:30:00	63,1	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 13:00:00	59,0	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 13:00:00	51,3	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 13:00:00	66,7	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 13:00:00	63,4	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 12:30:00	59,3	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 12:30:00	50,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 12:30:00	67,3	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 12:30:00	63,4	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 12:00:00	59,2	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 12:00:00	51,1	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 12:00:00	66,0	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 12:00:00	63,6	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 11:30:00	59,2	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 11:30:00	50,2	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 11:30:00	64,9	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 11:30:00	63,8	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 11:00:00	58,9	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 11:00:00	50,6	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 11:00:00	65,1	79,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 11:00:00	64,0	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 10:30:00	59,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 10:30:00	50,4	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 10:30:00	66,8	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 10:30:00	64,1	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 10:00:00	59,8	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 10:00:00	52,3	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 10:00:00	66,7	88,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 10:00:00	63,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 09:30:00	60,1	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 09:30:00	52,0	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 09:30:00	69,0	87,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 09:30:00	64,5	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 09:00:00	59,1	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 09:00:00	51,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 09:00:00	66,8	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 09:00:00	62,6	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 08:30:00	58,2	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 08:30:00	52,8	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 08:30:00	67,5	88,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 08:30:00	59,8	65,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-03 08:00:00	57,5	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 08:00:00	49,9	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 08:00:00	69,4	87,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 08:00:00	62,3	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 07:45:00	57,9	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 07:30:00	50,5	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 07:30:00	64,5	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 07:30:00	62,3	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 07:00:00	58,7	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-03 07:00:00	50,8	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-03 07:00:00	63,7	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-03 07:00:00	62,9	79,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-03 06:30:00	60,2	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 06:30:00	52,8	74,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 06:30:00	63,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 06:30:00	63,4	72,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 06:00:00	59,5	74,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 06:00:00	52,9	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 06:00:00	61,9	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 06:00:00	62,0	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 05:30:00	57,0	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 05:30:00	48,8	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 05:30:00	59,6	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 05:30:00	60,4	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 05:00:00	54,6	76,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 05:00:00	48,2	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 05:00:00	58,1	73,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 05:00:00	57,9	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 04:30:00	53,1	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 04:30:00	45,6	53,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 04:30:00	55,7	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 04:30:00	55,2	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 04:00:00	53,0	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 04:00:00	44,9	57,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 04:00:00	56,2	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 04:00:00	55,0	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 03:30:00	53,1	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 03:30:00	45,7	66,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 03:30:00	55,6	73,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 03:30:00	55,8	74,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 03:00:00	50,9	61,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 03:00:00	43,2	53,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 03:00:00	53,6	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 03:00:00	52,7	67,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-03 02:30:00	51,2	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 02:30:00	43,9	56,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 02:30:00	54,7	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 02:30:00	53,2	70,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 02:00:00	52,3	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 02:00:00	44,5	53,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 02:00:00	56,1	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 02:00:00	54,6	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 01:30:00	54,5	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 01:30:00	47,5	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 01:30:00	56,5	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 01:30:00	55,4	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 01:00:00	54,0	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 01:00:00	47,7	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 01:00:00	56,2	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 01:00:00	55,2	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 00:30:00	54,5	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 00:30:00	49,0	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 00:30:00	56,1	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 00:30:00	55,4	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-03 00:00:00	53,7	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-03 00:00:00	47,3	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-03 00:00:00	56,5	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-03 00:00:00	55,8	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 23:30:00	55,2	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 23:30:00	48,6	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 23:30:00	57,9	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 23:30:00	57,3	75,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 23:00:00	56,0	74,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 23:00:00	49,3	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 23:00:00	58,3	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 23:00:00	57,6	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 22:30:00	57,5	71,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 22:30:00	51,2	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 22:30:00	61,2	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 22:30:00	60,0	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 22:00:00	58,8	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 22:00:00	52,7	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 22:00:00	62,2	74,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 22:00:00	60,5	80,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 21:30:00	58,9	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 21:30:00	52,4	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 21:30:00	61,9	73,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 21:30:00	60,8	71,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-02 21:00:00	59,4	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 21:00:00	51,5	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 21:00:00	62,7	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 21:00:00	62,1	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 20:30:00	59,1	76,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 20:30:00	51,0	74,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 20:30:00	63,0	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 20:30:00	62,4	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 20:00:00	58,5	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 20:00:00	53,0	77,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 20:00:00	64,0	79,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 20:00:00	63,7	78,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 19:30:00	58,9	77,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-02 19:30:00	51,3	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-02 19:30:00	64,7	76,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-02 19:30:00	64,4	71,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-02 19:00:00	58,9	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 19:00:00	50,3	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 19:00:00	65,2	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 19:00:00	64,8	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 18:30:00	59,9	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 18:30:00	53,3	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 18:30:00	65,8	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 18:30:00	65,4	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 18:00:00	59,2	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 18:00:00	56,1	84,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 18:00:00	65,4	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 18:00:00	64,9	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 17:30:00	59,6	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 17:30:00	51,8	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 17:30:00	65,2	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 17:30:00	64,9	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 17:00:00	59,1	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 17:00:00	50,5	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 17:00:00	66,0	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 17:00:00	65,5	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 16:30:00	58,3	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 16:30:00	53,2	87,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 16:30:00	64,7	76,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 16:30:00	64,6	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 16:00:00	58,0	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 16:00:00	50,8	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 16:00:00	64,7	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 16:00:00	64,8	75,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-02 15:30:00	57,8	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 15:30:00	50,7	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 15:30:00	65,2	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 15:30:00	65,4	81,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 15:00:00	57,9	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 15:00:00	49,9	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 15:00:00	65,4	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 15:00:00	65,1	74,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 14:30:00	58,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 14:30:00	50,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 14:30:00	65,4	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 14:30:00	65,8	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 14:00:00	59,3	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 14:00:00	57,0	92,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 14:00:00	66,8	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 14:00:00	66,4	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 13:30:00	60,1	78,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 13:30:00	52,2	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 13:30:00	66,2	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 13:30:00	66,0	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 13:15:00	59,5	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 13:00:00	51,1	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 13:00:00	66,2	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 13:00:00	65,8	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 12:30:00	59,5	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 12:30:00	51,2	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 12:30:00	66,2	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 12:30:00	65,6	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 12:00:00	59,3	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 12:00:00	50,6	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 12:00:00	66,6	74,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 12:00:00	66,0	72,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 11:30:00	59,4	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 11:30:00	50,8	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 11:30:00	66,1	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 11:30:00	65,9	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 11:00:00	59,2	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 11:00:00	50,9	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 11:00:00	66,0	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 11:00:00	65,8	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 10:30:00	60,0	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 10:30:00	52,1	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 10:30:00	66,7	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 10:30:00	65,9	72,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-02 10:00:00	59,9	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 10:00:00	51,8	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 10:00:00	66,3	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 10:00:00	65,7	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 09:30:00	59,6	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 09:30:00	50,2	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 09:30:00	66,2	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 09:30:00	65,7	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 09:00:00	58,7	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 09:00:00	49,9	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 09:00:00	65,7	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 09:00:00	64,7	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 08:30:00	57,4	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 08:30:00	49,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 08:30:00	64,3	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 08:30:00	62,9	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 08:00:00	57,7	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 08:00:00	49,4	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 08:00:00	65,7	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 08:00:00	62,7	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 07:30:00	58,2	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 07:30:00	51,0	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 07:30:00	64,5	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 07:30:00	63,0	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 07:00:00	57,8	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-02 07:00:00	49,6	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-02 07:00:00	64,2	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-02 07:00:00	62,9	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-02 06:30:00	59,8	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 06:30:00	52,4	71,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 06:30:00	65,6	74,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 06:30:00	64,6	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 06:00:00	59,3	72,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 06:00:00	51,7	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 06:00:00	64,2	73,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 06:00:00	64,6	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 05:30:00	56,5	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 05:30:00	48,4	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 05:30:00	61,2	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 05:30:00	61,4	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 05:00:00	53,1	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 05:00:00	44,5	56,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 05:00:00	57,8	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 05:00:00	58,0	71,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-02 04:30:00	51,5	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 04:30:00	41,5	50,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 04:30:00	55,9	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 04:30:00	55,7	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 04:00:00	50,1	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 04:00:00	40,5	52,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 04:00:00	54,9	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 04:00:00	54,5	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 03:30:00	49,3	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 03:30:00	40,3	50,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 03:30:00	54,1	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 03:30:00	53,3	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 03:00:00	49,0	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 03:00:00	39,8	50,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 03:00:00	52,5	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 03:00:00	51,9	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 02:30:00	48,9	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 02:30:00	40,0	53,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 02:30:00	52,6	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 02:30:00	52,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 02:00:00	47,6	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 02:00:00	38,9	50,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 02:00:00	52,6	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 02:00:00	51,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 01:30:00	50,5	76,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 01:30:00	42,7	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 01:30:00	54,9	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 01:30:00	54,1	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 01:00:00	52,2	76,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 01:00:00	45,9	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 01:00:00	56,7	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 01:00:00	55,0	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 00:30:00	52,2	72,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 00:30:00	44,9	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 00:30:00	56,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 00:30:00	54,9	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-02 00:00:00	54,0	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-02 00:00:00	46,3	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-02 00:00:00	58,1	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-02 00:00:00	57,0	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 23:30:00	54,4	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 23:30:00	46,6	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 23:30:00	59,2	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 23:30:00	59,0	73,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-01 23:00:00	63,8	83,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 23:00:00	62,0	82,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 23:00:00	60,9	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 23:00:00	60,0	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 22:30:00	57,4	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 22:30:00	48,3	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 22:30:00	62,4	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 22:30:00	62,6	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 22:00:00	57,4	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 22:00:00	48,1	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 22:00:00	62,3	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 22:00:00	62,9	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 21:30:00	58,1	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 21:30:00	49,2	69,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 21:30:00	64,0	87,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 21:30:00	63,8	86,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 21:00:00	58,5	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 21:00:00	49,4	68,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 21:00:00	62,8	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 21:00:00	63,3	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 20:30:00	58,9	74,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 20:30:00	50,8	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 20:30:00	62,9	74,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 20:30:00	63,4	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 20:00:00	58,9	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 20:00:00	50,8	70,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 20:00:00	63,7	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 20:00:00	63,9	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 19:30:00	58,8	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-01 19:30:00	52,1	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-01 19:30:00	64,4	74,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-01 19:30:00	64,3	76,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-01 19:00:00	58,6	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 19:00:00	49,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 19:00:00	65,1	84,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 19:00:00	64,5	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 18:30:00	58,7	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 18:30:00	49,0	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 18:30:00	65,0	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 18:30:00	65,7	91,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 18:00:00	58,1	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 18:00:00	48,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 18:00:00	64,3	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 18:00:00	64,0	71,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-01 17:30:00	58,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 17:30:00	48,7	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 17:30:00	64,4	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 17:30:00	64,1	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 17:00:00	58,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 17:00:00	48,8	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 17:00:00	64,9	83,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 17:00:00	64,1	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 16:30:00	58,9	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 16:30:00	49,9	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 16:30:00	66,1	90,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 16:30:00	64,9	85,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 16:00:00	58,9	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 16:00:00	50,0	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 16:00:00	65,0	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 16:00:00	64,2	75,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 15:30:00	59,6	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 15:30:00	51,1	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 15:30:00	64,9	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 15:30:00	64,2	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 15:00:00	59,8	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 15:00:00	51,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 15:00:00	64,5	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 15:00:00	63,4	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 14:30:00	59,5	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 14:30:00	51,0	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 14:30:00	64,8	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 14:30:00	63,9	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 14:00:00	58,8	76,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 14:00:00	49,5	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 14:00:00	64,7	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 14:00:00	63,9	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 13:30:00	58,6	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 13:30:00	50,1	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 13:30:00	64,5	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 13:30:00	63,5	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 13:00:00	59,2	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 13:00:00	49,9	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 13:00:00	64,8	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 13:00:00	63,9	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 12:30:00	58,9	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 12:30:00	50,3	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 12:30:00	64,6	72,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 12:30:00	63,7	72,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-01 12:00:00	57,3	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 12:00:00	48,9	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 12:00:00	63,9	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 12:00:00	63,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 11:30:00	57,4	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 11:30:00	47,9	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 11:30:00	63,8	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 11:30:00	62,7	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 11:00:00	57,4	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 11:00:00	49,3	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 11:00:00	63,4	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 11:00:00	62,5	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 10:30:00	56,2	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 10:30:00	47,4	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 10:30:00	62,8	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 10:30:00	62,1	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 10:00:00	56,7	79,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 10:00:00	47,2	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 10:00:00	61,1	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 10:00:00	60,0	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 09:30:00	56,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 09:30:00	48,6	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 09:30:00	60,2	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 09:30:00	59,0	76,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 09:00:00	55,3	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 09:00:00	48,0	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 09:00:00	58,3	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 09:00:00	56,8	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 08:30:00	56,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 08:30:00	50,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 08:30:00	60,3	80,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 08:30:00	59,0	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 08:00:00	54,9	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 08:00:00	49,3	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 08:00:00	58,3	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 08:00:00	57,9	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 07:30:00	55,6	70,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 07:30:00	50,8	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 07:30:00	58,2	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 07:30:00	57,3	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-01 07:00:00	55,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-01 07:00:00	49,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-01 07:00:00	56,8	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-01 07:00:00	56,2	68,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-01 06:30:00	55,1	74,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 06:30:00	49,0	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 06:30:00	56,1	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 06:30:00	55,5	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 06:00:00	53,2	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 06:00:00	46,6	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 06:00:00	54,7	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 06:00:00	53,6	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 05:30:00	50,8	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 05:30:00	45,5	54,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 05:30:00	52,2	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 05:30:00	51,7	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 05:00:00	50,0	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 05:00:00	44,4	57,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 05:00:00	51,8	63,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 05:00:00	51,3	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 04:30:00	53,0	74,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 04:30:00	44,4	63,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 04:30:00	55,1	76,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 04:30:00	54,6	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 04:00:00	49,0	61,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 04:00:00	41,2	50,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 04:00:00	51,4	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 04:00:00	51,2	66,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 03:30:00	48,3	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 03:30:00	41,3	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 03:30:00	52,3	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 03:30:00	51,8	72,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 03:00:00	48,8	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 03:00:00	40,5	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 03:00:00	53,2	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 03:00:00	54,9	70,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 02:30:00	47,8	59,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 02:30:00	38,4	46,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 02:30:00	53,0	72,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 02:30:00	51,0	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 02:00:00	49,8	60,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 02:00:00	40,2	49,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 02:00:00	55,2	72,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 02:00:00	54,6	75,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 01:30:00	52,3	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 01:30:00	45,0	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 01:30:00	55,4	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 01:30:00	54,4	69,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-01 01:00:00	53,6	71,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 01:00:00	48,1	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 01:00:00	56,9	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 01:00:00	55,9	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 00:30:00	54,7	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 00:30:00	46,4	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 00:30:00	58,0	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 00:30:00	56,8	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-01 00:00:00	56,8	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-01 00:00:00	49,5	73,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-01 00:00:00	59,7	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-01 00:00:00	59,3	68,4	-6,0	45	