



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-14 00:00:00	56,2	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-14 00:00:00	55,4	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-14 00:00:00	48,1	54,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-14 00:00:00	58,1	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 23:30:00	56,8	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 23:30:00	55,6	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 23:30:00	48,6	56,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 23:30:00	58,5	64,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 23:00:00	57,4	80,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 23:00:00	57,1	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 23:00:00	49,0	59,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 23:00:00	58,9	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 22:30:00	57,3	66,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 22:30:00	56,9	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 22:30:00	50,7	58,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 22:30:00	59,1	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 22:00:00	57,5	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 22:00:00	56,8	65,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 22:00:00	50,6	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 22:00:00	59,2	66,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 21:30:00	57,8	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 21:30:00	58,0	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 21:30:00	49,7	59,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 21:30:00	60,4	78,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 21:00:00	57,7	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 21:00:00	58,8	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 21:00:00	48,7	58,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 21:00:00	60,3	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 20:30:00	57,9	64,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 20:30:00	58,5	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 20:30:00	51,0	62,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 20:30:00	60,3	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 20:00:00	58,7	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 20:00:00	58,7	73,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 20:00:00	52,1	63,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 20:00:00	60,6	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 19:30:00	58,9	63,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-13 19:30:00	52,3	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-13 19:30:00	61,1	75,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-13 19:30:00	59,0	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-13 19:00:00	59,3	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 19:00:00	53,5	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 19:00:00	61,6	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 19:00:00	60,1	71,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-13 18:30:00	59,5	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 18:30:00	53,2	61,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 18:30:00	62,9	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 18:30:00	61,3	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 18:00:00	59,8	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 18:00:00	54,3	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 18:00:00	63,1	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 18:00:00	61,5	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 17:30:00	59,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 17:30:00	53,4	77,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 17:30:00	62,7	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 17:30:00	61,4	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 17:00:00	59,2	62,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 17:00:00	64,5	86,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 17:00:00	63,2	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 17:00:00	61,2	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 16:30:00	59,7	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 16:30:00	64,8	87,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 16:30:00	63,1	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 16:30:00	61,5	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 16:00:00	60,2	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 16:00:00	68,0	88,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 16:00:00	65,5	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 16:00:00	61,1	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 15:30:00	59,8	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 15:30:00	55,5	87,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 15:30:00	65,1	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 15:30:00	61,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 15:00:00	59,6	65,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 15:00:00	54,0	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 15:00:00	64,5	84,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 15:00:00	62,0	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 14:30:00	60,5	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 14:30:00	56,1	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 14:30:00	63,9	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 14:30:00	61,2	69,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 14:15:00	56,3	62,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 14:00:00	59,2	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 14:00:00	61,9	82,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 14:00:00	59,5	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 13:45:00	58,3	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 13:30:00	56,6	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 13:30:00	52,2	81,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 13:30:00	60,7	71,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-13 13:00:00	60,7	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 13:00:00	56,5	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 13:00:00	62,4	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 13:00:00	59,9	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 12:30:00	61,2	66,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 12:30:00	55,8	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 12:30:00	63,0	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 12:30:00	60,2	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 12:00:00	60,8	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 12:00:00	53,3	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 12:00:00	63,6	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 12:00:00	60,2	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 11:30:00	59,9	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 11:30:00	49,8	57,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 11:30:00	63,5	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 11:30:00	61,6	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 11:00:00	59,7	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 11:00:00	49,5	55,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 11:00:00	63,5	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 11:00:00	62,0	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 10:30:00	59,5	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 10:30:00	50,3	60,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 10:30:00	64,9	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 10:30:00	62,2	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 10:00:00	59,1	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 10:00:00	49,6	59,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 10:00:00	65,4	78,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 10:00:00	62,4	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 09:30:00	59,1	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 09:30:00	50,2	55,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 09:30:00	64,5	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 09:30:00	61,5	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 09:00:00	58,4	63,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 09:00:00	49,5	62,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 09:00:00	63,6	81,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 09:00:00	60,7	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 08:30:00	57,9	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 08:30:00	48,7	61,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 08:30:00	62,5	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 08:30:00	60,8	67,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 08:00:00	57,2	66,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 08:00:00	48,1	57,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 08:00:00	61,5	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 08:00:00	59,3	71,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-13 07:30:00	56,4	62,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 07:30:00	47,2	59,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 07:30:00	60,9	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 07:30:00	58,7	67,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 07:00:00	54,8	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-13 07:00:00	45,6	59,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-13 07:00:00	58,2	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-13 07:00:00	56,7	72,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-13 06:30:00	55,4	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 06:30:00	47,6	56,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 06:30:00	57,7	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 06:30:00	56,5	70,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 06:00:00	51,7	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 06:00:00	42,3	48,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 06:00:00	55,0	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 06:00:00	53,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 05:30:00	51,0	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 05:30:00	41,7	53,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 05:30:00	54,2	64,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 05:30:00	53,0	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 05:00:00	50,4	60,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 05:00:00	44,3	57,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 05:00:00	52,8	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 05:00:00	51,9	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 04:30:00	49,8	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 04:30:00	45,3	57,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 04:30:00	52,6	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 04:30:00	51,1	66,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 04:00:00	50,4	61,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 04:00:00	43,3	55,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 04:00:00	53,3	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 04:00:00	52,0	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 03:30:00	49,9	61,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 03:30:00	40,5	52,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 03:30:00	53,2	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 03:30:00	52,0	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 03:00:00	50,1	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 03:00:00	41,0	50,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 03:00:00	52,6	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 03:00:00	51,2	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 02:30:00	50,2	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 02:30:00	41,2	50,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 02:30:00	53,2	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 02:30:00	51,3	68,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-13 02:00:00	50,6	60,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 02:00:00	41,2	49,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 02:00:00	54,8	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 02:00:00	53,6	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 01:30:00	51,3	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 01:30:00	44,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 01:30:00	54,9	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 01:30:00	53,4	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 01:00:00	52,7	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 01:00:00	46,4	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 01:00:00	55,8	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 01:00:00	53,5	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 00:30:00	53,8	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 00:30:00	46,9	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 00:30:00	56,6	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 00:30:00	54,6	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-13 00:00:00	55,3	71,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-13 00:00:00	49,2	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-13 00:00:00	58,2	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-13 00:00:00	57,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 23:30:00	56,4	73,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 23:30:00	49,9	70,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 23:30:00	58,5	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 23:30:00	56,8	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 23:00:00	56,3	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 23:00:00	49,3	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 23:00:00	59,1	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 23:00:00	57,5	66,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 22:30:00	56,5	71,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 22:30:00	49,9	73,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 22:30:00	60,2	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 22:30:00	58,6	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 22:00:00	57,1	74,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 22:00:00	50,5	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 22:00:00	60,9	67,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 22:00:00	59,0	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 21:30:00	57,8	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 21:30:00	51,1	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 21:30:00	61,3	69,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 21:30:00	59,6	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 21:00:00	58,8	76,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 21:00:00	50,4	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 21:00:00	61,4	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 21:00:00	59,7	69,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-12 20:30:00	59,1	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 20:30:00	52,9	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 20:30:00	62,0	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 20:30:00	60,1	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 20:00:00	59,6	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 20:00:00	54,5	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 20:00:00	61,6	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 20:00:00	60,1	78,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 19:30:00	59,5	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-12 19:30:00	54,1	76,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-12 19:30:00	61,9	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-12 19:30:00	59,9	71,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-12 19:00:00	60,8	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 19:00:00	56,0	85,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 19:00:00	62,8	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 19:00:00	60,3	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 18:30:00	60,6	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 18:30:00	54,0	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 18:30:00	63,3	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 18:30:00	60,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 18:00:00	60,5	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 18:00:00	54,9	82,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 18:00:00	66,9	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 18:00:00	61,3	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 17:30:00	61,4	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 17:30:00	54,6	78,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 17:30:00	65,8	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 17:30:00	61,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 17:00:00	59,9	94,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 17:00:00	60,8	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 17:00:00	64,8	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 17:00:00	61,6	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 16:30:00	53,0	73,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 16:30:00	60,9	75,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 16:30:00	62,6	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 16:30:00	61,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 16:00:00	53,8	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 16:00:00	61,3	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 16:00:00	61,4	83,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 16:00:00	60,4	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 15:30:00	51,6	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 15:30:00	59,7	80,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 15:30:00	61,5	78,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 15:30:00	60,3	74,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-12 15:00:00	53,7	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 15:00:00	61,5	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 15:00:00	63,5	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 15:00:00	60,9	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 14:30:00	55,0	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 14:30:00	61,5	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 14:30:00	63,8	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 14:30:00	61,1	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 14:00:00	54,5	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 14:00:00	61,5	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 14:00:00	64,4	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 14:00:00	60,8	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 13:30:00	54,2	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 13:30:00	61,7	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 13:30:00	64,2	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 13:30:00	60,9	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 13:00:00	54,2	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 13:00:00	61,8	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 13:00:00	64,2	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 13:00:00	61,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 12:30:00	53,9	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 12:30:00	61,6	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 12:30:00	64,1	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 12:30:00	62,1	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 12:00:00	53,4	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 12:00:00	61,4	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 12:00:00	63,9	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 12:00:00	61,8	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 11:30:00	52,5	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 11:30:00	61,4	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 11:30:00	63,6	69,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 11:30:00	62,1	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 11:00:00	52,7	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 11:00:00	60,9	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 11:00:00	63,5	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 11:00:00	61,5	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 10:30:00	52,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 10:30:00	61,1	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 10:30:00	64,1	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 10:30:00	62,3	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 10:00:00	53,0	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 10:00:00	60,7	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 10:00:00	65,1	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 10:00:00	63,7	88,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-12 09:30:00	53,5	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 09:30:00	60,9	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 09:30:00	65,3	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 09:30:00	63,8	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 09:00:00	51,7	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 09:00:00	59,3	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 09:00:00	66,2	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 09:00:00	63,4	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 08:30:00	53,5	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 08:30:00	59,3	75,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 08:30:00	64,5	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 08:30:00	61,1	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 08:00:00	51,0	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 08:00:00	60,1	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 08:00:00	66,5	79,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 08:00:00	64,1	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 07:30:00	52,9	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 07:30:00	60,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 07:30:00	65,6	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 07:30:00	63,3	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 07:00:00	53,3	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-12 07:00:00	60,7	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-12 07:00:00	64,6	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-12 07:00:00	63,4	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-12 06:30:00	52,8	75,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 06:30:00	60,5	75,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 06:30:00	64,1	75,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 06:30:00	63,4	69,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 06:00:00	52,5	72,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 06:00:00	59,6	74,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 06:00:00	62,3	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 06:00:00	61,5	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 05:30:00	49,7	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 05:30:00	56,9	75,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 05:30:00	59,7	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 05:30:00	59,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 05:00:00	52,2	80,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 05:00:00	55,7	78,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 05:00:00	57,3	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 05:00:00	56,5	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 04:30:00	44,8	56,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 04:30:00	52,6	63,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 04:30:00	55,5	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 04:30:00	54,6	68,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-12 04:00:00	42,8	54,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 04:00:00	52,0	62,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 04:00:00	55,0	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 04:00:00	54,2	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 03:30:00	42,1	52,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 03:30:00	51,5	62,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 03:30:00	55,2	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 03:30:00	53,9	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 03:00:00	41,4	51,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 03:00:00	50,3	61,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 03:00:00	53,5	73,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 03:00:00	52,8	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 02:30:00	43,0	51,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 02:30:00	52,1	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 02:30:00	55,5	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 02:30:00	54,3	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 02:00:00	42,9	51,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 02:00:00	51,6	61,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 02:00:00	55,5	70,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 02:00:00	54,5	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 01:30:00	48,4	72,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 01:30:00	53,9	73,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 01:30:00	55,6	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 01:30:00	54,0	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 01:00:00	48,9	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 01:00:00	54,6	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 01:00:00	56,0	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 01:00:00	54,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 00:30:00	51,2	71,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 00:30:00	55,8	75,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 00:30:00	56,3	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 00:30:00	54,7	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-12 00:00:00	52,8	73,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-12 00:00:00	58,2	79,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-12 00:00:00	56,7	65,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-12 00:00:00	54,6	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 23:30:00	53,5	70,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 23:30:00	57,9	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 23:30:00	59,1	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 23:30:00	56,4	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 23:00:00	53,3	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 23:00:00	58,6	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 23:00:00	60,9	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 23:00:00	58,8	72,0	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-11 22:30:00	54,1	72,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 22:30:00	59,3	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 22:30:00	61,2	73,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 22:30:00	59,8	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 22:00:00	52,6	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 22:00:00	59,0	70,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 22:00:00	61,2	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 22:00:00	59,9	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 21:30:00	53,2	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 21:30:00	59,7	76,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 21:30:00	61,9	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 21:30:00	60,5	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 21:00:00	53,2	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 21:00:00	60,4	76,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 21:00:00	62,9	69,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 21:00:00	60,7	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 20:30:00	51,9	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 20:30:00	60,1	75,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 20:30:00	63,0	71,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 20:30:00	61,3	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 20:00:00	52,8	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 20:00:00	60,3	75,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 20:00:00	64,4	83,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 20:00:00	61,6	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 19:30:00	63,1	80,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-11 19:30:00	60,1	75,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-11 19:30:00	64,0	78,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-11 19:30:00	61,8	68,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-11 19:00:00	56,4	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 19:00:00	61,0	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 19:00:00	63,1	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 19:00:00	61,7	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 18:30:00	55,6	76,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 18:30:00	61,0	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 18:30:00	62,8	68,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 18:30:00	61,0	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 18:00:00	56,9	88,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 18:00:00	65,8	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 18:00:00	63,5	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 18:00:00	61,3	67,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 17:30:00	55,1	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 17:30:00	64,5	80,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 17:30:00	65,2	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 17:30:00	61,2	71,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-11 17:00:00	54,6	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 17:00:00	65,1	78,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 17:00:00	61,7	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 17:00:00	61,1	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 16:30:00	55,0	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 16:30:00	59,6	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 16:30:00	60,8	84,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 16:30:00	60,3	69,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 16:00:00	55,2	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 16:00:00	60,2	79,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 16:00:00	60,1	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 16:00:00	60,0	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 15:30:00	53,4	75,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 15:30:00	59,6	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 15:30:00	61,3	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 15:30:00	59,9	67,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 15:00:00	54,1	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 15:00:00	61,0	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 15:00:00	63,1	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 15:00:00	60,8	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 14:30:00	59,1	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 14:30:00	61,3	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 14:30:00	62,7	80,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 14:00:00	65,7	79,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 14:00:00	63,6	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 14:00:00	63,7	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 13:30:00	59,0	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 13:30:00	62,8	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 13:30:00	68,5	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 13:30:00	61,7	67,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 13:00:00	61,6	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 13:00:00	62,3	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 13:00:00	66,5	77,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 13:00:00	62,4	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 12:30:00	54,8	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 12:30:00	62,0	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 12:30:00	68,6	88,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 12:30:00	62,5	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 12:00:00	54,0	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 12:00:00	61,5	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 12:00:00	67,2	91,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 12:00:00	63,0	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 11:30:00	53,0	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 11:30:00	61,3	73,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-04-11 11:30:00	65,5	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 11:30:00	64,2	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 11:00:00	54,6	74,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 11:00:00	62,0	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 11:00:00	66,2	94,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 11:00:00	63,3	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 10:45:00	69,9	84,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 10:30:00	61,7	83,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 10:30:00	62,2	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 10:30:00	63,1	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 10:00:00	63,9	80,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 10:00:00	63,5	86,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 10:00:00	62,0	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 09:30:00	64,2	89,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 09:30:00	66,1	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 09:30:00	61,8	78,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 09:00:00	61,3	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 09:00:00	57,1	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 09:00:00	79,5	100,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 09:00:00	60,2	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 08:30:00	61,1	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 08:30:00	55,1	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 08:30:00	65,6	86,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 08:30:00	58,7	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 08:00:00	60,9	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 08:00:00	54,8	72,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 08:00:00	64,4	80,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 08:00:00	59,8	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 07:30:00	61,8	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 07:30:00	55,2	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 07:30:00	64,5	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 07:30:00	59,9	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 07:00:00	62,0	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-11 07:00:00	54,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-11 07:00:00	64,3	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-11 07:00:00	61,3	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-11 06:30:00	59,3	70,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 06:30:00	51,0	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 06:30:00	64,2	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 06:30:00	62,7	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 06:00:00	59,5	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 06:00:00	51,8	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 06:00:00	63,3	70,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 06:00:00	62,5	69,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-11 05:30:00	57,7	75,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 05:30:00	50,1	71,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 05:30:00	60,5	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 05:30:00	59,5	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 05:00:00	55,1	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 05:00:00	47,2	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 05:00:00	57,9	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 05:00:00	56,0	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 04:30:00	53,9	62,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 04:30:00	47,1	57,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 04:30:00	56,3	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 04:30:00	54,0	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 04:00:00	53,1	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 04:00:00	46,3	56,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 04:00:00	55,1	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 04:00:00	53,9	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 03:30:00	52,3	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 03:30:00	44,7	55,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 03:30:00	54,0	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 03:30:00	52,9	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 03:00:00	52,3	64,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 03:00:00	46,4	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 03:00:00	53,7	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 03:00:00	53,0	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 02:30:00	52,5	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 02:30:00	45,9	60,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 02:30:00	54,3	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 02:30:00	53,0	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 02:00:00	51,9	63,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 02:00:00	44,3	61,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 02:00:00	53,9	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 02:00:00	52,2	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 01:30:00	52,8	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 01:30:00	47,6	72,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 01:30:00	54,6	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 01:30:00	52,5	67,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 01:00:00	54,4	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 01:00:00	47,6	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 01:00:00	55,7	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 01:00:00	54,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-11 00:30:00	55,2	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 00:30:00	49,9	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 00:30:00	56,5	76,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 00:30:00	54,8	67,6	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-11 00:00:00	55,8	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-11 00:00:00	50,2	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-11 00:00:00	57,1	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-11 00:00:00	55,2	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 23:30:00	56,3	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 23:30:00	50,2	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 23:30:00	58,5	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 23:30:00	56,3	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 23:00:00	57,4	74,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 23:00:00	51,1	73,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 23:00:00	59,0	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 23:00:00	57,1	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 22:30:00	58,9	75,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 22:30:00	52,6	75,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 22:30:00	60,7	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 22:30:00	57,9	67,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 22:00:00	59,3	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 22:00:00	52,5	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 22:00:00	61,4	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 22:00:00	59,2	71,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 21:30:00	60,2	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 21:30:00	54,3	69,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 21:30:00	61,8	76,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 21:30:00	59,1	72,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 21:00:00	60,5	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 21:00:00	54,7	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 21:00:00	62,4	72,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 21:00:00	59,9	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 20:30:00	61,0	76,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 20:30:00	55,2	73,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 20:30:00	62,3	70,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 20:30:00	60,3	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 20:00:00	60,6	75,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 20:00:00	55,8	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 20:00:00	62,5	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 20:00:00	60,8	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 19:30:00	61,4	77,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-10 19:30:00	56,9	75,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-10 19:30:00	62,5	79,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-10 19:30:00	60,7	70,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-10 19:00:00	60,7	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 19:00:00	56,3	81,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 19:00:00	63,3	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 19:00:00	61,6	73,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-10 18:30:00	60,2	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 18:30:00	53,5	71,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 18:30:00	63,3	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 18:30:00	62,2	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 18:15:00	63,6	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 18:00:00	60,6	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 18:00:00	56,0	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 18:00:00	63,0	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 17:30:00	60,4	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 17:30:00	57,4	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 17:30:00	62,3	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 17:00:00	59,7	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 17:00:00	56,5	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 17:00:00	62,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 16:30:00	59,2	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 16:30:00	58,4	90,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 16:00:00	59,2	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 16:00:00	59,9	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 16:00:00	61,9	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 15:30:00	59,5	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 15:30:00	54,9	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 15:30:00	61,9	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 15:15:00	63,7	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 15:00:00	60,3	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 15:00:00	59,8	85,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 15:00:00	64,0	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 14:30:00	61,5	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 14:30:00	58,9	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 14:30:00	62,5	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 14:15:00	77,9	100,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 14:00:00	61,5	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 14:00:00	59,6	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 14:00:00	63,3	83,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 13:30:00	61,6	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 13:30:00	56,7	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 13:30:00	63,5	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 13:00:00	61,9	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 13:00:00	60,5	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 13:00:00	63,7	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 12:45:00	65,2	83,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 12:30:00	62,7	77,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 12:30:00	63,2	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 12:30:00	62,4	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 12:00:00	62,9	84,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-10 12:00:00	55,6	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 12:00:00	65,0	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 12:00:00	61,1	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 11:30:00	62,4	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 11:30:00	56,0	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 11:30:00	64,2	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 11:30:00	61,4	67,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 11:15:00	64,9	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 11:00:00	62,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 11:00:00	63,8	83,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 11:00:00	62,5	77,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 10:30:00	62,7	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 10:30:00	60,3	81,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 10:30:00	75,3	96,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 10:30:00	61,8	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 10:00:00	61,7	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 10:00:00	54,9	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 10:00:00	66,3	90,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 10:00:00	60,6	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 09:30:00	60,9	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 09:30:00	57,9	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 09:30:00	74,3	94,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 09:30:00	60,3	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 09:00:00	60,4	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 09:00:00	57,2	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 09:00:00	70,2	87,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 09:00:00	59,7	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 08:30:00	60,3	80,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 08:30:00	54,2	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 08:30:00	66,7	83,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 08:30:00	58,7	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 08:00:00	59,7	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 08:00:00	52,5	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 08:00:00	64,4	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 08:00:00	59,5	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 07:30:00	60,4	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 07:30:00	54,9	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 07:30:00	66,7	84,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 07:30:00	58,9	65,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 07:00:00	61,4	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-10 07:00:00	53,3	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-10 07:00:00	63,9	68,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-10 07:00:00	59,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-10 06:30:00	61,7	78,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-10 06:30:00	53,1	70,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 06:30:00	63,7	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 06:30:00	60,7	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 06:00:00	60,3	71,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 06:00:00	52,7	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 06:00:00	62,8	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 06:00:00	61,4	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 05:30:00	58,8	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 05:30:00	50,8	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 05:30:00	60,7	69,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 05:30:00	59,1	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 05:00:00	55,6	73,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 05:00:00	49,4	73,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 05:00:00	57,1	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 05:00:00	55,4	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 04:30:00	54,7	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 04:30:00	47,2	58,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 04:30:00	56,5	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 04:30:00	55,3	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 04:00:00	52,6	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 04:00:00	44,8	55,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 04:00:00	54,9	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 04:00:00	53,2	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 03:30:00	56,5	82,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 03:30:00	48,2	75,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 03:30:00	54,8	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 03:30:00	53,0	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 03:00:00	52,2	64,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 03:00:00	43,5	53,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 03:00:00	61,1	80,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 03:00:00	52,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 02:30:00	52,0	63,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 02:30:00	44,3	54,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 02:30:00	55,2	76,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 02:30:00	52,2	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 02:00:00	52,7	65,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 02:00:00	45,0	55,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 02:00:00	54,6	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 02:00:00	52,5	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 01:30:00	54,0	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 01:30:00	47,1	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 01:30:00	55,3	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 01:30:00	52,9	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 01:00:00	56,4	77,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-10 01:00:00	50,0	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 01:00:00	56,4	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 01:00:00	54,1	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 00:30:00	56,0	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 00:30:00	49,9	71,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 00:30:00	56,8	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 00:30:00	54,4	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-10 00:00:00	56,1	78,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-10 00:00:00	49,5	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-10 00:00:00	57,1	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-10 00:00:00	54,6	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 23:30:00	56,9	74,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 23:30:00	50,1	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 23:30:00	58,2	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 23:30:00	55,4	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 23:00:00	57,7	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 23:00:00	51,7	74,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 23:00:00	59,3	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 23:00:00	56,5	67,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 22:30:00	58,6	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 22:30:00	52,8	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 22:30:00	60,9	67,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 22:30:00	57,8	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 22:00:00	58,0	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 22:00:00	52,0	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 22:00:00	59,7	66,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 22:00:00	57,8	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 21:30:00	59,0	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 21:30:00	52,0	73,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 21:30:00	61,1	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 21:30:00	58,7	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 21:00:00	58,5	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 21:00:00	51,6	76,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 21:00:00	62,1	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 21:00:00	61,0	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 20:30:00	59,3	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 20:30:00	52,0	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 20:30:00	62,9	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 20:30:00	61,9	74,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 20:00:00	59,3	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-09 20:00:00	51,1	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 20:00:00	63,7	70,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 20:00:00	62,8	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 19:30:00	59,3	69,7	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-09 19:30:00	52,0	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-09 19:30:00	64,8	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-09 19:30:00	63,7	73,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-09 19:00:00	60,5	79,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 19:00:00	57,6	83,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 19:00:00	64,6	73,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 19:00:00	63,5	73,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 18:30:00	60,2	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 18:30:00	53,4	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 18:30:00	65,1	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 18:30:00	63,9	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 18:00:00	60,5	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 18:00:00	55,6	77,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 18:00:00	64,3	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 18:00:00	62,9	74,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 17:30:00	59,2	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 17:30:00	63,7	79,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 17:30:00	63,8	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 17:30:00	62,9	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 17:00:00	60,0	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 17:00:00	53,0	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 17:00:00	64,4	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 17:00:00	63,3	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 16:30:00	59,8	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 16:30:00	51,6	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 16:30:00	65,3	80,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 16:30:00	63,0	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 16:00:00	58,6	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 16:00:00	50,7	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 16:00:00	64,9	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 16:00:00	62,5	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 15:30:00	60,6	78,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 15:30:00	53,2	72,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 15:30:00	68,8	88,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 15:30:00	63,3	79,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 15:00:00	60,3	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 15:00:00	51,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 15:00:00	69,9	85,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 15:00:00	63,7	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 14:30:00	60,7	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 14:30:00	52,4	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 14:30:00	68,9	86,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 14:30:00	64,2	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 14:00:00	60,3	73,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-09 14:00:00	52,5	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 14:00:00	65,9	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 14:00:00	63,1	73,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 13:30:00	60,8	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 13:30:00	53,1	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 13:30:00	65,6	84,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 13:30:00	61,8	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 13:00:00	61,1	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 13:00:00	54,3	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 13:00:00	68,9	86,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 13:00:00	61,5	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 12:30:00	59,9	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 12:30:00	52,0	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 12:30:00	65,1	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 12:30:00	61,3	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 12:00:00	60,3	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 12:00:00	52,3	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 12:00:00	65,8	77,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 12:00:00	62,1	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 11:30:00	58,6	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 11:30:00	50,3	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 11:30:00	65,0	83,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 11:30:00	63,0	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 11:00:00	59,5	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 11:00:00	52,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 11:00:00	65,3	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 11:00:00	64,1	69,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 10:30:00	59,9	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 10:30:00	51,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 10:30:00	68,5	86,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 10:30:00	64,5	75,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 10:00:00	60,1	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 10:00:00	52,5	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 10:00:00	67,0	86,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 10:00:00	64,0	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 09:30:00	59,2	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 09:30:00	52,9	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 09:30:00	66,8	88,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 09:30:00	60,4	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 09:00:00	59,3	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 09:00:00	52,2	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 09:00:00	65,3	85,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 09:00:00	59,0	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 08:30:00	58,1	77,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-09 08:30:00	51,3	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 08:30:00	63,9	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 08:30:00	58,6	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 08:00:00	58,5	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 08:00:00	52,0	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 08:00:00	65,7	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 08:00:00	58,4	65,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 07:30:00	59,4	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 07:30:00	52,8	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 07:30:00	68,2	86,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 07:30:00	60,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 07:00:00	59,6	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-09 07:00:00	51,2	76,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-09 07:00:00	63,1	73,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-09 07:00:00	60,5	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-09 06:30:00	60,0	74,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 06:30:00	52,6	72,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 06:30:00	62,9	71,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 06:30:00	60,6	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 06:00:00	59,2	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 06:00:00	51,6	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 06:00:00	61,7	68,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 06:00:00	61,0	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 05:30:00	56,8	72,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 05:30:00	48,8	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 05:30:00	58,8	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 05:30:00	58,0	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 05:00:00	54,0	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 05:00:00	47,4	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 05:00:00	56,5	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 05:00:00	55,6	70,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 04:30:00	52,5	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 04:30:00	46,6	57,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 04:30:00	55,4	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 04:30:00	54,3	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 04:00:00	51,9	63,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 04:00:00	46,2	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 04:00:00	57,6	81,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 04:00:00	53,4	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 03:30:00	50,7	63,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 03:30:00	42,6	53,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 03:30:00	54,1	73,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 03:30:00	52,5	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 03:00:00	51,0	63,7	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-09 03:00:00	41,7	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 03:00:00	52,7	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 03:00:00	52,3	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 02:30:00	50,2	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 02:30:00	41,3	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 02:30:00	53,0	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 02:30:00	51,9	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 02:00:00	51,2	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 02:00:00	43,9	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 02:00:00	53,2	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 02:00:00	51,7	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 01:30:00	52,2	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 01:30:00	44,5	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 01:30:00	54,1	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 01:30:00	52,3	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 01:00:00	54,0	75,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 01:00:00	46,2	68,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 01:00:00	54,9	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 01:00:00	54,5	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 00:30:00	54,0	73,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 00:30:00	46,7	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 00:30:00	56,1	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 00:30:00	55,4	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-09 00:00:00	54,0	74,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-09 00:00:00	47,2	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-09 00:00:00	55,6	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-09 00:00:00	54,4	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 23:30:00	56,2	77,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 23:30:00	49,6	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 23:30:00	56,4	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 23:30:00	54,9	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 23:00:00	56,4	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 23:00:00	50,1	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 23:00:00	57,8	66,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 23:00:00	55,9	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 22:30:00	56,4	75,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 22:30:00	49,7	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 22:30:00	58,1	66,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 22:30:00	57,1	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 22:00:00	57,0	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 22:00:00	50,9	73,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 22:00:00	60,2	67,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 22:00:00	59,0	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 21:30:00	58,4	76,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-08 21:30:00	51,3	72,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 21:30:00	60,5	70,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 21:30:00	59,4	68,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 21:00:00	58,7	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 21:00:00	51,6	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 21:00:00	61,1	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 21:00:00	59,4	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 20:30:00	59,2	74,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 20:30:00	62,0	96,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 20:30:00	61,8	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 20:30:00	60,4	71,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 20:00:00	59,9	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 20:00:00	52,1	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 20:00:00	64,3	82,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 20:00:00	60,3	68,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 19:30:00	60,3	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-08 19:30:00	53,6	74,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-08 19:30:00	66,1	87,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-08 19:30:00	60,7	72,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-08 19:00:00	61,0	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 19:00:00	55,1	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 19:00:00	68,3	89,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 19:00:00	60,3	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 18:30:00	61,3	77,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 18:30:00	54,4	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 18:30:00	70,3	85,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 18:30:00	61,5	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 18:00:00	61,0	77,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 18:00:00	56,0	83,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 18:00:00	65,3	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 18:00:00	61,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 17:30:00	61,8	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 17:30:00	54,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 17:30:00	67,0	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 17:30:00	61,4	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 17:00:00	62,3	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 17:00:00	55,7	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 17:00:00	66,7	82,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 17:00:00	61,5	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 16:30:00	62,2	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 16:30:00	55,3	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 16:30:00	64,5	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 16:30:00	62,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 16:00:00	61,7	73,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-08 16:00:00	54,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 16:00:00	64,1	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 16:00:00	61,6	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 15:30:00	61,7	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 15:30:00	56,4	79,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 15:30:00	67,5	81,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 15:30:00	60,7	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 15:00:00	62,5	79,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 15:00:00	55,9	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 15:00:00	67,6	84,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 15:00:00	61,0	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 14:30:00	62,5	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 14:30:00	57,6	78,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 14:30:00	68,0	83,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 14:30:00	61,0	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 14:00:00	62,2	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 14:00:00	56,2	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 14:00:00	66,7	80,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 14:00:00	61,0	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 13:30:00	62,2	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 13:30:00	56,6	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 13:30:00	64,3	78,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 13:30:00	60,9	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 13:00:00	62,0	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 13:00:00	55,3	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 13:00:00	68,1	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 13:00:00	61,2	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 12:30:00	62,1	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 12:30:00	55,9	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 12:30:00	67,4	81,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 12:30:00	61,3	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 12:00:00	61,5	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 12:00:00	55,8	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 12:00:00	67,0	80,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 12:00:00	61,3	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 11:30:00	61,8	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 11:30:00	54,5	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 11:30:00	63,1	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 11:30:00	61,8	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 11:00:00	61,7	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 11:00:00	54,9	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 11:00:00	67,0	89,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 11:00:00	61,9	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 10:30:00	62,3	75,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-08 10:30:00	56,2	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 10:30:00	67,8	91,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 10:30:00	62,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 10:00:00	60,9	77,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 10:00:00	54,9	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 10:00:00	69,1	95,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 10:00:00	61,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 09:30:00	60,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 09:30:00	55,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 09:30:00	67,8	91,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 09:30:00	60,1	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 09:15:00	69,4	82,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 09:00:00	60,7	78,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 09:00:00	57,4	79,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 09:00:00	59,3	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 08:30:00	61,8	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 08:30:00	63,1	79,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 08:30:00	85,2	101,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 08:30:00	63,0	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 08:00:00	60,4	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 08:00:00	56,3	77,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 08:00:00	74,3	95,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 08:00:00	60,1	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 07:30:00	61,3	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 07:30:00	55,0	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 07:30:00	66,3	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 07:30:00	60,0	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 07:00:00	61,4	80,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-08 07:00:00	54,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-08 07:00:00	63,6	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-08 07:00:00	61,3	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-08 06:30:00	60,8	80,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 06:30:00	54,0	72,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 06:30:00	62,7	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 06:30:00	60,6	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 06:00:00	61,1	84,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 06:00:00	53,1	73,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 06:00:00	62,2	72,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 06:00:00	61,3	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 05:30:00	58,7	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 05:30:00	51,6	72,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 05:30:00	59,5	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 05:30:00	58,3	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 05:00:00	56,4	73,4	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-08 05:00:00	49,4	71,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 05:00:00	57,8	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 05:00:00	56,2	71,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 04:30:00	53,4	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 04:30:00	46,2	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 04:30:00	54,6	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 04:30:00	52,6	66,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 04:00:00	52,2	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 04:00:00	45,4	56,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 04:00:00	53,8	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 04:00:00	52,2	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 03:30:00	50,7	64,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 03:30:00	44,9	56,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 03:30:00	51,2	63,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 03:30:00	50,2	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 03:00:00	48,4	60,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 03:00:00	41,4	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 03:00:00	50,3	64,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 03:00:00	47,9	64,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 02:30:00	50,2	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 02:30:00	43,4	53,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 02:30:00	52,2	65,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 02:30:00	50,4	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 02:00:00	48,6	63,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 02:00:00	40,7	54,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 02:00:00	50,8	66,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 02:00:00	48,7	67,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 01:30:00	51,4	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 01:30:00	45,6	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 01:30:00	52,6	63,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 01:30:00	50,1	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 01:00:00	53,4	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 01:00:00	46,8	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 01:00:00	53,9	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 01:00:00	51,8	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 00:30:00	53,3	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 00:30:00	47,8	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 00:30:00	53,5	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 00:30:00	51,4	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-08 00:00:00	55,5	72,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-08 00:00:00	49,0	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-08 00:00:00	56,1	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-08 00:00:00	54,1	67,8	-6,0	45	