


◆ ST04 ◆ ST01 ◆ ST03 ◆ ST02 ◆ ST01 Alarm ◆ ST02 Alarm ◆ ST03 Alarm ◆ ST04 Alarm



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-28 00:00:00	58,8	65,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-28 00:00:00	56,4	76,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-28 00:00:00	60,7	66,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-28 00:00:00	48,3	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 23:30:00	58,6	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 23:30:00	56,5	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 23:30:00	60,6	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 23:30:00	49,2	68,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 23:00:00	58,8	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 23:00:00	57,2	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 23:00:00	60,8	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 23:00:00	49,7	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 22:30:00	58,7	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 22:30:00	57,2	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 22:30:00	60,9	66,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 22:30:00	49,8	67,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 22:00:00	58,3	71,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 22:00:00	57,8	74,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 22:00:00	60,6	65,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 22:00:00	50,4	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 21:30:00	58,8	72,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 21:30:00	58,0	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 21:30:00	61,2	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 21:30:00	50,6	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 21:00:00	59,4	66,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 21:00:00	58,3	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 21:00:00	61,8	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 21:00:00	50,6	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 20:30:00	59,9	71,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 20:30:00	59,1	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 20:30:00	62,0	73,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 20:30:00	51,1	76,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 20:00:00	60,1	77,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 20:00:00	59,2	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 20:00:00	62,0	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 20:00:00	50,6	69,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 19:30:00	59,7	70,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-27 19:30:00	59,2	74,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-27 19:30:00	62,0	70,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-27 19:30:00	50,6	68,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-27 19:00:00	60,4	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 19:00:00	58,9	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 19:00:00	62,0	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 19:00:00	50,4	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-27 18:30:00	60,8	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 18:30:00	59,4	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 18:30:00	62,2	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 18:30:00	51,8	76,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 18:00:00	60,6	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 18:00:00	59,7	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 18:00:00	62,5	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 18:00:00	54,4	85,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 17:30:00	60,7	66,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 17:30:00	59,9	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 17:30:00	62,8	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 17:30:00	57,5	88,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 17:00:00	60,2	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 17:00:00	60,2	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 17:00:00	62,8	68,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 17:00:00	60,8	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 16:30:00	60,6	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 16:30:00	60,7	82,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 16:30:00	63,2	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 16:30:00	61,5	82,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 16:00:00	60,6	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 16:00:00	64,5	78,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 16:00:00	59,9	73,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 16:00:00	63,1	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 15:30:00	60,9	68,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 15:30:00	57,3	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 15:30:00	60,0	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 15:30:00	63,1	69,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 15:00:00	60,8	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 15:00:00	49,6	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 15:00:00	59,0	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 15:00:00	62,9	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 14:30:00	60,4	68,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 14:30:00	52,2	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 14:30:00	60,3	71,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 14:30:00	62,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 14:00:00	60,6	67,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 14:00:00	51,1	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 14:00:00	59,7	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 14:00:00	62,7	74,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 13:30:00	60,4	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 13:30:00	51,5	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 13:30:00	59,9	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 13:30:00	62,9	72,1	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-27 13:00:00	60,2	66,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 13:00:00	52,0	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 13:00:00	60,1	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 13:00:00	62,9	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 12:30:00	60,6	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 12:30:00	51,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 12:30:00	60,5	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 12:30:00	63,7	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 12:00:00	61,3	68,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 12:00:00	52,8	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 12:00:00	60,4	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 12:00:00	64,1	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 11:30:00	60,7	66,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 11:30:00	51,4	79,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 11:30:00	60,3	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 11:30:00	63,5	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 11:00:00	61,0	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 11:00:00	51,0	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 11:00:00	59,4	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 11:00:00	63,4	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 10:30:00	61,0	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 10:30:00	50,4	74,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 10:30:00	59,8	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 10:30:00	63,4	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 10:00:00	60,8	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 10:00:00	50,3	72,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 10:00:00	59,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 10:00:00	63,4	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 09:30:00	61,4	67,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 09:30:00	50,3	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 09:30:00	59,0	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 09:30:00	65,0	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 09:00:00	60,7	68,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 09:00:00	50,0	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 09:00:00	58,7	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 09:00:00	68,4	82,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 08:45:00	62,6	68,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 08:30:00	59,9	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 08:30:00	50,2	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 08:30:00	58,1	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 08:00:00	58,9	66,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 08:00:00	49,7	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 08:00:00	57,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 08:00:00	64,7	91,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-27 07:30:00	48,9	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 07:30:00	56,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 07:30:00	61,2	73,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 07:30:00	58,7	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 07:00:00	49,5	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-27 07:00:00	56,0	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-27 07:00:00	59,9	69,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-27 07:00:00	57,8	67,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-27 06:30:00	48,2	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 06:30:00	55,4	74,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 06:30:00	58,3	67,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 06:30:00	56,9	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 06:00:00	47,3	69,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 06:00:00	54,5	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 06:00:00	56,9	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 06:00:00	55,6	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 05:30:00	45,1	66,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 05:30:00	52,9	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 05:30:00	55,8	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 05:30:00	55,0	67,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 05:00:00	45,2	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 05:00:00	51,8	66,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 05:00:00	54,3	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 05:00:00	53,4	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 04:30:00	43,1	57,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 04:30:00	50,7	60,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 04:30:00	55,0	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 04:30:00	53,6	65,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 04:00:00	42,8	51,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 04:00:00	51,2	64,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 04:00:00	54,8	71,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 04:00:00	54,6	73,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 03:30:00	42,7	51,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 03:30:00	51,4	63,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 03:30:00	55,1	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 03:30:00	53,6	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 03:00:00	41,7	49,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 03:00:00	50,7	61,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 03:00:00	53,9	64,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 03:00:00	52,6	66,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 02:30:00	41,5	57,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 02:30:00	50,6	61,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 02:30:00	54,8	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 02:30:00	53,7	67,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-27 02:00:00	43,0	50,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 02:00:00	52,0	62,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 02:00:00	55,6	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 02:00:00	54,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 01:30:00	45,3	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 01:30:00	53,2	68,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 01:30:00	57,3	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 01:30:00	55,4	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 01:00:00	47,0	71,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 01:00:00	53,7	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 01:00:00	57,8	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 01:00:00	56,2	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 00:30:00	46,0	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 00:30:00	53,7	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 00:30:00	57,9	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 00:30:00	56,2	67,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-27 00:00:00	47,9	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-27 00:00:00	55,0	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-27 00:00:00	59,2	72,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-27 00:00:00	57,5	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 23:30:00	48,9	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 23:30:00	56,0	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 23:30:00	59,8	75,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 23:30:00	58,3	77,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 23:15:00	55,7	61,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 23:00:00	47,6	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 23:00:00	60,1	68,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 23:00:00	58,3	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 22:30:00	47,6	68,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 22:30:00	56,3	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 22:30:00	61,1	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 22:30:00	59,4	67,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 22:00:00	48,6	70,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 22:00:00	56,7	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 22:00:00	61,7	75,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 22:00:00	59,9	77,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 21:30:00	49,2	69,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 21:30:00	57,9	73,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 21:30:00	62,2	68,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 21:30:00	61,0	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 21:00:00	49,5	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 21:00:00	58,4	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 21:00:00	62,7	68,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 21:00:00	61,7	68,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-26 20:30:00	49,1	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 20:30:00	58,5	71,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 20:30:00	62,9	75,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 20:30:00	61,5	73,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 20:00:00	50,8	74,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 20:00:00	58,8	72,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 20:00:00	62,3	73,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 20:00:00	60,3	68,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 19:30:00	52,5	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-26 19:30:00	59,8	75,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-26 19:30:00	65,8	77,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-26 19:30:00	60,9	69,0	-6,0	55	
ST02	Kirkeveien 4	2024-04-26 19:00:00	53,8	75,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 19:00:00	60,1	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 19:00:00	65,8	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 19:00:00	61,6	68,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 18:30:00	52,2	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 18:30:00	59,9	75,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 18:30:00	66,2	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 18:30:00	63,6	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 18:00:00	53,0	75,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 18:00:00	60,6	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 18:00:00	64,6	77,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 18:00:00	62,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 17:30:00	51,3	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 17:30:00	59,4	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 17:30:00	64,7	83,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 17:30:00	63,6	78,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 17:00:00	50,3	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 17:00:00	58,0	74,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 17:00:00	62,5	72,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 17:00:00	62,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 16:30:00	50,0	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 16:30:00	58,1	80,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 16:30:00	62,2	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 16:30:00	62,3	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 16:00:00	58,4	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 16:00:00	50,7	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 16:00:00	62,1	71,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 16:00:00	62,3	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 15:30:00	59,3	79,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 15:30:00	51,7	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 15:30:00	61,6	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 15:30:00	60,9	67,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-26 15:00:00	59,4	83,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 15:00:00	50,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 15:00:00	60,9	81,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 15:00:00	60,9	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 14:30:00	60,8	85,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 14:30:00	50,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 14:30:00	63,0	73,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 14:30:00	62,6	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 14:00:00	59,8	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 14:00:00	51,7	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 14:00:00	64,3	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 14:00:00	62,7	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 13:30:00	60,5	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 13:30:00	51,5	67,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 13:30:00	64,2	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 13:30:00	61,5	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 13:00:00	61,4	81,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 13:00:00	52,3	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 13:00:00	72,1	96,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 13:00:00	62,9	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 12:30:00	61,5	79,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 12:30:00	52,2	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 12:30:00	68,7	93,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 12:30:00	62,7	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 12:00:00	62,1	82,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 12:00:00	52,8	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 12:00:00	64,1	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 12:00:00	61,5	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 11:30:00	61,0	68,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 11:30:00	51,1	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 11:30:00	63,6	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 11:30:00	60,9	66,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 11:00:00	60,5	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 11:00:00	51,7	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 11:00:00	64,0	75,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 11:00:00	62,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 10:30:00	60,3	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 10:30:00	51,6	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 10:30:00	64,9	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 10:30:00	63,3	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 10:00:00	60,4	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 10:00:00	51,8	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 10:00:00	65,6	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 10:00:00	63,8	69,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-26 09:30:00	61,5	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 09:30:00	53,8	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 09:30:00	65,3	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 09:30:00	63,4	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 09:00:00	60,4	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 09:00:00	52,5	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 09:00:00	65,4	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 09:00:00	63,2	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 08:30:00	59,1	75,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 08:30:00	51,8	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 08:30:00	63,8	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 08:30:00	61,0	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 08:00:00	59,6	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 08:00:00	65,7	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 08:00:00	52,5	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 08:00:00	64,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 07:30:00	60,9	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 07:30:00	66,3	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 07:30:00	52,5	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 07:30:00	64,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 07:00:00	60,0	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-26 07:00:00	65,7	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-26 07:00:00	52,6	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-26 07:00:00	63,4	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-26 06:30:00	60,0	72,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 06:30:00	65,1	73,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 06:30:00	52,3	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 06:30:00	62,4	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 06:00:00	59,7	73,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 06:00:00	64,3	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 06:00:00	52,1	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 06:00:00	62,7	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 05:30:00	59,0	82,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 05:30:00	61,2	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 05:30:00	49,9	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 05:30:00	60,6	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 05:00:00	55,8	64,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 05:00:00	58,9	69,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 05:00:00	47,0	56,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 05:00:00	57,7	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 04:30:00	53,9	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 04:30:00	58,2	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 04:30:00	46,5	57,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 04:30:00	56,9	68,0	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-26 04:00:00	52,3	62,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 04:00:00	54,9	66,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 04:00:00	45,9	67,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 04:00:00	54,5	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 03:30:00	52,0	66,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 03:30:00	54,7	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 03:30:00	42,4	54,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 03:30:00	53,9	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 03:00:00	51,0	62,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 03:00:00	54,1	66,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 03:00:00	41,2	50,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 03:00:00	53,0	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 02:30:00	50,2	62,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 02:30:00	53,5	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 02:30:00	41,0	51,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 02:30:00	52,1	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 02:00:00	51,7	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 02:00:00	54,7	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 02:00:00	42,1	49,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 02:00:00	54,0	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 01:30:00	51,3	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 01:30:00	54,7	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 01:30:00	44,1	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 01:30:00	53,4	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 01:00:00	53,3	73,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 01:00:00	56,5	65,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 01:00:00	46,1	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 01:00:00	55,4	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 00:30:00	53,9	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 00:30:00	57,3	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 00:30:00	46,8	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 00:30:00	56,1	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-26 00:00:00	54,1	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-26 00:00:00	57,9	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-26 00:00:00	47,3	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-26 00:00:00	56,3	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 23:30:00	55,7	72,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 23:30:00	60,3	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 23:30:00	48,9	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 23:30:00	59,2	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 23:00:00	56,0	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 23:00:00	59,9	67,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 23:00:00	49,7	70,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 23:00:00	57,9	67,5	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-25 22:30:00	56,9	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 22:30:00	62,0	68,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 22:30:00	49,1	68,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 22:30:00	59,7	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 22:00:00	58,4	77,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 22:00:00	62,3	68,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 22:00:00	51,7	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 22:00:00	60,2	73,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 21:30:00	58,8	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 21:30:00	62,8	70,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 21:30:00	51,0	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 21:30:00	60,8	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 21:00:00	59,8	74,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 21:00:00	63,4	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 21:00:00	52,2	69,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 21:00:00	61,7	71,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 20:30:00	59,8	77,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 20:30:00	64,3	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 20:30:00	52,1	68,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 20:30:00	62,6	75,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 20:15:00	61,1	80,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 20:00:00	63,8	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 20:00:00	52,0	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 20:00:00	62,0	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 19:30:00	61,8	85,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-25 19:30:00	64,5	75,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-25 19:30:00	52,5	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-25 19:30:00	62,7	68,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-25 19:00:00	61,2	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 19:00:00	64,0	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 19:00:00	53,5	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 19:00:00	62,1	77,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 18:30:00	60,8	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 18:30:00	66,2	82,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 18:30:00	53,3	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 18:30:00	61,6	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 18:00:00	60,8	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 18:00:00	64,1	83,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 18:00:00	53,0	78,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 18:00:00	62,1	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 17:30:00	60,2	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 17:30:00	63,5	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 17:30:00	52,9	79,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 17:30:00	62,1	68,9	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-25 17:00:00	59,6	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 17:00:00	61,3	66,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 17:00:00	51,8	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 17:00:00	60,9	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 16:30:00	59,2	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 16:30:00	61,0	69,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 16:30:00	51,4	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 16:30:00	60,1	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 16:00:00	58,9	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 16:00:00	60,7	65,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 16:00:00	52,4	71,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 16:00:00	60,0	71,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 15:30:00	57,1	71,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 15:30:00	60,5	65,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 15:30:00	49,9	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 15:30:00	60,9	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 15:00:00	59,5	77,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 15:00:00	63,0	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 15:00:00	52,3	72,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 15:00:00	61,5	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 14:30:00	62,5	83,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 14:30:00	64,1	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 14:30:00	53,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 14:30:00	61,8	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 14:00:00	64,1	84,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 14:00:00	65,7	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 14:00:00	55,2	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 14:00:00	62,5	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 13:30:00	61,7	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 13:30:00	65,6	83,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 13:30:00	53,2	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 13:30:00	62,8	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 13:00:00	60,4	72,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 13:00:00	65,9	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 13:00:00	51,0	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 13:00:00	64,1	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 12:30:00	59,7	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 12:30:00	65,8	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 12:30:00	50,4	68,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 12:30:00	64,4	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 12:00:00	60,0	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 12:00:00	67,0	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 12:00:00	50,3	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 12:00:00	65,1	81,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-25 11:30:00	60,3	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 11:30:00	66,9	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 11:30:00	51,3	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 11:30:00	65,6	72,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 11:00:00	60,4	79,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 11:00:00	66,5	71,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 11:00:00	50,5	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 11:00:00	65,2	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 10:30:00	64,8	80,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 10:30:00	78,7	92,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 10:30:00	67,3	80,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 10:30:00	66,3	73,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 10:00:00	63,1	84,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 10:00:00	75,4	91,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 10:00:00	62,4	76,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 10:00:00	66,2	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 09:30:00	60,9	74,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 09:30:00	72,7	96,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 09:30:00	59,0	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 09:30:00	64,3	73,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 09:00:00	60,5	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 09:00:00	73,0	88,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 09:00:00	62,5	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 09:00:00	62,1	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 08:30:00	59,8	78,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 08:30:00	68,1	96,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 08:30:00	55,9	79,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 08:30:00	61,1	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 08:00:00	63,8	82,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 08:00:00	61,6	82,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 08:00:00	76,5	95,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 08:00:00	62,6	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 07:30:00	66,6	84,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 07:30:00	62,7	82,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 07:30:00	77,4	92,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 07:30:00	63,7	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 07:00:00	51,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-25 07:00:00	59,8	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-25 07:00:00	65,7	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-25 07:00:00	64,0	69,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-25 06:30:00	51,9	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 06:30:00	60,7	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 06:30:00	65,6	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 06:30:00	64,1	73,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-25 06:00:00	50,6	70,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 06:00:00	59,5	73,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 06:00:00	64,3	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 06:00:00	64,4	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 05:30:00	48,9	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 05:30:00	57,3	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 05:30:00	62,0	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 05:30:00	61,6	70,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 05:00:00	48,7	71,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 05:00:00	55,6	72,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 05:00:00	59,4	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 05:00:00	58,6	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 04:30:00	44,5	54,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 04:30:00	52,5	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 04:30:00	56,5	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 04:30:00	55,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 04:00:00	43,7	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 04:00:00	52,2	63,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 04:00:00	56,6	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 04:00:00	55,6	69,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 03:30:00	40,1	49,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 03:30:00	50,8	62,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 03:30:00	54,9	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 03:30:00	54,1	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 03:00:00	40,2	49,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 03:00:00	51,1	61,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 03:00:00	54,9	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 03:00:00	53,9	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 02:30:00	39,9	50,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 02:30:00	49,7	62,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 02:30:00	54,0	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 02:30:00	53,4	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 02:00:00	41,1	50,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 02:00:00	50,3	61,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 02:00:00	55,1	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 02:00:00	54,3	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 01:30:00	43,1	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 01:30:00	50,9	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 01:30:00	54,8	66,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 01:30:00	53,7	68,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 01:00:00	45,2	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 01:00:00	55,3	81,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 01:00:00	56,3	66,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 01:00:00	55,2	68,9	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-25 00:30:00	47,2	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 00:30:00	55,1	80,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 00:30:00	56,3	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 00:30:00	54,9	67,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-25 00:00:00	47,0	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-25 00:00:00	54,1	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-25 00:00:00	57,1	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-25 00:00:00	55,9	69,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 23:30:00	47,4	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 23:30:00	54,3	71,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 23:30:00	58,5	66,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 23:30:00	56,8	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 23:00:00	49,0	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 23:00:00	56,3	74,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 23:00:00	60,0	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 23:00:00	58,4	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 22:30:00	49,2	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 22:30:00	56,9	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 22:30:00	61,7	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 22:30:00	60,0	69,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 22:00:00	50,8	70,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 22:00:00	57,8	73,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 22:00:00	60,9	66,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 22:00:00	59,1	67,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 21:30:00	50,9	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 21:30:00	58,8	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 21:30:00	62,6	75,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 21:30:00	61,0	69,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 21:00:00	51,3	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 21:00:00	59,0	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 21:00:00	64,1	79,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 21:00:00	62,8	69,5	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 20:30:00	50,5	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 20:30:00	59,3	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 20:30:00	64,1	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 20:30:00	62,8	71,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 20:00:00	52,3	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 20:00:00	60,2	72,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 20:00:00	64,3	76,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 20:00:00	62,9	80,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-24 19:30:00	51,2	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-24 19:30:00	60,4	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-24 19:30:00	64,3	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-24 19:30:00	62,2	68,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-24 19:00:00	52,6	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 19:00:00	60,8	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 19:00:00	64,0	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 19:00:00	62,0	69,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 18:30:00	52,1	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 18:30:00	61,1	74,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 18:30:00	64,7	69,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 18:30:00	62,6	77,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 18:00:00	52,1	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 18:00:00	60,1	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 18:00:00	63,2	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 18:00:00	61,5	67,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 17:30:00	51,5	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 17:30:00	57,4	77,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 17:30:00	60,3	80,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 17:30:00	58,5	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 17:00:00	66,9	80,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 17:00:00	61,1	81,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 17:00:00	78,5	96,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 17:00:00	59,3	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 16:30:00	67,1	84,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 16:30:00	61,8	86,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 16:30:00	78,2	92,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 16:30:00	57,4	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 16:00:00	60,2	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 16:00:00	57,4	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 16:00:00	71,4	90,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 16:00:00	54,6	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 15:30:00	50,0	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 15:30:00	56,2	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 15:30:00	64,8	91,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 15:30:00	56,2	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 15:15:00	74,8	89,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 15:00:00	65,2	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 15:00:00	63,5	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 15:00:00	62,8	68,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 14:30:00	62,7	78,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 14:30:00	62,5	79,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 14:30:00	77,4	90,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 14:30:00	64,6	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 14:00:00	64,4	84,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 14:00:00	62,2	84,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 14:00:00	76,6	94,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 14:00:00	64,0	73,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-24 13:30:00	60,2	76,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 13:30:00	60,7	73,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 13:30:00	74,6	90,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 13:30:00	63,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 13:00:00	51,4	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 13:00:00	60,2	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 13:00:00	64,6	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 13:00:00	63,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 12:30:00	55,6	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 12:30:00	59,3	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 12:30:00	73,1	95,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 12:30:00	64,6	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 12:00:00	50,5	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 12:00:00	59,0	71,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 12:00:00	69,0	98,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 12:00:00	64,6	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 11:30:00	49,7	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 11:30:00	59,2	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 11:30:00	66,7	89,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 11:30:00	64,8	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 11:00:00	49,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 11:00:00	59,2	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 11:00:00	65,7	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 11:00:00	64,6	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 10:30:00	51,1	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 10:30:00	59,4	79,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 10:30:00	66,8	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 10:30:00	64,7	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 10:00:00	50,6	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 10:00:00	59,5	76,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 10:00:00	66,1	77,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 10:00:00	65,1	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 09:30:00	51,2	74,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 09:30:00	59,3	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 09:30:00	67,1	89,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 09:30:00	64,2	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 09:00:00	49,7	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 09:00:00	59,1	82,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 09:00:00	65,2	88,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 09:00:00	62,3	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 08:30:00	50,7	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 08:30:00	57,9	73,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 08:30:00	65,4	87,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 08:30:00	61,3	69,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-24 08:00:00	49,8	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 08:00:00	58,0	74,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 08:00:00	66,6	98,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 08:00:00	60,9	69,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 07:30:00	51,7	67,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 07:30:00	59,3	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 07:30:00	64,1	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 07:30:00	60,7	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 07:00:00	53,0	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-24 07:00:00	60,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-24 07:00:00	65,8	90,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-24 07:00:00	60,9	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-24 06:30:00	53,3	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 06:30:00	61,0	76,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 06:30:00	64,1	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 06:30:00	61,5	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 06:00:00	52,3	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 06:00:00	60,3	72,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 06:00:00	63,2	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 06:00:00	62,2	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 05:30:00	49,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 05:30:00	57,4	70,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 05:30:00	60,0	73,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 05:30:00	59,1	71,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 05:00:00	47,0	66,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 05:00:00	55,0	66,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 05:00:00	57,6	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 05:00:00	56,3	67,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 04:30:00	46,6	61,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 04:30:00	52,8	62,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 04:30:00	55,9	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 04:30:00	55,1	68,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 04:00:00	46,4	60,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 04:00:00	52,7	63,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 04:00:00	55,1	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 04:00:00	54,1	68,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 03:30:00	40,8	50,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 03:30:00	49,6	61,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 03:30:00	52,2	64,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 03:30:00	51,6	67,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 03:00:00	42,4	51,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 03:00:00	51,5	63,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 03:00:00	53,5	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 03:00:00	53,3	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-24 02:30:00	40,0	58,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 02:30:00	49,2	66,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 02:30:00	52,0	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 02:30:00	50,9	66,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 02:00:00	40,7	49,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 02:00:00	50,5	62,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 02:00:00	53,3	64,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 02:00:00	52,7	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 01:30:00	43,7	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 01:30:00	52,2	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 01:30:00	55,3	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 01:30:00	54,1	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 01:00:00	45,9	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 01:00:00	52,6	70,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 01:00:00	55,1	68,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 01:00:00	54,2	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 00:30:00	47,1	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 00:30:00	53,1	72,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 00:30:00	55,7	70,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 00:30:00	54,5	67,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-24 00:00:00	47,5	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-24 00:00:00	53,3	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-24 00:00:00	55,2	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-24 00:00:00	54,0	67,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 23:30:00	47,7	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 23:30:00	53,8	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 23:30:00	55,4	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 23:30:00	57,0	65,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 23:00:00	48,6	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 23:00:00	55,9	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 23:00:00	57,6	68,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 23:00:00	59,2	66,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 22:30:00	50,3	75,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 22:30:00	57,2	72,0	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 22:30:00	58,8	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 22:30:00	60,5	66,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 22:00:00	50,7	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 22:00:00	57,5	71,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 22:00:00	59,0	68,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 22:00:00	60,7	68,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 21:30:00	58,3	90,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 21:30:00	57,7	72,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 21:30:00	59,9	70,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 21:30:00	61,4	67,8	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-23 21:00:00	50,6	70,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 21:00:00	58,4	72,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 21:00:00	61,0	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 21:00:00	62,5	68,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 20:30:00	49,6	72,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 20:30:00	58,7	72,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 20:30:00	62,5	84,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 20:30:00	64,2	91,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 20:00:00	51,0	75,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 20:00:00	58,7	76,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 20:00:00	63,1	69,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 20:00:00	64,3	79,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 19:30:00	49,7	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-23 19:30:00	58,6	72,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-23 19:30:00	63,7	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-23 19:30:00	64,7	70,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-23 19:00:00	51,9	73,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 19:00:00	59,3	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 19:00:00	64,4	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 19:00:00	65,4	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 18:30:00	51,5	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 18:30:00	58,9	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 18:30:00	64,5	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 18:30:00	65,8	85,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 18:00:00	57,4	87,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 18:00:00	59,1	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 18:00:00	64,5	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 18:00:00	65,7	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 17:30:00	50,7	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 17:30:00	59,2	71,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 17:30:00	64,7	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 17:30:00	66,1	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 17:00:00	52,3	75,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 17:00:00	59,6	72,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 17:00:00	63,3	85,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 17:00:00	66,0	89,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 16:30:00	52,6	70,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 16:30:00	60,6	75,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 16:30:00	61,3	78,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 16:30:00	63,4	90,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 16:00:00	52,6	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 16:00:00	60,3	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 16:00:00	60,1	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 16:00:00	68,1	97,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-23 15:30:00	53,3	70,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 15:30:00	60,1	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 15:30:00	59,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 15:30:00	61,0	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 15:00:00	54,5	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 15:00:00	61,7	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 15:00:00	61,4	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 15:00:00	63,8	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 14:30:00	53,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 14:30:00	61,9	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 14:30:00	61,7	67,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 14:30:00	65,0	80,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 14:00:00	54,9	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 14:00:00	61,5	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 14:00:00	61,7	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 14:00:00	65,7	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 13:30:00	52,8	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 13:30:00	60,4	73,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 13:30:00	63,2	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 13:30:00	67,1	88,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 13:00:00	53,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 13:00:00	60,3	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 13:00:00	62,8	79,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 13:00:00	66,4	82,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 12:30:00	55,2	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 12:30:00	62,3	85,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 12:30:00	62,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 12:30:00	68,3	83,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 12:00:00	51,9	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 12:00:00	61,3	74,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 12:00:00	62,7	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 12:00:00	64,8	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 11:30:00	51,6	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 11:30:00	60,1	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 11:30:00	63,8	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 11:30:00	64,9	70,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 11:00:00	50,8	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 11:00:00	60,2	71,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 11:00:00	63,5	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 11:00:00	64,8	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 10:30:00	55,3	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 10:30:00	60,6	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 10:30:00	63,2	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 10:30:00	69,4	88,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-23 10:00:00	53,3	69,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 10:00:00	61,3	84,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 10:00:00	64,6	76,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 10:00:00	69,1	83,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 09:30:00	51,5	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 09:30:00	60,0	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 09:30:00	64,0	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 09:30:00	65,9	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 09:00:00	51,7	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 09:00:00	59,2	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 09:00:00	62,0	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 09:00:00	66,2	88,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 08:30:00	51,7	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 08:30:00	58,9	78,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 08:30:00	61,9	74,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 08:30:00	65,4	87,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 08:00:00	52,5	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 08:00:00	59,5	84,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 08:00:00	59,1	67,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 08:00:00	65,3	83,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 07:30:00	69,5	86,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 07:30:00	61,1	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 07:30:00	60,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 07:30:00	77,9	94,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 07:00:00	52,4	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-23 07:00:00	59,8	74,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-23 07:00:00	59,9	66,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-23 07:00:00	63,5	74,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-23 06:30:00	51,5	72,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 06:30:00	61,2	83,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 06:30:00	61,8	70,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 06:30:00	63,8	68,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 06:00:00	50,8	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 06:00:00	59,6	71,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 06:00:00	64,3	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 06:00:00	64,4	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 05:30:00	49,8	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 05:30:00	57,2	73,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 05:30:00	60,1	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 05:30:00	61,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 05:00:00	45,5	66,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 05:00:00	54,1	69,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 05:00:00	56,9	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 05:00:00	58,3	71,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-23 04:30:00	43,7	54,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 04:30:00	52,3	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 04:30:00	54,8	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 04:30:00	56,0	66,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 04:00:00	40,4	56,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 04:00:00	50,2	62,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 04:00:00	52,9	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 04:00:00	54,2	70,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 03:30:00	39,2	48,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 03:30:00	49,3	61,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 03:30:00	52,8	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 03:30:00	53,1	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 03:00:00	39,7	50,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 03:00:00	49,9	61,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 03:00:00	52,6	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 03:00:00	53,6	66,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 02:30:00	40,2	49,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 02:30:00	50,5	62,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 02:30:00	53,4	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 02:30:00	54,4	67,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 02:00:00	40,7	49,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 02:00:00	50,9	61,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 02:00:00	54,0	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 02:00:00	55,1	65,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 01:30:00	43,7	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 01:30:00	50,9	69,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 01:30:00	53,3	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 01:30:00	55,1	68,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 01:00:00	44,8	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 01:00:00	51,9	71,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 01:00:00	54,9	73,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 01:00:00	56,1	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 00:30:00	45,5	70,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 00:30:00	51,5	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 00:30:00	54,5	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 00:30:00	55,9	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-23 00:00:00	46,6	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-23 00:00:00	53,5	70,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-23 00:00:00	56,4	71,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-23 00:00:00	57,7	74,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 23:30:00	54,5	72,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 23:30:00	48,5	68,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 23:30:00	55,9	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 23:30:00	58,2	72,5	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-22 23:00:00	56,0	74,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 23:00:00	49,1	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 23:00:00	57,4	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 23:00:00	59,2	69,0	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 22:30:00	57,3	69,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 22:30:00	50,4	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 22:30:00	58,9	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 22:30:00	60,5	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 22:00:00	58,6	71,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 22:00:00	60,1	94,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 22:00:00	59,2	71,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 22:00:00	61,6	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 21:30:00	59,1	72,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 21:30:00	51,7	70,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 21:30:00	59,7	75,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 21:30:00	62,1	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 21:00:00	59,9	72,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 21:00:00	52,2	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 21:00:00	60,2	71,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 21:00:00	62,5	73,1	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 20:30:00	60,4	71,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 20:30:00	53,4	76,8	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 20:30:00	60,5	67,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 20:30:00	62,8	68,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 20:00:00	60,0	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 20:00:00	53,0	75,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 20:00:00	60,5	68,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 20:00:00	62,3	66,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 19:30:00	59,9	69,3	-6,0	55	
ST02	Kirkeveien 4	2024-04-22 19:30:00	51,3	68,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-22 19:30:00	60,4	68,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-22 19:30:00	62,9	71,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-22 19:00:00	60,0	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 19:00:00	52,4	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 19:00:00	60,9	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 19:00:00	63,0	76,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 18:30:00	60,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 18:30:00	51,9	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 18:30:00	61,2	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 18:30:00	63,3	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 18:00:00	60,6	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 18:00:00	52,6	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 18:00:00	61,2	71,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 18:00:00	63,3	77,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-22 17:30:00	60,5	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 17:30:00	55,6	89,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 17:30:00	61,3	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 17:30:00	63,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 17:00:00	60,8	76,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 17:00:00	52,8	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 17:00:00	61,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 17:00:00	63,9	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 16:30:00	61,4	77,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 16:30:00	67,1	85,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 16:30:00	61,2	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 16:30:00	73,4	92,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 16:00:00	61,3	78,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 16:00:00	62,4	79,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 16:00:00	60,2	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 16:00:00	71,1	90,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 15:30:00	62,1	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 15:30:00	68,9	82,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 15:30:00	61,1	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 15:30:00	78,3	91,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 15:00:00	61,0	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 15:00:00	58,3	75,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 15:00:00	61,3	76,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 15:00:00	72,1	98,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 14:30:00	61,3	78,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 14:30:00	57,2	74,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 14:30:00	61,1	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 14:30:00	69,5	87,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 14:00:00	61,4	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 14:00:00	60,6	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 14:00:00	61,0	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 14:00:00	72,7	94,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 13:30:00	60,9	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 13:30:00	57,0	74,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 13:30:00	61,5	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 13:30:00	69,7	88,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 13:00:00	60,4	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 13:00:00	54,8	74,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 13:00:00	61,4	67,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 13:00:00	66,4	85,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 12:30:00	60,6	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 12:30:00	52,7	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 12:30:00	61,4	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 12:30:00	64,6	83,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-22 12:00:00	60,3	81,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 12:00:00	51,7	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 12:00:00	61,0	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 12:00:00	64,2	89,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 11:30:00	60,2	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 11:30:00	50,4	55,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 11:30:00	61,0	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 11:30:00	63,6	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 11:00:00	60,9	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 11:00:00	52,3	68,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 11:00:00	62,0	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 11:00:00	64,2	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 10:30:00	60,8	67,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 10:30:00	52,3	68,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 10:30:00	61,9	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 10:30:00	65,8	82,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 10:00:00	60,8	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 10:00:00	52,0	69,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 10:00:00	62,0	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 10:00:00	64,0	80,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 09:30:00	58,6	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 09:30:00	50,3	68,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 09:30:00	59,7	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 09:30:00	64,6	93,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 09:00:00	58,2	68,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 09:00:00	49,5	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 09:00:00	59,6	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 09:00:00	63,5	81,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 08:30:00	58,3	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 08:30:00	51,9	77,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 08:30:00	58,8	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 08:30:00	64,1	92,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 08:00:00	58,4	71,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 08:00:00	51,8	72,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 08:00:00	58,5	66,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 08:00:00	63,0	78,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 07:30:00	58,5	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 07:30:00	50,2	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 07:30:00	62,8	67,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 07:30:00	65,1	73,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-22 07:00:00	57,5	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-22 07:00:00	48,4	68,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-22 07:00:00	62,5	73,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-22 07:00:00	64,3	70,7	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-22 06:30:00	58,3	62,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 06:30:00	48,1	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 06:30:00	62,2	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 06:30:00	64,3	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 06:00:00	59,0	70,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 06:00:00	51,5	68,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 06:00:00	61,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 06:00:00	63,4	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 05:30:00	57,3	69,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 05:30:00	49,1	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 05:30:00	59,9	69,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 05:30:00	61,1	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 05:00:00	54,9	74,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 05:00:00	48,8	72,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 05:00:00	56,0	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 05:00:00	57,3	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 04:30:00	54,6	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 04:30:00	46,6	67,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 04:30:00	55,6	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 04:30:00	56,7	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 04:00:00	51,2	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 04:00:00	44,1	57,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 04:00:00	52,4	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 04:00:00	54,1	69,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 03:30:00	49,8	61,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 03:30:00	41,1	50,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 03:30:00	51,8	67,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 03:30:00	53,0	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 03:00:00	47,2	60,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 03:00:00	38,1	49,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 03:00:00	50,1	67,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 03:00:00	51,0	64,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 02:30:00	48,1	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 02:30:00	40,1	50,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 02:30:00	50,7	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 02:30:00	52,1	65,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 02:00:00	49,3	67,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 02:00:00	43,4	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 02:00:00	50,5	67,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 02:00:00	52,1	65,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 01:30:00	51,0	68,6	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 01:30:00	45,9	70,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 01:30:00	51,9	66,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 01:30:00	53,4	65,1	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-22 01:00:00	53,9	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 01:00:00	48,6	71,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 01:00:00	53,3	66,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 01:00:00	54,4	65,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 00:30:00	54,4	73,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 00:30:00	50,6	74,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 00:30:00	54,5	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 00:30:00	55,7	65,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-22 00:00:00	52,8	71,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-22 00:00:00	46,4	69,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-22 00:00:00	54,9	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-22 00:00:00	55,8	64,1	-6,0	45	