



Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-05 00:00:00	56,0	67,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-05 00:00:00	56,2	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-05 00:00:00	49,2	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-05 00:00:00	57,5	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 23:30:00	56,9	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 23:30:00	55,7	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 23:30:00	47,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 23:30:00	58,5	71,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 23:00:00	57,5	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 23:00:00	56,4	69,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 23:00:00	48,3	69,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 23:00:00	59,5	66,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 22:30:00	58,2	72,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 22:30:00	56,7	68,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 22:30:00	48,9	67,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 22:30:00	59,8	65,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 22:00:00	58,8	70,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 22:00:00	57,5	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 22:00:00	49,2	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 22:00:00	61,0	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 21:30:00	59,3	69,9	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 21:30:00	58,3	71,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 21:30:00	50,1	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 21:30:00	61,1	68,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 21:00:00	59,0	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 21:00:00	58,5	78,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 21:00:00	51,8	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 21:00:00	60,5	73,1	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 20:30:00	59,3	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 20:30:00	58,7	71,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 20:30:00	50,7	68,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 20:30:00	60,8	70,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 20:00:00	59,4	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 20:00:00	58,8	72,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 20:00:00	50,6	70,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 20:00:00	60,9	74,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 19:30:00	60,0	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-04 19:30:00	64,1	84,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-04 19:30:00	61,1	81,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-04 19:30:00	61,8	77,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-04 19:00:00	59,8	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 19:00:00	59,0	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 19:00:00	50,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 19:00:00	61,4	77,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-05-04 18:30:00	60,2	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 18:30:00	59,3	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 18:30:00	57,5	94,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 18:30:00	61,5	65,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 18:00:00	59,8	72,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 18:00:00	58,9	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 18:00:00	56,7	90,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 18:00:00	61,1	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 17:30:00	60,2	75,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 17:30:00	59,1	70,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 17:30:00	52,0	74,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 17:30:00	61,9	74,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 17:00:00	60,2	70,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 17:00:00	58,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 17:00:00	51,1	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 17:00:00	61,6	70,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 16:30:00	59,8	71,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 16:30:00	58,8	68,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 16:30:00	50,1	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 16:30:00	61,8	71,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 16:00:00	60,1	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 16:00:00	59,1	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 16:00:00	62,1	94,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 16:00:00	61,3	66,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 15:30:00	60,4	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 15:30:00	59,5	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 15:30:00	58,1	85,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 15:30:00	61,5	68,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 15:00:00	60,3	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 15:00:00	59,2	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 15:00:00	51,0	73,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 15:00:00	61,7	68,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 14:30:00	59,0	72,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 14:30:00	54,6	85,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 14:30:00	61,8	66,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 14:30:00	60,2	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 14:00:00	58,9	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 14:00:00	62,1	91,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 14:00:00	62,2	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 14:00:00	60,3	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 13:30:00	60,0	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 13:30:00	58,1	89,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 13:30:00	62,5	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 13:30:00	60,9	80,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-04 13:00:00	59,6	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 13:00:00	49,9	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 13:00:00	62,6	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 13:00:00	60,6	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 12:30:00	59,5	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 12:30:00	51,8	77,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 12:30:00	62,6	75,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 12:30:00	61,0	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 12:00:00	59,1	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 12:00:00	49,7	76,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 12:00:00	62,9	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 12:00:00	61,6	74,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 11:30:00	59,2	72,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 11:30:00	50,1	81,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 11:30:00	62,6	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 11:30:00	61,2	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 11:00:00	60,5	80,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 11:00:00	51,6	74,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 11:00:00	62,7	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 11:00:00	60,6	66,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 10:30:00	59,3	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 10:30:00	50,3	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 10:30:00	62,9	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 10:30:00	60,8	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 10:00:00	59,6	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 10:00:00	50,3	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 10:00:00	62,4	75,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 10:00:00	60,6	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 09:30:00	59,3	78,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 09:30:00	52,9	77,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 09:30:00	62,3	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 09:30:00	60,0	76,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 09:00:00	58,2	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 09:00:00	56,3	87,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 09:00:00	61,7	67,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 09:00:00	59,8	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 08:30:00	57,9	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 08:30:00	49,0	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 08:30:00	60,8	68,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 08:30:00	59,5	66,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 08:00:00	57,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 08:00:00	48,3	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 08:00:00	60,4	67,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 08:00:00	58,8	66,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-04 07:30:00	56,2	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 07:30:00	48,8	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 07:30:00	59,7	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 07:30:00	58,4	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 07:00:00	55,7	75,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-04 07:00:00	48,4	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-04 07:00:00	58,4	67,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-04 07:00:00	57,0	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-04 06:30:00	54,9	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 06:30:00	48,6	80,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 06:30:00	57,6	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 06:30:00	56,6	71,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 06:00:00	54,1	69,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 06:00:00	47,4	70,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 06:00:00	56,7	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 06:00:00	55,7	75,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 05:30:00	52,9	63,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 05:30:00	44,3	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 05:30:00	55,5	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 05:30:00	54,5	69,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 05:00:00	52,6	62,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 05:00:00	46,9	57,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 05:00:00	54,1	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 05:00:00	52,9	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 04:30:00	52,2	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 04:30:00	46,9	57,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 04:30:00	53,3	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 04:30:00	52,9	70,1	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 04:00:00	50,5	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 04:00:00	43,7	56,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 04:00:00	52,8	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 04:00:00	52,0	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 03:30:00	51,7	69,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 03:30:00	42,8	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 03:30:00	54,3	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 03:30:00	53,3	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 03:00:00	50,7	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 03:00:00	41,2	48,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 03:00:00	53,5	63,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 03:00:00	52,2	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 02:30:00	51,6	62,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 02:30:00	42,4	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 02:30:00	54,4	64,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 02:30:00	53,6	69,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-04 02:00:00	52,3	63,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 02:00:00	43,1	52,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 02:00:00	54,9	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 02:00:00	53,7	71,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 01:30:00	53,1	72,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 01:30:00	45,6	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 01:30:00	55,3	66,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 01:30:00	54,0	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 01:00:00	54,5	70,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 01:00:00	47,7	76,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 01:00:00	56,8	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 01:00:00	56,0	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 00:30:00	55,7	72,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 00:30:00	49,0	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 00:30:00	57,5	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 00:30:00	56,7	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-04 00:00:00	55,5	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-04 00:00:00	47,7	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-04 00:00:00	58,0	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-04 00:00:00	57,0	66,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 23:30:00	56,8	75,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 23:30:00	49,4	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 23:30:00	60,0	81,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 23:30:00	58,1	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 23:00:00	57,8	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 23:00:00	50,8	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 23:00:00	60,5	81,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 23:00:00	58,7	69,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 22:30:00	57,9	71,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 22:30:00	49,8	71,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 22:30:00	61,1	69,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 22:30:00	59,6	71,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 22:00:00	58,2	76,3	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 22:00:00	51,5	74,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 22:00:00	61,0	76,5	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 22:00:00	59,4	75,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 21:30:00	58,9	74,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 21:30:00	51,9	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 21:30:00	61,5	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 21:30:00	60,0	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 21:00:00	59,4	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 21:00:00	52,9	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 21:00:00	62,2	69,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 21:00:00	60,9	74,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-03 20:30:00	59,7	76,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 20:30:00	53,6	75,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 20:30:00	62,5	74,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 20:30:00	60,7	80,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 20:00:00	59,1	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 20:00:00	50,8	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 20:00:00	62,3	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 20:00:00	60,6	71,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 19:30:00	59,3	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-03 19:30:00	52,0	75,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-03 19:30:00	62,5	73,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-03 19:30:00	61,2	75,3	-6,0	55	
ST01	Høvikveien 2C	2024-05-03 19:00:00	60,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 19:00:00	51,7	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 19:00:00	62,5	67,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 19:00:00	61,0	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 18:30:00	60,2	76,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 18:30:00	51,9	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 18:30:00	62,8	67,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 18:30:00	61,2	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 18:00:00	60,3	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 18:00:00	54,4	78,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 18:00:00	62,7	67,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 18:00:00	61,2	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 17:30:00	58,9	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 17:30:00	51,8	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 17:30:00	63,0	83,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 17:30:00	61,3	77,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 17:00:00	60,1	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 17:00:00	64,7	93,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 17:00:00	60,8	81,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 17:00:00	60,6	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 16:30:00	57,3	69,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 16:30:00	53,0	76,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 16:30:00	60,0	67,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 16:30:00	60,4	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 16:00:00	57,9	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 16:00:00	54,2	80,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 16:00:00	60,1	66,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 16:00:00	60,3	71,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 15:30:00	58,8	77,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 15:30:00	52,4	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 15:30:00	62,5	89,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 15:30:00	60,3	74,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-03 15:00:00	58,9	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 15:00:00	50,9	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 15:00:00	60,9	70,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 15:00:00	60,9	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 14:30:00	59,0	74,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 14:30:00	51,3	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 14:30:00	61,5	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 14:30:00	60,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 14:00:00	60,0	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 14:00:00	51,8	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 14:00:00	63,8	69,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 14:00:00	62,2	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 13:30:00	59,9	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 13:30:00	51,8	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 13:30:00	63,6	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 13:30:00	61,5	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 13:00:00	60,3	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 13:00:00	51,5	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 13:00:00	63,9	67,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 13:00:00	61,6	67,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 12:30:00	60,8	78,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 12:30:00	52,9	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 12:30:00	64,0	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 12:30:00	61,8	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 12:00:00	60,4	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 12:00:00	52,0	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 12:00:00	64,0	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 12:00:00	61,8	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 11:30:00	60,6	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 11:30:00	53,6	75,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 11:30:00	63,9	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 11:30:00	62,2	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 11:00:00	61,1	76,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 11:00:00	52,4	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 11:00:00	64,2	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 11:00:00	62,5	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 10:30:00	61,0	74,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 10:30:00	53,5	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 10:30:00	64,3	77,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 10:30:00	62,4	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 10:00:00	60,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 10:00:00	52,3	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 10:00:00	64,7	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 10:00:00	63,0	73,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-03 09:30:00	60,5	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 09:30:00	52,8	69,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 09:30:00	65,1	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 09:30:00	63,9	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 09:00:00	60,2	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 09:00:00	51,2	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 09:00:00	65,0	70,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 09:00:00	63,1	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 08:30:00	58,7	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 08:30:00	52,1	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 08:30:00	63,1	73,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 08:30:00	59,2	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 08:00:00	59,9	71,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 08:00:00	52,5	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 08:00:00	64,5	71,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 08:00:00	61,8	70,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 07:30:00	60,9	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 07:30:00	53,4	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 07:30:00	65,5	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 07:30:00	63,1	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 07:00:00	60,6	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-03 07:00:00	53,6	74,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-03 07:00:00	64,5	80,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-03 07:00:00	62,9	77,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-03 06:30:00	60,6	73,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 06:30:00	53,1	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 06:30:00	63,9	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 06:30:00	62,5	76,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 06:00:00	60,2	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 06:00:00	53,1	71,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 06:00:00	63,0	72,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 06:00:00	62,1	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 05:30:00	57,9	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 05:30:00	50,3	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 05:30:00	60,4	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 05:30:00	59,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 05:00:00	56,3	69,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 05:00:00	48,6	68,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 05:00:00	58,7	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 05:00:00	57,8	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 04:30:00	52,9	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 04:30:00	45,0	56,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 04:30:00	55,0	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 04:30:00	53,4	67,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-03 04:00:00	66,0	89,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 04:00:00	64,1	84,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 04:00:00	57,1	73,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 04:00:00	53,8	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 03:30:00	47,4	60,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 03:30:00	40,2	50,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 03:30:00	51,8	64,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 03:30:00	48,6	61,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 03:00:00	47,4	61,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 03:00:00	40,4	50,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 03:00:00	52,0	63,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 03:00:00	49,0	59,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 02:30:00	48,7	59,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 02:30:00	41,4	50,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 02:30:00	53,2	64,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 02:30:00	50,6	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 02:00:00	48,5	60,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 02:00:00	40,9	56,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 02:00:00	52,9	64,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 02:00:00	50,0	64,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 01:30:00	49,9	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 01:30:00	43,7	68,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 01:30:00	52,1	63,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 01:30:00	49,3	61,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 01:00:00	51,0	73,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 01:00:00	46,1	72,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 01:00:00	53,5	67,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 01:00:00	51,0	64,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 00:30:00	52,0	75,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 00:30:00	47,8	71,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 00:30:00	54,5	81,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 00:30:00	51,9	62,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-03 00:00:00	53,4	72,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-03 00:00:00	47,4	69,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-03 00:00:00	55,8	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-03 00:00:00	53,6	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 23:30:00	53,3	74,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 23:30:00	48,6	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 23:30:00	57,8	80,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 23:30:00	55,5	77,7	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 23:00:00	54,7	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 23:00:00	49,4	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 23:00:00	58,6	65,8	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 23:00:00	55,5	65,3	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-02 22:30:00	54,6	76,8	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 22:30:00	49,1	68,7	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 22:30:00	59,1	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 22:30:00	56,0	69,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 22:00:00	56,3	76,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 22:00:00	50,9	71,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 22:00:00	58,3	71,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 22:00:00	57,8	72,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 21:30:00	58,1	75,2	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 21:30:00	51,4	69,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 21:30:00	59,8	69,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 21:30:00	59,5	68,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 21:00:00	59,8	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 21:00:00	53,1	71,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 21:00:00	63,4	76,9	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 21:00:00	61,6	74,7	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 20:30:00	59,6	73,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 20:30:00	52,0	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 20:30:00	63,1	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 20:30:00	61,1	71,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 20:00:00	59,8	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 20:00:00	52,8	74,8	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 20:00:00	63,1	73,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 20:00:00	61,6	75,6	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 19:30:00	59,7	72,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-02 19:30:00	52,8	77,2	-6,0	55	
ST03	Sandviksveien 52	2024-05-02 19:30:00	63,1	69,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-02 19:30:00	61,7	77,0	-6,0	55	
ST01	Høvikveien 2C	2024-05-02 19:00:00	60,0	75,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 19:00:00	52,7	73,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 19:00:00	63,6	73,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 19:00:00	61,9	68,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 18:30:00	59,8	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 18:30:00	51,3	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 18:30:00	64,2	73,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 18:30:00	62,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 18:00:00	59,7	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 18:00:00	51,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 18:00:00	64,9	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 18:00:00	63,9	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 17:30:00	59,3	71,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 17:30:00	51,2	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 17:30:00	64,9	75,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 17:30:00	64,1	74,3	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-02 17:00:00	59,0	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 17:00:00	51,9	80,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 17:00:00	64,8	76,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 17:00:00	64,0	71,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 16:30:00	56,5	73,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 16:30:00	50,1	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 16:30:00	61,5	70,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 16:30:00	62,2	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 16:00:00	58,2	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 16:00:00	51,5	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 16:00:00	62,3	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 16:00:00	62,4	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 15:30:00	57,6	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 15:30:00	50,0	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 15:30:00	62,3	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 15:30:00	62,1	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 15:00:00	58,4	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 15:00:00	50,3	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 15:00:00	63,3	72,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 15:00:00	63,0	70,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 14:30:00	59,0	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 14:30:00	50,1	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 14:30:00	64,9	74,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 14:30:00	63,9	72,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 14:00:00	59,7	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 14:00:00	52,5	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 14:00:00	65,3	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 14:00:00	64,4	75,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 13:30:00	59,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 13:30:00	52,6	72,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 13:30:00	76,7	93,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 13:30:00	63,6	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 13:00:00	60,1	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 13:00:00	56,3	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 13:00:00	80,8	96,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 13:00:00	63,6	71,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 12:30:00	60,3	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 12:30:00	56,6	72,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 12:30:00	84,6	97,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 12:30:00	63,6	79,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 12:00:00	60,0	75,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 12:00:00	51,6	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 12:00:00	66,9	91,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 12:00:00	63,0	69,2	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-02 11:30:00	60,1	70,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 11:30:00	52,1	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 11:30:00	64,5	76,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 11:30:00	63,2	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 11:00:00	60,9	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 11:00:00	54,7	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 11:00:00	78,1	94,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 11:00:00	62,9	68,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 10:30:00	60,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 10:30:00	52,4	69,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 10:30:00	65,6	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 10:30:00	63,4	75,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 10:00:00	60,7	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 10:00:00	52,3	69,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 10:00:00	69,8	86,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 10:00:00	64,4	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 09:30:00	59,8	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 09:30:00	55,9	72,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 09:30:00	82,7	99,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 09:30:00	64,6	75,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 09:00:00	58,7	72,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 09:00:00	52,8	70,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 09:00:00	67,6	90,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 09:00:00	62,6	88,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 08:45:00	83,2	98,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 08:30:00	58,0	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 08:30:00	56,3	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 08:30:00	60,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 08:00:00	59,4	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 08:00:00	57,3	72,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 08:00:00	78,6	94,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 08:00:00	59,8	66,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 07:30:00	59,3	70,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 07:30:00	52,3	71,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 07:30:00	66,2	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 07:30:00	60,0	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 07:00:00	60,6	73,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-02 07:00:00	52,9	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-02 07:00:00	64,3	71,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-02 07:00:00	60,9	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-02 06:30:00	59,7	75,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 06:30:00	52,4	70,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 06:30:00	63,0	69,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 06:30:00	60,9	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-02 06:00:00	60,4	74,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 06:00:00	53,0	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 06:00:00	63,7	70,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 06:00:00	62,7	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 05:30:00	57,3	68,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 05:30:00	50,0	69,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 05:30:00	61,5	71,6	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 05:30:00	60,4	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 05:00:00	54,7	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 05:00:00	49,5	74,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 05:00:00	58,5	68,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 05:00:00	57,5	67,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 04:30:00	52,4	63,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 04:30:00	46,5	76,0	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 04:30:00	57,0	73,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 04:30:00	56,6	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 04:00:00	50,6	60,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 04:00:00	43,3	57,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 04:00:00	55,5	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 04:00:00	54,5	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 03:30:00	49,7	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 03:30:00	41,3	53,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 03:30:00	54,1	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 03:30:00	53,9	69,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 03:00:00	48,3	60,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 03:00:00	40,1	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 03:00:00	52,1	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 03:00:00	50,7	66,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 02:30:00	49,1	62,4	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 02:30:00	40,8	53,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 02:30:00	52,2	65,2	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 02:30:00	51,3	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 02:00:00	50,5	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 02:00:00	42,5	58,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 02:00:00	53,6	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 02:00:00	52,9	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 01:30:00	51,7	72,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 01:30:00	44,9	68,6	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 01:30:00	54,3	65,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 01:30:00	53,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 01:00:00	51,9	77,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 01:00:00	45,0	69,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 01:00:00	53,9	63,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 01:00:00	52,7	66,8	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-02 00:30:00	53,5	80,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 00:30:00	45,6	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 00:30:00	55,6	68,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 00:30:00	54,4	71,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-02 00:00:00	53,3	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-05-02 00:00:00	45,6	68,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-02 00:00:00	57,1	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-02 00:00:00	55,8	70,4	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 23:30:00	54,5	75,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 23:30:00	46,6	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 23:30:00	58,9	67,3	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 23:30:00	57,5	68,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 23:00:00	55,6	75,4	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 23:00:00	47,6	70,4	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 23:00:00	59,2	66,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 23:00:00	57,7	68,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 22:30:00	57,6	74,0	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 22:30:00	49,8	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 22:30:00	60,3	73,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 22:30:00	59,4	70,1	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 22:00:00	58,0	73,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 22:00:00	50,7	68,5	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 22:00:00	60,4	70,0	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 22:00:00	59,3	69,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 21:30:00	59,3	72,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 21:30:00	53,1	71,9	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 21:30:00	62,9	76,3	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 21:30:00	61,6	77,4	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 21:00:00	59,1	74,5	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 21:00:00	51,5	69,1	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 21:00:00	63,0	76,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 21:00:00	61,8	78,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 20:30:00	58,8	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 20:30:00	50,5	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 20:30:00	63,0	70,6	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 20:30:00	61,5	69,2	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 20:00:00	59,3	73,9	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 20:00:00	51,0	72,3	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 20:00:00	63,3	70,7	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 20:00:00	61,9	68,5	-6,0	55	
ST01	Høvikveien 2C	2024-05-01 19:30:00	59,6	71,1	-6,0	55	
ST02	Kirkeveien 4	2024-05-01 19:30:00	50,9	67,6	-6,0	55	
ST03	Sandviksveien 52	2024-05-01 19:30:00	63,7	71,2	-6,0	55	
ST04	Sandviksveien 70	2024-05-01 19:30:00	62,4	74,4	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-01 19:00:00	59,6	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 19:00:00	51,2	69,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 19:00:00	63,6	78,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 19:00:00	62,2	74,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 18:30:00	59,3	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 18:30:00	50,3	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 18:30:00	63,4	79,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 18:30:00	61,9	77,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 18:00:00	59,5	74,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 18:00:00	50,9	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 18:00:00	63,6	75,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 18:00:00	62,3	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 17:30:00	62,0	85,8	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 17:30:00	53,3	74,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 17:30:00	63,7	70,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 17:30:00	62,7	76,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 17:00:00	59,3	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 17:00:00	50,6	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 17:00:00	63,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 17:00:00	62,3	74,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 16:30:00	58,9	73,6	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 16:30:00	51,8	81,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 16:30:00	63,5	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 16:30:00	62,3	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 16:00:00	58,6	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 16:00:00	50,4	69,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 16:00:00	63,5	69,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 16:00:00	62,3	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 15:30:00	58,6	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 15:30:00	51,5	84,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 15:30:00	63,8	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 15:30:00	62,4	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 15:00:00	58,1	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 15:00:00	50,0	79,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 15:00:00	63,8	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 15:00:00	62,9	77,1	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 14:30:00	59,0	71,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 14:30:00	51,0	73,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 14:30:00	63,7	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 14:30:00	62,4	70,0	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 14:00:00	58,9	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 14:00:00	51,3	75,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 14:00:00	63,5	72,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 14:00:00	61,9	71,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-01 13:30:00	59,3	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 13:30:00	56,0	86,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 13:30:00	63,6	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 13:30:00	62,2	70,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 13:00:00	58,7	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 13:00:00	52,0	80,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 13:00:00	63,8	70,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 13:00:00	62,4	71,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 12:30:00	58,5	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 12:30:00	49,8	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 12:30:00	64,0	71,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 12:30:00	62,7	76,9	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 12:00:00	58,6	73,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 12:00:00	50,9	82,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 12:00:00	63,9	69,1	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 12:00:00	62,7	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 11:30:00	58,6	70,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 11:30:00	50,4	69,0	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 11:30:00	64,3	70,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 11:30:00	62,9	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 11:00:00	59,2	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 11:00:00	50,8	72,8	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 11:00:00	64,3	76,5	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 11:00:00	62,9	77,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 10:30:00	59,1	72,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 10:30:00	50,9	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 10:30:00	63,5	75,3	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 10:30:00	61,9	69,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 10:00:00	58,4	74,4	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 10:00:00	50,2	69,6	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 10:00:00	63,5	69,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 10:00:00	61,8	69,7	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 09:30:00	58,4	71,1	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 09:30:00	49,5	68,5	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 09:30:00	63,2	72,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 09:30:00	61,5	70,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 09:00:00	56,7	69,5	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 09:00:00	48,0	68,7	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 09:00:00	62,4	70,0	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 09:00:00	61,0	69,4	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 08:30:00	56,0	70,2	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 08:30:00	47,3	68,1	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 08:30:00	61,6	77,2	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 08:30:00	59,9	67,6	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-01 08:00:00	55,7	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 08:00:00	47,5	68,4	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 08:00:00	59,9	67,8	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 08:00:00	58,5	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 07:30:00	56,2	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 07:30:00	48,1	68,2	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 07:30:00	59,3	66,7	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 07:30:00	57,5	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 07:00:00	55,6	74,0	-6,0	60	
ST02	Kirkeveien 4	2024-05-01 07:00:00	48,2	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-05-01 07:00:00	58,4	66,9	-6,0	60	
ST04	Sandviksveien 70	2024-05-01 07:00:00	56,8	67,5	-6,0	60	
ST01	Høvikveien 2C	2024-05-01 06:30:00	54,7	68,9	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 06:30:00	46,5	67,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 06:30:00	57,4	65,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 06:30:00	56,7	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 06:00:00	53,9	74,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 06:00:00	46,5	68,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 06:00:00	56,5	67,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 06:00:00	55,1	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 05:30:00	53,1	64,6	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 05:30:00	45,2	55,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 05:30:00	56,7	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 05:30:00	54,8	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 05:00:00	52,1	63,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 05:00:00	44,7	62,1	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 05:00:00	55,6	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 05:00:00	53,9	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 04:30:00	52,6	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 04:30:00	48,9	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 04:30:00	55,1	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 04:30:00	54,2	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 04:00:00	51,9	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 04:00:00	44,3	65,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 04:00:00	54,9	65,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 04:00:00	53,5	67,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 03:30:00	51,8	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 03:30:00	42,7	59,5	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 03:30:00	54,1	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 03:30:00	53,1	68,0	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 03:00:00	52,4	63,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 03:00:00	42,8	53,2	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 03:00:00	55,4	70,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 03:00:00	54,7	69,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-05-01 02:30:00	52,1	62,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 02:30:00	42,9	51,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 02:30:00	55,0	66,7	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 02:30:00	53,7	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 02:00:00	52,3	64,0	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 02:00:00	43,4	63,9	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 02:00:00	55,6	71,4	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 02:00:00	54,3	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 01:30:00	54,0	74,1	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 01:30:00	45,6	68,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 01:30:00	56,2	66,1	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 01:30:00	55,2	67,6	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 01:00:00	54,4	73,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 01:00:00	46,9	68,8	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 01:00:00	57,0	66,0	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 01:00:00	55,3	69,8	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 00:30:00	54,5	72,2	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 00:30:00	46,9	69,4	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 00:30:00	58,4	72,5	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 00:30:00	56,8	68,5	-6,0	45	
ST01	Høvikveien 2C	2024-05-01 00:00:00	55,2	71,5	-6,0	45	
ST02	Kirkeveien 4	2024-05-01 00:00:00	48,0	69,7	-6,0	45	
ST03	Sandviksveien 52	2024-05-01 00:00:00	59,5	79,9	-6,0	45	
ST04	Sandviksveien 70	2024-05-01 00:00:00	58,7	83,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 23:45:00	55,6	71,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 23:45:00	48,6	69,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 23:30:00	60,6	84,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 23:30:00	58,9	75,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 23:00:00	57,0	77,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 23:00:00	49,6	70,6	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 23:00:00	61,0	71,4	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 23:00:00	59,4	67,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 22:30:00	56,9	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 22:30:00	49,3	69,7	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 22:30:00	61,2	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 22:30:00	59,5	69,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 22:00:00	57,9	72,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 22:00:00	50,4	70,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 22:00:00	62,2	70,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 22:00:00	60,0	73,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 21:30:00	58,8	76,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 21:30:00	50,7	71,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 21:30:00	62,4	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 21:30:00	60,8	69,1	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-30 21:00:00	59,3	74,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 21:00:00	51,2	70,2	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 21:00:00	63,4	77,7	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 21:00:00	62,1	76,2	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 20:30:00	59,0	73,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 20:30:00	49,7	69,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 20:30:00	63,5	76,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 20:30:00	62,7	82,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 20:00:00	59,3	72,8	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 20:00:00	51,2	76,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 20:00:00	63,7	71,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 20:00:00	62,8	83,7	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 19:30:00	60,8	80,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-30 19:30:00	51,0	69,0	-6,0	55	
ST03	Sandviksveien 52	2024-04-30 19:30:00	64,1	71,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-30 19:30:00	62,8	68,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-30 19:00:00	58,5	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 19:00:00	50,8	76,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 19:00:00	60,9	66,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 19:00:00	60,7	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 18:30:00	58,8	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 18:30:00	52,2	75,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 18:30:00	63,3	82,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 18:30:00	60,4	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 18:00:00	58,4	76,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 18:00:00	53,0	76,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 18:00:00	63,0	81,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 18:00:00	60,4	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 17:30:00	54,9	70,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 17:30:00	56,2	86,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 17:30:00	59,0	76,8	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 17:30:00	58,0	68,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 17:15:00	59,8	78,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 17:00:00	55,7	76,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 17:00:00	56,4	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 17:00:00	56,3	72,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 16:30:00	53,1	70,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 16:30:00	47,7	68,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 16:30:00	67,3	92,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 16:30:00	55,9	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 16:15:00	81,7	96,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 16:00:00	56,1	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 16:00:00	62,4	81,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 16:00:00	58,3	71,5	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST01	Høvikveien 2C	2024-04-30 15:30:00	58,7	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 15:30:00	62,0	78,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 15:30:00	59,5	71,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 15:00:00	60,1	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 15:00:00	60,7	85,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 15:00:00	65,9	81,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 15:00:00	60,6	67,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 14:30:00	60,6	72,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 14:30:00	52,4	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 14:30:00	66,5	85,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 14:30:00	61,7	71,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 14:00:00	61,4	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 14:00:00	52,5	70,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 14:00:00	66,1	86,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 14:00:00	62,8	71,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 13:30:00	60,7	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 13:30:00	52,1	70,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 13:30:00	66,3	89,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 13:30:00	62,1	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 13:00:00	61,3	75,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 13:00:00	55,9	78,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 13:00:00	69,7	85,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 13:00:00	62,0	70,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 12:30:00	60,8	74,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 12:30:00	52,2	69,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 12:30:00	62,4	68,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 12:00:00	60,5	73,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 12:00:00	51,8	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 12:00:00	63,7	72,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 12:00:00	62,1	70,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 11:45:00	64,3	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 11:30:00	60,4	78,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 11:30:00	56,7	77,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 11:30:00	63,9	70,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 11:00:00	60,0	75,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 11:00:00	51,6	70,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 11:00:00	65,7	75,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 11:00:00	63,6	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 10:30:00	62,2	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 10:30:00	66,4	81,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 10:30:00	68,5	88,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 10:30:00	65,2	76,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 10:00:00	61,5	75,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 10:00:00	53,9	74,4	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST03	Sandviksveien 52	2024-04-30 10:00:00	69,2	88,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 10:00:00	63,8	73,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 09:30:00	62,8	74,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 09:30:00	66,1	82,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 09:30:00	68,9	89,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 09:30:00	64,7	78,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 09:00:00	60,4	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 09:00:00	61,0	76,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 09:00:00	62,8	76,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 08:30:00	58,7	71,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 08:30:00	52,5	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 08:30:00	66,4	93,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 08:30:00	60,4	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 08:00:00	58,8	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 08:00:00	51,7	74,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 08:00:00	64,8	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 08:00:00	59,4	67,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 07:30:00	59,9	71,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 07:30:00	52,5	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 07:30:00	66,8	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 07:30:00	60,9	69,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 07:00:00	61,1	76,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-30 07:00:00	52,9	71,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-30 07:00:00	65,2	72,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-30 07:00:00	62,1	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-30 06:30:00	60,9	73,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 06:30:00	52,9	71,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 06:30:00	65,0	69,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 06:30:00	62,4	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 06:00:00	61,0	79,4	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 06:00:00	52,6	72,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 06:00:00	65,1	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 06:00:00	63,6	69,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 05:30:00	58,3	75,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 05:30:00	50,6	70,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 05:30:00	61,8	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 05:30:00	60,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 05:00:00	55,5	70,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 05:00:00	48,4	72,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 05:00:00	58,9	71,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 05:00:00	58,1	70,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 04:30:00	53,3	63,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 04:30:00	46,5	61,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 04:30:00	57,3	71,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-30 04:30:00	56,2	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 04:00:00	51,5	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 04:00:00	42,7	53,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 04:00:00	54,2	69,4	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 04:00:00	53,0	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 03:30:00	52,3	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 03:30:00	42,9	52,5	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 03:30:00	55,0	66,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 03:30:00	53,7	68,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 03:00:00	49,8	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 03:00:00	41,8	51,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 03:00:00	53,3	65,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 03:00:00	52,0	68,8	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 02:30:00	50,5	62,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 02:30:00	42,2	52,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 02:30:00	53,6	67,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 02:30:00	52,2	68,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 02:00:00	52,7	63,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 02:00:00	44,2	54,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 02:00:00	55,8	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 02:00:00	54,4	69,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 01:30:00	53,0	70,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 01:30:00	46,0	71,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 01:30:00	55,1	70,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 01:30:00	53,7	71,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 01:00:00	54,0	71,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 01:00:00	47,6	71,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 01:00:00	55,8	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 01:00:00	53,7	67,5	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 00:30:00	54,8	75,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 00:30:00	48,8	70,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 00:30:00	56,9	68,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 00:30:00	54,8	72,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-30 00:00:00	55,6	74,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-30 00:00:00	50,4	71,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-30 00:00:00	59,1	78,1	-6,0	45	
ST04	Sandviksveien 70	2024-04-30 00:00:00	58,8	74,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 23:30:00	57,6	73,8	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 23:30:00	51,1	69,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 23:30:00	61,8	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 23:30:00	58,1	73,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 23:00:00	57,9	76,9	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 23:00:00	51,1	70,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 23:00:00	61,7	72,2	-6,0	55	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-29 23:00:00	59,6	70,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 22:30:00	58,8	78,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 22:30:00	52,1	72,4	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 22:30:00	62,2	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 22:30:00	59,1	67,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 22:00:00	59,0	74,2	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 22:00:00	51,8	69,3	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 22:00:00	62,6	67,9	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 22:00:00	59,9	67,3	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 21:30:00	60,1	72,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 21:30:00	53,0	71,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 21:30:00	62,8	70,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 21:30:00	60,1	69,8	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 21:00:00	60,3	71,7	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 21:00:00	52,8	72,8	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 21:00:00	63,1	70,3	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 21:00:00	60,8	70,6	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 20:30:00	61,0	73,4	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 20:30:00	53,5	73,5	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 20:30:00	63,9	75,2	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 20:30:00	61,4	68,9	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 20:00:00	61,5	75,6	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 20:00:00	53,9	70,9	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 20:00:00	63,7	71,1	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 20:00:00	61,1	73,5	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 19:30:00	61,7	72,1	-6,0	55	
ST02	Kirkeveien 4	2024-04-29 19:30:00	55,4	72,1	-6,0	55	
ST03	Sandviksveien 52	2024-04-29 19:30:00	65,0	83,5	-6,0	55	
ST04	Sandviksveien 70	2024-04-29 19:30:00	61,1	76,4	-6,0	55	
ST01	Høvikveien 2C	2024-04-29 19:00:00	62,2	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 19:00:00	55,7	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 19:00:00	64,5	82,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 19:00:00	61,4	69,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 18:30:00	62,4	72,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 18:30:00	58,0	88,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 18:30:00	64,3	71,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 18:30:00	61,5	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 18:00:00	63,2	76,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 18:00:00	57,1	75,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 18:00:00	64,9	70,7	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 18:00:00	61,8	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 17:30:00	63,3	72,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 17:30:00	57,1	72,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 17:30:00	65,3	76,0	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST04	Sandviksveien 70	2024-04-29 17:30:00	61,8	68,8	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 17:15:00	65,2	75,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 17:00:00	63,4	74,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 17:00:00	64,3	85,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 17:00:00	62,1	68,5	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 16:30:00	63,4	72,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 16:30:00	63,7	92,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 16:30:00	61,9	70,9	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 16:15:00	77,9	95,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 16:00:00	62,4	79,6	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 16:00:00	63,9	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 16:00:00	61,1	68,3	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 15:30:00	62,1	71,5	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 15:30:00	58,5	73,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 15:30:00	60,7	69,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 15:00:00	64,1	75,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 15:00:00	63,8	85,4	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 15:00:00	77,5	93,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 15:00:00	62,1	72,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 14:30:00	63,6	73,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 14:30:00	61,3	79,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 14:30:00	70,9	92,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 14:30:00	62,2	69,9	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 14:00:00	63,5	76,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 14:00:00	57,6	71,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 14:00:00	66,2	87,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 14:00:00	62,7	71,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 13:30:00	63,4	74,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 13:30:00	56,8	69,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 13:30:00	67,1	85,5	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 13:30:00	62,0	68,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 13:00:00	63,0	73,9	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 13:00:00	56,9	70,7	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 13:00:00	66,1	77,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 13:00:00	61,8	68,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 12:30:00	63,3	72,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 12:30:00	56,7	71,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 12:30:00	65,7	84,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 12:30:00	62,5	75,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 12:00:00	63,2	73,4	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 12:00:00	56,5	70,5	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 12:00:00	65,5	75,4	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 12:00:00	62,3	69,1	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 11:30:00	63,5	75,8	-6,0	60	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-29 11:30:00	57,4	78,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 11:30:00	65,6	73,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 11:30:00	62,5	72,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 11:00:00	63,2	72,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 11:00:00	56,5	73,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 11:00:00	66,8	79,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 11:00:00	62,4	73,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 10:30:00	63,9	81,8	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 10:30:00	57,5	71,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 10:30:00	69,3	81,2	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 10:30:00	62,8	68,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 10:15:00	70,1	94,7	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 10:00:00	64,1	80,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 10:00:00	57,2	71,6	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 10:00:00	62,8	68,4	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 09:30:00	62,9	73,2	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 09:30:00	56,5	69,1	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 09:30:00	66,8	83,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 09:30:00	61,5	67,8	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 09:00:00	61,8	77,0	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 09:00:00	56,2	70,6	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 09:00:00	66,0	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 09:00:00	60,4	73,2	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 08:30:00	60,9	71,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 08:30:00	55,8	72,2	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 08:30:00	65,8	78,1	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 08:30:00	59,3	68,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 08:00:00	61,7	70,7	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 08:00:00	56,1	70,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 08:00:00	67,9	79,9	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 08:00:00	59,7	66,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 07:30:00	61,9	75,3	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 07:30:00	55,6	73,0	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 07:30:00	66,2	78,3	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 07:30:00	60,9	72,0	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 07:00:00	60,6	75,1	-6,0	60	
ST02	Kirkeveien 4	2024-04-29 07:00:00	52,9	69,3	-6,0	60	
ST03	Sandviksveien 52	2024-04-29 07:00:00	64,9	79,0	-6,0	60	
ST04	Sandviksveien 70	2024-04-29 07:00:00	61,4	65,6	-6,0	60	
ST01	Høvikveien 2C	2024-04-29 06:30:00	61,5	72,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 06:30:00	52,9	69,1	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 06:30:00	65,3	72,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 06:30:00	62,5	68,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 06:00:00	61,1	72,3	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-29 06:00:00	52,6	70,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 06:00:00	64,8	70,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 06:00:00	63,0	68,3	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 05:30:00	58,1	69,1	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 05:30:00	49,3	67,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 05:30:00	62,0	69,3	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 05:30:00	60,6	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 05:00:00	55,0	63,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 05:00:00	46,3	62,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 05:00:00	59,2	69,0	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 05:00:00	58,2	69,0	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 04:30:00	53,4	62,9	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 04:30:00	43,5	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 04:30:00	57,3	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 04:30:00	56,1	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 04:00:00	52,7	70,3	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 04:00:00	46,6	66,7	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 04:00:00	55,8	67,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 04:00:00	54,6	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 03:30:00	48,4	62,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 03:30:00	39,7	49,9	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 03:30:00	53,5	66,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 03:30:00	51,9	68,4	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 03:00:00	50,2	61,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 03:00:00	40,7	50,0	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 03:00:00	54,6	70,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 03:00:00	53,7	69,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 02:30:00	49,8	65,5	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 02:30:00	40,8	51,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 02:30:00	53,7	68,2	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 02:30:00	52,2	68,1	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 02:00:00	50,1	62,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 02:00:00	42,8	52,8	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 02:00:00	54,2	65,5	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 02:00:00	52,7	67,9	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 01:30:00	51,3	68,2	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 01:30:00	43,8	66,4	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 01:30:00	56,0	67,9	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 01:30:00	54,3	65,6	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 01:00:00	53,1	77,0	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 01:00:00	45,2	68,2	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 01:00:00	57,4	69,8	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 01:00:00	55,5	69,2	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 00:30:00	52,3	69,2	-6,0	45	

Namn	Adress	Datum	LEQ dBa	LMAX dBa	dbOffset	Larm	Kommentar
ST02	Kirkeveien 4	2024-04-29 00:30:00	44,8	67,3	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 00:30:00	57,3	67,6	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 00:30:00	55,5	67,7	-6,0	45	
ST01	Høvikveien 2C	2024-04-29 00:00:00	55,4	80,7	-6,0	45	
ST02	Kirkeveien 4	2024-04-29 00:00:00	45,7	67,6	-6,0	45	
ST03	Sandviksveien 52	2024-04-29 00:00:00	57,6	65,7	-6,0	45	
ST04	Sandviksveien 70	2024-04-29 00:00:00	56,5	70,0	-6,0	45	