

Multiconsult

Rapportfilter

Til: 28.06.2017 07:05:58

| Målepunkt | Plassering | Dato | Verdi | Grense | Andel i % av gren |
|-----------|----------------|---------------------|-------------------|-----------|-------------------|
| K11 MP 95 | Holtavegen 26F | 27.06.2017 11:57:56 | 20,00 mm/s | 42 | 48% |
| K11 MP 95 | Holtavegen 26F | 26.06.2017 20:18:55 | 6,50 mm/s | 42 | 15% |
| K11 MP 95 | Holtavegen 26F | 26.06.2017 10:04:19 | 19,40 mm/s | 42 | 46% |
| K11 MP 95 | Holtavegen 26F | 24.06.2017 11:09:20 | 6,85 mm/s | 42 | 16% |
| K11 MP 95 | Holtavegen 26F | 23.06.2017 20:21:58 | 8,40 mm/s | 42 | 20% |
| K11 MP 95 | Holtavegen 26F | 23.06.2017 17:14:42 | 23,00 mm/s | 42 | 55% |
| K11 MP 95 | Holtavegen 26F | 23.06.2017 11:24:45 | 5,20 mm/s | 42 | 12% |
| K11 MP 95 | Holtavegen 26F | 23.06.2017 06:58:46 | 13,70 mm/s | 42 | 33% |
| K11 MP 95 | Holtavegen 26F | 22.06.2017 19:22:21 | 25,10 mm/s | 42 | 60% |
| K11 MP 95 | Holtavegen 26F | 22.06.2017 12:50:04 | 7,90 mm/s | 42 | 19% |
| K11 MP 95 | Holtavegen 26F | 22.06.2017 07:34:41 | 26,50 mm/s | 42 | 63% |
| K11 MP 95 | Holtavegen 26F | 21.06.2017 15:53:18 | 9,10 mm/s | 42 | 22% |
| K11 MP 95 | Holtavegen 26F | 21.06.2017 13:55:34 | 8,75 mm/s | 42 | 21% |
| K11 MP 95 | Holtavegen 26F | 21.06.2017 09:45:20 | 28,90 mm/s | 42 | 69% |
| K11 MP 95 | Holtavegen 26F | 20.06.2017 17:33:13 | 11,00 mm/s | 42 | 26% |
| K11 MP 95 | Holtavegen 26F | 20.06.2017 12:05:23 | 25,60 mm/s | 42 | 61% |
| K11 MP 95 | Holtavegen 26F | 19.06.2017 21:12:33 | 10,00 mm/s | 42 | 24% |
| K11 MP 95 | Holtavegen 26F | 19.06.2017 11:38:05 | 32,50 mm/s | 42 | 77% |
| K11 MP 95 | Holtavegen 26F | 17.06.2017 14:08:46 | 10,40 mm/s | 42 | 25% |
| K11 MP 95 | Holtavegen 26F | 17.06.2017 11:43:31 | 3,45 mm/s | 42 | 8% |
| K11 MP 95 | Holtavegen 26F | 17.06.2017 08:01:00 | 29,30 mm/s | 42 | 70% |
| K11 MP 95 | Holtavegen 26F | 16.06.2017 21:18:59 | 7,60 mm/s | 42 | 18% |
| K11 MP 95 | Holtavegen 26F | 16.06.2017 17:39:26 | 12,00 mm/s | 42 | 29% |
| K11 MP 95 | Holtavegen 26F | 16.06.2017 15:47:57 | 7,50 mm/s | 42 | 18% |
| K11 MP 95 | Holtavegen 26F | 16.06.2017 11:31:54 | 39,80 mm/s | 42 | 95% |
| K11 MP 95 | Holtavegen 26F | 16.06.2017 07:13:22 | 3,05 mm/s | 42 | 7% |
| K11 MP 95 | Holtavegen 26F | 15.06.2017 22:00:18 | 14,60 mm/s | 42 | 35% |
| K11 MP 95 | Holtavegen 26F | 15.06.2017 15:40:51 | 30,50 mm/s | 42 | 73% |
| K11 MP 95 | Holtavegen 26F | 15.06.2017 09:47:42 | 17,10 mm/s | 42 | 41% |
| K11 MP 95 | Holtavegen 26F | 14.06.2017 21:53:53 | 18,80 mm/s | 42 | 45% |
| K11 MP 95 | Holtavegen 26F | 14.06.2017 19:12:38 | 33,00 mm/s | 42 | 79% |
| K11 MP 95 | Holtavegen 26F | 14.06.2017 15:10:02 | 24,20 mm/s | 42 | 58% |
| K11 MP 95 | Holtavegen 26F | 14.06.2017 11:01:29 | 28,00 mm/s | 42 | 67% |
| K11 MP 95 | Holtavegen 26F | 14.06.2017 07:13:03 | 4,65 mm/s | 42 | 11% |
| K11 MP 95 | Holtavegen 26F | 13.06.2017 21:39:22 | 20,10 mm/s | 42 | 48% |
| K11 MP 95 | Holtavegen 26F | 13.06.2017 17:19:27 | 32,70 mm/s | 42 | 78% |
| K11 MP 95 | Holtavegen 26F | 13.06.2017 12:14:20 | 27,10 mm/s | 42 | 65% |
| K11 MP 95 | Holtavegen 26F | 13.06.2017 08:11:27 | 18,40 mm/s | 42 | 44% |
| K11 MP 95 | Holtavegen 26F | 12.06.2017 13:38:42 | 23,70 mm/s | 42 | 56% |
| K11 MP 95 | Holtavegen 26F | 10.06.2017 08:32:08 | 26,80 mm/s | 42 | 64% |

Multiconsult

| | | | | | |
|-----------|----------------|---------------------|-------------------|-----------|------------|
| K11 MP 95 | Holtavegen 26F | 09.06.2017 19:29:29 | 18,90 mm/s | 42 | 45% |
| K11 MP 95 | Holtavegen 26F | 09.06.2017 10:24:06 | 23,60 mm/s | 42 | 56% |
| K11 MP 95 | Holtavegen 26F | 09.06.2017 07:26:35 | 13,80 mm/s | 42 | 33% |
| K11 MP 95 | Holtavegen 26F | 08.06.2017 18:37:06 | 24,80 mm/s | 42 | 59% |
| K11 MP 95 | Holtavegen 26F | 08.06.2017 13:32:30 | 25,50 mm/s | 42 | 61% |
| K11 MP 95 | Holtavegen 26F | 07.06.2017 21:25:10 | 24,00 mm/s | 42 | 57% |
| K11 MP 95 | Holtavegen 26F | 07.06.2017 19:23:58 | 5,80 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 07.06.2017 16:45:47 | 40,60 mm/s | 42 | 97% |
| K11 MP 95 | Holtavegen 26F | 07.06.2017 07:26:55 | 6,00 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 06.06.2017 20:48:02 | 31,00 mm/s | 42 | 74% |
| K11 MP 95 | Holtavegen 26F | 06.06.2017 19:04:57 | 20,60 mm/s | 42 | 49% |
| K11 MP 95 | Holtavegen 26F | 06.06.2017 15:46:33 | 35,30 mm/s | 42 | 84% |
| K11 MP 95 | Holtavegen 26F | 06.06.2017 07:38:29 | 19,70 mm/s | 42 | 47% |
| K11 MP 95 | Holtavegen 26F | 03.06.2017 14:07:31 | 30,10 mm/s | 42 | 72% |
| K11 MP 95 | Holtavegen 26F | 02.06.2017 20:59:31 | 8,85 mm/s | 42 | 21% |
| K11 MP 95 | Holtavegen 26F | 02.06.2017 16:33:30 | 23,40 mm/s | 42 | 56% |
| K11 MP 95 | Holtavegen 26F | 02.06.2017 10:13:34 | 5,90 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 02.06.2017 09:54:30 | 40,90 mm/s | 42 | 97% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 21:14:18 | 4,10 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 18:32:58 | 39,60 mm/s | 42 | 94% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 15:52:20 | 25,60 mm/s | 42 | 61% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 12:16:47 | 26,10 mm/s | 42 | 62% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 11:30:26 | 10,00 mm/s | 42 | 24% |
| K11 MP 95 | Holtavegen 26F | 01.06.2017 07:33:03 | 17,70 mm/s | 42 | 42% |
| K11 MP 95 | Holtavegen 26F | 31.05.2017 20:44:29 | 9,35 mm/s | 42 | 22% |
| K11 MP 95 | Holtavegen 26F | 31.05.2017 17:17:26 | 31,60 mm/s | 42 | 75% |
| K11 MP 95 | Holtavegen 26F | 31.05.2017 09:11:35 | 11,60 mm/s | 42 | 28% |
| K11 MP 95 | Holtavegen 26F | 31.05.2017 07:28:53 | 11,40 mm/s | 42 | 27% |
| K11 MP 95 | Holtavegen 26F | 30.05.2017 19:47:59 | 25,70 mm/s | 42 | 61% |
| K11 MP 95 | Holtavegen 26F | 30.05.2017 10:05:48 | 22,40 mm/s | 42 | 53% |
| K11 MP 95 | Holtavegen 26F | 30.05.2017 07:46:30 | 13,50 mm/s | 42 | 32% |
| K11 MP 95 | Holtavegen 26F | 29.05.2017 21:06:59 | 19,50 mm/s | 42 | 46% |
| K11 MP 95 | Holtavegen 26F | 27.05.2017 13:11:48 | 3,90 mm/s | 42 | 9% |
| K11 MP 95 | Holtavegen 26F | 27.05.2017 09:11:28 | 20,30 mm/s | 42 | 48% |
| K11 MP 95 | Holtavegen 26F | 26.05.2017 15:51:38 | 19,40 mm/s | 42 | 46% |
| K11 MP 95 | Holtavegen 26F | 26.05.2017 15:14:45 | 4,20 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 26.05.2017 11:21:25 | 21,40 mm/s | 42 | 51% |
| K11 MP 95 | Holtavegen 26F | 24.05.2017 21:36:31 | 18,30 mm/s | 42 | 44% |
| K11 MP 95 | Holtavegen 26F | 24.05.2017 16:43:25 | 4,45 mm/s | 42 | 11% |
| K11 MP 95 | Holtavegen 26F | 24.05.2017 14:19:15 | 18,90 mm/s | 42 | 45% |
| K11 MP 95 | Holtavegen 26F | 24.05.2017 08:04:57 | 14,70 mm/s | 42 | 35% |
| K11 MP 95 | Holtavegen 26F | 23.05.2017 20:41:02 | 13,10 mm/s | 42 | 31% |
| K11 MP 95 | Holtavegen 26F | 23.05.2017 17:41:29 | 20,10 mm/s | 42 | 48% |

Multiconsult

| | | | | | |
|-----------|----------------|---------------------|-------------------|-----------|------------|
| K11 MP 95 | Holtavegen 26F | 23.05.2017 11:34:43 | 9,70 mm/s | 42 | 23% |
| K11 MP 95 | Holtavegen 26F | 22.05.2017 20:07:06 | 19,50 mm/s | 42 | 46% |
| K11 MP 95 | Holtavegen 26F | 22.05.2017 13:26:22 | 8,95 mm/s | 42 | 21% |
| K11 MP 95 | Holtavegen 26F | 20.05.2017 13:35:10 | 11,30 mm/s | 42 | 27% |
| K11 MP 95 | Holtavegen 26F | 20.05.2017 09:10:49 | 7,90 mm/s | 42 | 19% |
| K11 MP 95 | Holtavegen 26F | 19.05.2017 07:55:08 | 10,20 mm/s | 42 | 24% |
| K11 MP 95 | Holtavegen 26F | 18.05.2017 11:20:35 | 6,55 mm/s | 42 | 16% |
| K11 MP 95 | Holtavegen 26F | 16.05.2017 11:20:08 | 9,25 mm/s | 42 | 22% |
| K11 MP 95 | Holtavegen 26F | 15.05.2017 20:23:37 | 5,70 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 15.05.2017 14:50:34 | 4,05 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 15.05.2017 12:11:35 | 12,10 mm/s | 42 | 29% |
| K11 MP 95 | Holtavegen 26F | 12.05.2017 21:03:04 | 4,75 mm/s | 42 | 11% |
| K11 MP 95 | Holtavegen 26F | 12.05.2017 15:36:16 | 8,15 mm/s | 42 | 19% |
| K11 MP 95 | Holtavegen 26F | 11.05.2017 14:28:20 | 6,05 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 10.05.2017 15:14:29 | 6,85 mm/s | 42 | 16% |
| K11 MP 95 | Holtavegen 26F | 10.05.2017 11:25:54 | 5,85 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 09.05.2017 21:00:21 | 5,90 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 09.05.2017 15:15:51 | 3,80 mm/s | 42 | 9% |
| K11 MP 95 | Holtavegen 26F | 09.05.2017 10:12:32 | 6,60 mm/s | 42 | 16% |
| K11 MP 95 | Holtavegen 26F | 08.05.2017 07:56:21 | 7,75 mm/s | 42 | 18% |
| K11 MP 95 | Holtavegen 26F | 06.05.2017 08:09:50 | 5,75 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 05.05.2017 12:58:33 | 4,85 mm/s | 42 | 12% |
| K11 MP 95 | Holtavegen 26F | 05.05.2017 08:06:59 | 4,30 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 04.05.2017 08:15:22 | 5,45 mm/s | 42 | 13% |
| K11 MP 95 | Holtavegen 26F | 03.05.2017 11:27:20 | 6,40 mm/s | 42 | 15% |
| K11 MP 95 | Holtavegen 26F | 02.05.2017 13:44:00 | 5,85 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 29.04.2017 12:44:30 | 4,60 mm/s | 42 | 11% |
| K11 MP 95 | Holtavegen 26F | 28.04.2017 12:32:49 | 4,20 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 27.04.2017 20:54:58 | 3,90 mm/s | 42 | 9% |
| K11 MP 95 | Holtavegen 26F | 27.04.2017 15:56:17 | 3,20 mm/s | 42 | 8% |
| K11 MP 95 | Holtavegen 26F | 27.04.2017 10:31:58 | 3,95 mm/s | 42 | 9% |
| K11 MP 95 | Holtavegen 26F | 26.04.2017 21:02:42 | 5,85 mm/s | 42 | 14% |
| K11 MP 95 | Holtavegen 26F | 26.04.2017 12:08:04 | 4,10 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 25.04.2017 21:20:11 | 3,40 mm/s | 42 | 8% |
| K11 MP 95 | Holtavegen 26F | 25.04.2017 12:35:30 | 4,25 mm/s | 42 | 10% |
| K11 MP 95 | Holtavegen 26F | 24.04.2017 20:52:50 | 3,57 mm/s | 42 | 8% |