

Multiconsult

Rapportfilter

Til: 26.01.2018 07:08:05

Målepunkt	Plassering	Dato	Verdi	Grense	Andel i % av g
K10 MP 50	Kvernabekkevgen 91A	19.01.2018 21:48:49	4,70 mm/s	42	11%
K10 MP 50	Kvernabekkevgen 91A	19.01.2018 13:26:24	4,05 mm/s	42	10%
K10 MP 50	Kvernabekkevgen 91A	15.01.2018 10:37:38	3,25 mm/s	42	8%
K10 MP 50	Kvernabekkevgen 91A	12.01.2018 17:11:01	3,20 mm/s	42	8%
K10 MP 50	Kvernabekkevgen 91A	12.01.2018 09:11:34	5,10 mm/s	42	12%
K10 MP 50	Kvernabekkevgen 91A	11.01.2018 17:43:54	4,95 mm/s	42	12%
K10 MP 50	Kvernabekkevgen 91A	11.01.2018 10:01:02	8,55 mm/s	42	20%
K10 MP 50	Kvernabekkevgen 91A	09.01.2018 15:13:23	5,90 mm/s	42	14%
K10 MP 50	Kvernabekkevgen 91A	09.01.2018 09:23:39	9,15 mm/s	42	22%
K10 MP 50	Kvernabekkevgen 91A	08.01.2018 17:46:59	6,75 mm/s	42	16%
K10 MP 50	Kvernabekkevgen 91A	08.01.2018 09:27:22	7,60 mm/s	42	18%
K10 MP 50	Kvernabekkevgen 91A	06.01.2018 17:11:10	10,10 mm/s	42	24%
K10 MP 50	Kvernabekkevgen 91A	06.01.2018 13:03:33	6,75 mm/s	42	16%
K10 MP 50	Kvernabekkevgen 91A	06.01.2018 09:55:05	11,10 mm/s	42	26%
K10 MP 50	Kvernabekkevgen 91A	05.01.2018 20:39:27	12,20 mm/s	42	29%
K10 MP 50	Kvernabekkevgen 91A	05.01.2018 14:48:41	16,90 mm/s	42	40%
K10 MP 50	Kvernabekkevgen 91A	04.01.2018 20:20:12	18,00 mm/s	42	43%
K10 MP 50	Kvernabekkevgen 91A	02.01.2018 19:31:38	20,60 mm/s	42	49%
K10 MP 50	Kvernabekkevgen 91A	02.01.2018 11:53:52	16,20 mm/s	42	39%
K10 MP 50	Kvernabekkevgen 91A	21.12.2017 12:43:35	23,00 mm/s	42	55%
K10 MP 50	Kvernabekkevgen 91A	20.12.2017 14:53:57	23,80 mm/s	42	57%
K10 MP 50	Kvernabekkevgen 91A	15.12.2017 15:00:43	27,50 mm/s	42	65%
K10 MP 50	Kvernabekkevgen 91A	15.12.2017 12:28:35	23,10 mm/s	42	55%
K10 MP 50	Kvernabekkevgen 91A	13.12.2017 13:57:55	23,40 mm/s	42	56%
K10 MP 50	Kvernabekkevgen 91A	12.12.2017 15:39:07	28,60 mm/s	42	68%
K10 MP 50	Kvernabekkevgen 91A	11.12.2017 21:37:21	25,10 mm/s	42	60%
K10 MP 50	Kvernabekkevgen 91A	11.12.2017 11:52:17	25,60 mm/s	42	61%
K10 MP 50	Kvernabekkevgen 91A	09.12.2017 17:03:53	4,25 mm/s	42	10%
K10 MP 50	Kvernabekkevgen 91A	08.12.2017 19:00:36	19,40 mm/s	42	46%
K10 MP 50	Kvernabekkevgen 91A	08.12.2017 10:49:21	25,40 mm/s	42	60%
K10 MP 50	Kvernabekkevgen 91A	07.12.2017 17:46:34	22,40 mm/s	42	53%
K10 MP 50	Kvernabekkevgen 91A	07.12.2017 07:58:49	10,80 mm/s	42	26%
K10 MP 50	Kvernabekkevgen 91A	06.12.2017 13:49:46	12,80 mm/s	42	30%
K10 MP 50	Kvernabekkevgen 91A	05.12.2017 18:49:23	9,55 mm/s	42	23%
K10 MP 50	Kvernabekkevgen 91A	05.12.2017 10:14:08	7,45 mm/s	42	18%
K10 MP 50	Kvernabekkevgen 91A	04.12.2017 16:54:08	9,65 mm/s	42	23%
K10 MP 50	Kvernabekkevgen 91A	01.12.2017 09:57:36	9,45 mm/s	42	22%
K10 MP 50	Kvernabekkevgen 91A	30.11.2017 13:47:18	7,70 mm/s	42	18%
K10 MP 50	Kvernabekkevgen 91A	29.11.2017 20:56:29	6,60 mm/s	42	16%
K10 MP 50	Kvernabekkevgen 91A	29.11.2017 12:03:12	9,15 mm/s	42	22%

Multiconsult

K10 MP 50	Kvernabekkevegen 91A	28.11.2017 15:26:19	6,45 mm/s	42	15%
K10 MP 50	Kvernabekkevegen 91A	27.11.2017 17:29:20	4,30 mm/s	42	10%
K10 MP 50	Kvernabekkevegen 91A	25.11.2017 13:20:07	7,00 mm/s	42	17%
K10 MP 50	Kvernabekkevegen 91A	24.11.2017 12:50:28	3,95 mm/s	42	9%
K10 MP 50	Kvernabekkevegen 91A	23.11.2017 11:35:15	5,10 mm/s	42	12%
K10 MP 50	Kvernabekkevegen 91A	22.11.2017 09:31:58	3,20 mm/s	42	8%
K10 MP 50	Kvernabekkevegen 91A	20.11.2017 19:20:24	3,35 mm/s	42	8%
K10 MP 50	Kvernabekkevegen 91A	17.11.2017 13:16:26	3,45 mm/s	42	8%