

# Multiconsult

Rapportfilter

Til: 24.05.2018 09:05:50

Målepunkt	Plassering	Dato	Verdi	Grense	Andel i % av gren
K10 MP 57	Øvre Titlestad 60	05.05.2018 14:45:47	<b>3,00 mm/s</b>	<b>42</b>	<b>7%</b>
K10 MP 57	Øvre Titlestad 60	28.04.2018 13:05:56	<b>3,00 mm/s</b>	<b>42</b>	<b>7%</b>
K10 MP 57	Øvre Titlestad 60	27.04.2018 15:15:30	<b>3,75 mm/s</b>	<b>42</b>	<b>9%</b>
K10 MP 57	Øvre Titlestad 60	21.04.2018 16:30:40	<b>3,85 mm/s</b>	<b>42</b>	<b>9%</b>
K10 MP 57	Øvre Titlestad 60	07.04.2018 19:45:06	<b>3,55 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	21.03.2018 13:28:47	<b>5,65 mm/s</b>	<b>42</b>	<b>13%</b>
K10 MP 57	Øvre Titlestad 60	16.03.2018 15:32:53	<b>3,40 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	28.02.2018 15:19:11	<b>3,25 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	09.02.2018 19:10:45	<b>3,45 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	06.02.2018 11:35:15	<b>3,50 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	06.02.2018 11:15:56	<b>3,10 mm/s</b>	<b>42</b>	<b>7%</b>
K10 MP 57	Øvre Titlestad 60	31.01.2018 21:35:19	<b>3,00 mm/s</b>	<b>42</b>	<b>7%</b>
K10 MP 57	Øvre Titlestad 60	29.01.2018 19:33:13	<b>3,15 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	27.01.2018 14:58:03	<b>4,20 mm/s</b>	<b>42</b>	<b>10%</b>
K10 MP 57	Øvre Titlestad 60	25.01.2018 20:59:03	<b>4,05 mm/s</b>	<b>42</b>	<b>10%</b>
K10 MP 57	Øvre Titlestad 60	25.01.2018 13:52:31	<b>3,35 mm/s</b>	<b>42</b>	<b>8%</b>
K10 MP 57	Øvre Titlestad 60	24.01.2018 21:50:41	<b>4,35 mm/s</b>	<b>42</b>	<b>10%</b>
K10 MP 57	Øvre Titlestad 60	24.01.2018 11:06:40	<b>3,90 mm/s</b>	<b>42</b>	<b>9%</b>
K10 MP 57	Øvre Titlestad 60	20.01.2018 16:00:35	<b>4,60 mm/s</b>	<b>42</b>	<b>11%</b>
K10 MP 57	Øvre Titlestad 60	19.01.2018 14:22:57	<b>4,80 mm/s</b>	<b>42</b>	<b>11%</b>