

Multiconsult

Rapportfilter

Til: 19.09.2017 08:17:13

Målepunkt	Plassering	Dato	Verdi	Grense	Andel i % av
K11 MP-130	Råttun 1, Akasia Barnehage	18.09.2017 17:08:38	9,00 mm/s	42	21%
K11 MP-130	Råttun 1, Akasia Barnehage	18.09.2017 11:05:31	7,95 mm/s	42	19%
K11 MP-130	Råttun 1, Akasia Barnehage	16.09.2017 11:31:39	7,65 mm/s	42	18%
K11 MP-130	Råttun 1, Akasia Barnehage	16.09.2017 08:13:56	4,45 mm/s	42	11%
K11 MP-130	Råttun 1, Akasia Barnehage	15.09.2017 21:39:49	11,00 mm/s	42	26%
K11 MP-130	Råttun 1, Akasia Barnehage	15.09.2017 14:36:32	11,60 mm/s	42	28%
K11 MP-130	Råttun 1, Akasia Barnehage	15.09.2017 07:51:19	9,85 mm/s	42	23%
K11 MP-130	Råttun 1, Akasia Barnehage	14.09.2017 14:21:15	4,55 mm/s	42	11%
K11 MP-130	Råttun 1, Akasia Barnehage	14.09.2017 13:23:40	9,15 mm/s	42	22%
K11 MP-130	Råttun 1, Akasia Barnehage	14.09.2017 09:36:05	16,90 mm/s	42	40%
K11 MP-130	Råttun 1, Akasia Barnehage	13.09.2017 17:18:11	14,60 mm/s	42	35%
K11 MP-130	Råttun 1, Akasia Barnehage	13.09.2017 10:52:56	21,40 mm/s	42	51%
K11 MP-130	Råttun 1, Akasia Barnehage	13.09.2017 07:03:53	7,05 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	12.09.2017 20:31:18	14,70 mm/s	42	35%
K11 MP-130	Råttun 1, Akasia Barnehage	12.09.2017 13:01:30	17,40 mm/s	42	41%
K11 MP-130	Råttun 1, Akasia Barnehage	12.09.2017 08:10:29	23,70 mm/s	42	56%
K11 MP-130	Råttun 1, Akasia Barnehage	12.09.2017 07:41:15	9,90 mm/s	42	24%
K11 MP-130	Råttun 1, Akasia Barnehage	11.09.2017 16:36:38	28,20 mm/s	42	67%
K11 MP-130	Råttun 1, Akasia Barnehage	11.09.2017 11:24:27	23,80 mm/s	42	57%
K11 MP-130	Råttun 1, Akasia Barnehage	09.09.2017 13:12:54	28,70 mm/s	42	68%
K11 MP-130	Råttun 1, Akasia Barnehage	08.09.2017 20:19:45	28,60 mm/s	42	68%
K11 MP-130	Råttun 1, Akasia Barnehage	08.09.2017 17:55:05	27,40 mm/s	42	65%
K11 MP-130	Råttun 1, Akasia Barnehage	08.09.2017 13:27:09	35,00 mm/s	42	83%
K11 MP-130	Råttun 1, Akasia Barnehage	08.09.2017 08:09:20	24,80 mm/s	42	59%
K11 MP-130	Råttun 1, Akasia Barnehage	07.09.2017 16:13:09	32,20 mm/s	42	77%
K11 MP-130	Råttun 1, Akasia Barnehage	07.09.2017 13:10:40	15,90 mm/s	42	38%
K11 MP-130	Råttun 1, Akasia Barnehage	07.09.2017 10:13:41	27,60 mm/s	42	66%
K11 MP-130	Råttun 1, Akasia Barnehage	06.09.2017 21:57:37	32,10 mm/s	42	76%
K11 MP-130	Råttun 1, Akasia Barnehage	06.09.2017 15:01:34	38,40 mm/s	42	91%
K11 MP-130	Råttun 1, Akasia Barnehage	06.09.2017 10:59:44	47,80 mm/s	42	114%
K11 MP-130	Råttun 1, Akasia Barnehage	05.09.2017 21:22:23	28,20 mm/s	42	67%
K11 MP-130	Råttun 1, Akasia Barnehage	05.09.2017 18:44:35	35,90 mm/s	42	85%
K11 MP-130	Råttun 1, Akasia Barnehage	05.09.2017 13:42:55	34,80 mm/s	42	83%
K11 MP-130	Råttun 1, Akasia Barnehage	05.09.2017 08:23:26	44,40 mm/s	42	106%
K11 MP-130	Råttun 1, Akasia Barnehage	04.09.2017 20:17:00	43,40 mm/s	42	103%
K11 MP-130	Råttun 1, Akasia Barnehage	04.09.2017 13:00:06	60,00 mm/s	42	143%
K11 MP-130	Råttun 1, Akasia Barnehage	04.09.2017 08:34:43	35,40 mm/s	42	84%
K11 MP-130	Råttun 1, Akasia Barnehage	01.09.2017 17:46:54	43,10 mm/s	42	103%
K11 MP-130	Råttun 1, Akasia Barnehage	01.09.2017 14:03:25	38,60 mm/s	42	92%
K11 MP-130	Råttun 1, Akasia Barnehage	31.08.2017 20:40:36	53,30 mm/s	42	127%

Multiconsult

K11 MP-130	Råttun 1, Akasia Barnehage	31.08.2017 18:28:53	5,05 mm/s	42	12%
K11 MP-130	Råttun 1, Akasia Barnehage	31.08.2017 18:04:13	27,70 mm/s	42	66%
K11 MP-130	Råttun 1, Akasia Barnehage	31.08.2017 13:39:40	23,70 mm/s	42	56%
K11 MP-130	Råttun 1, Akasia Barnehage	30.08.2017 21:16:19	57,80 mm/s	42	138%
K11 MP-130	Råttun 1, Akasia Barnehage	30.08.2017 19:10:31	32,40 mm/s	42	77%
K11 MP-130	Råttun 1, Akasia Barnehage	30.08.2017 13:54:21	17,60 mm/s	42	42%
K11 MP-130	Råttun 1, Akasia Barnehage	30.08.2017 07:59:52	44,40 mm/s	42	106%
K11 MP-130	Råttun 1, Akasia Barnehage	28.08.2017 21:33:42	43,50 mm/s	42	104%
K11 MP-130	Råttun 1, Akasia Barnehage	28.08.2017 19:00:22	17,00 mm/s	42	40%
K11 MP-130	Råttun 1, Akasia Barnehage	28.08.2017 13:58:48	56,00 mm/s	42	133%
K11 MP-130	Råttun 1, Akasia Barnehage	28.08.2017 08:06:25	21,10 mm/s	42	50%
K11 MP-130	Råttun 1, Akasia Barnehage	25.08.2017 20:23:54	32,20 mm/s	42	77%
K11 MP-130	Råttun 1, Akasia Barnehage	25.08.2017 10:53:08	12,50 mm/s	42	30%
K11 MP-130	Råttun 1, Akasia Barnehage	25.08.2017 09:22:45	10,20 mm/s	42	24%
K11 MP-130	Råttun 1, Akasia Barnehage	24.08.2017 20:50:25	7,05 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	24.08.2017 18:11:10	47,90 mm/s	42	114%
K11 MP-130	Råttun 1, Akasia Barnehage	24.08.2017 11:03:16	8,60 mm/s	42	20%
K11 MP-130	Råttun 1, Akasia Barnehage	23.08.2017 20:59:58	42,40 mm/s	42	101%
K11 MP-130	Råttun 1, Akasia Barnehage	23.08.2017 14:36:32	9,10 mm/s	42	22%
K11 MP-130	Råttun 1, Akasia Barnehage	23.08.2017 10:28:12	31,00 mm/s	42	74%
K11 MP-130	Råttun 1, Akasia Barnehage	22.08.2017 20:58:11	9,15 mm/s	42	22%
K11 MP-130	Råttun 1, Akasia Barnehage	22.08.2017 11:17:49	27,90 mm/s	42	66%
K11 MP-130	Råttun 1, Akasia Barnehage	22.08.2017 07:57:21	10,20 mm/s	42	24%
K11 MP-130	Råttun 1, Akasia Barnehage	21.08.2017 16:09:27	19,80 mm/s	42	47%
K11 MP-130	Råttun 1, Akasia Barnehage	21.08.2017 14:45:51	19,00 mm/s	42	45%
K11 MP-130	Råttun 1, Akasia Barnehage	21.08.2017 10:27:56	9,95 mm/s	42	24%
K11 MP-130	Råttun 1, Akasia Barnehage	19.08.2017 12:34:09	15,10 mm/s	42	36%
K11 MP-130	Råttun 1, Akasia Barnehage	19.08.2017 08:03:01	7,95 mm/s	42	19%
K11 MP-130	Råttun 1, Akasia Barnehage	18.08.2017 18:15:36	18,90 mm/s	42	45%
K11 MP-130	Råttun 1, Akasia Barnehage	18.08.2017 13:02:51	7,75 mm/s	42	18%
K11 MP-130	Råttun 1, Akasia Barnehage	17.08.2017 21:35:26	16,60 mm/s	42	40%
K11 MP-130	Råttun 1, Akasia Barnehage	17.08.2017 17:12:07	7,85 mm/s	42	19%
K11 MP-130	Råttun 1, Akasia Barnehage	17.08.2017 11:10:34	14,60 mm/s	42	35%
K11 MP-130	Råttun 1, Akasia Barnehage	16.08.2017 21:33:11	6,35 mm/s	42	15%
K11 MP-130	Råttun 1, Akasia Barnehage	16.08.2017 14:48:07	10,40 mm/s	42	25%
K11 MP-130	Råttun 1, Akasia Barnehage	16.08.2017 10:43:22	6,60 mm/s	42	16%
K11 MP-130	Råttun 1, Akasia Barnehage	15.08.2017 21:42:51	13,60 mm/s	42	32%
K11 MP-130	Råttun 1, Akasia Barnehage	15.08.2017 16:54:41	6,80 mm/s	42	16%
K11 MP-130	Råttun 1, Akasia Barnehage	15.08.2017 10:04:00	8,10 mm/s	42	19%
K11 MP-130	Råttun 1, Akasia Barnehage	14.08.2017 21:37:28	7,25 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	14.08.2017 10:44:46	6,95 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	11.08.2017 11:49:59	9,55 mm/s	42	23%
K11 MP-130	Råttun 1, Akasia Barnehage	10.08.2017 11:15:08	8,60 mm/s	42	20%

Multiconsult

K11 MP-130	Råttun 1, Akasia Barnehage	09.08.2017 16:01:32	4,30 mm/s	42	10%
K11 MP-130	Råttun 1, Akasia Barnehage	08.08.2017 21:00:35	6,95 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	08.08.2017 16:03:46	4,80 mm/s	42	11%
K11 MP-130	Råttun 1, Akasia Barnehage	07.08.2017 19:41:51	6,20 mm/s	42	15%
K11 MP-130	Råttun 1, Akasia Barnehage	19.07.2017 16:20:33	4,95 mm/s	42	12%
K11 MP-130	Råttun 1, Akasia Barnehage	19.07.2017 09:38:10	6,30 mm/s	42	15%
K11 MP-130	Råttun 1, Akasia Barnehage	18.07.2017 07:55:05	4,80 mm/s	42	11%
K11 MP-130	Råttun 1, Akasia Barnehage	17.07.2017 12:59:50	7,45 mm/s	42	18%
K11 MP-130	Råttun 1, Akasia Barnehage	17.07.2017 08:20:10	6,75 mm/s	42	16%
K11 MP-130	Råttun 1, Akasia Barnehage	15.07.2017 08:21:00	6,25 mm/s	42	15%
K11 MP-130	Råttun 1, Akasia Barnehage	14.07.2017 16:42:32	4,65 mm/s	42	11%
K11 MP-130	Råttun 1, Akasia Barnehage	14.07.2017 07:27:31	7,95 mm/s	42	19%
K11 MP-130	Råttun 1, Akasia Barnehage	13.07.2017 14:31:44	3,30 mm/s	42	8%
K11 MP-130	Råttun 1, Akasia Barnehage	12.07.2017 20:23:43	6,95 mm/s	42	17%
K11 MP-130	Råttun 1, Akasia Barnehage	12.07.2017 14:19:06	3,90 mm/s	42	9%
K11 MP-130	Råttun 1, Akasia Barnehage	11.07.2017 21:08:07	7,65 mm/s	42	18%
K11 MP-130	Råttun 1, Akasia Barnehage	11.07.2017 11:26:52	3,80 mm/s	42	9%
K11 MP-130	Råttun 1, Akasia Barnehage	10.07.2017 10:08:24	6,20 mm/s	42	15%
K11 MP-130	Råttun 1, Akasia Barnehage	07.07.2017 16:53:06	5,15 mm/s	42	12%
K11 MP-130	Råttun 1, Akasia Barnehage	06.07.2017 10:38:24	5,40 mm/s	42	13%
K11 MP-130	Råttun 1, Akasia Barnehage	05.07.2017 13:11:45	3,05 mm/s	42	7%