

## Multiconsult

## Målepunktrapport

616337-E39 K11 Rystelsesmåling

Reportfilter	Til: 28.04.2017 07:15:04	Eksporter Skriv ut Lukk				
Målepunkt	Plassering	Dato	Verdi	Grense	Andel i % av grense	Anmerkning
K11 MP 63	Storheia 2	27.04.2017 14:59:50	<b>9,50 mm/s</b>	<b>42</b>	<b>23%</b>	
K11 MP 63	Storheia 2	27.04.2017 13:10:37	<b>4,20 mm/s</b>	<b>42</b>	<b>10%</b>	
K11 MP 63	Storheia 2	27.04.2017 10:42:26	<b>3,25 mm/s</b>	<b>42</b>	<b>8%</b>	
K11 MP 63	Storheia 2	26.04.2017 09:45:48	<b>3,10 mm/s</b>	<b>42</b>	<b>7%</b>	
K11 MP 63	Storheia 2	25.04.2017 13:34:48	<b>10,70 mm/s</b>	<b>42</b>	<b>25%</b>	
K11 MP 63	Storheia 2	25.04.2017 08:10:08	<b>4,45 mm/s</b>	<b>42</b>	<b>11%</b>	
K11 MP 63	Storheia 2	24.04.2017 21:58:39	<b>7,30 mm/s</b>	<b>42</b>	<b>17%</b>	
K11 MP 63	Storheia 2	24.04.2017 12:13:37	<b>9,60 mm/s</b>	<b>42</b>	<b>23%</b>	
K11 MP 63	Storheia 2	22.04.2017 15:54:39	<b>7,95 mm/s</b>	<b>42</b>	<b>19%</b>	
K11 MP 63	Storheia 2	22.04.2017 13:00:36	<b>3,70 mm/s</b>	<b>42</b>	<b>9%</b>	
K11 MP 63	Storheia 2	21.04.2017 20:56:12	<b>8,35 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	21.04.2017 20:20:43	<b>5,70 mm/s</b>	<b>42</b>	<b>14%</b>	
K11 MP 63	Storheia 2	21.04.2017 12:00:01	<b>6,05 mm/s</b>	<b>42</b>	<b>14%</b>	
K11 MP 63	Storheia 2	20.04.2017 19:27:15	<b>8,00 mm/s</b>	<b>42</b>	<b>19%</b>	
K11 MP 63	Storheia 2	20.04.2017 16:35:20	<b>17,00 mm/s</b>	<b>42</b>	<b>40%</b>	
K11 MP 63	Storheia 2	20.04.2017 10:54:19	<b>4,05 mm/s</b>	<b>42</b>	<b>10%</b>	
K11 MP 63	Storheia 2	19.04.2017 13:54:41	<b>9,15 mm/s</b>	<b>42</b>	<b>22%</b>	
K11 MP 63	Storheia 2	19.04.2017 07:05:36	<b>3,60 mm/s</b>	<b>42</b>	<b>9%</b>	
K11 MP 63	Storheia 2	18.04.2017 21:07:48	<b>4,30 mm/s</b>	<b>42</b>	<b>10%</b>	
K11 MP 63	Storheia 2	18.04.2017 17:27:53	<b>9,70 mm/s</b>	<b>42</b>	<b>23%</b>	
K11 MP 63	Storheia 2	18.04.2017 12:43:24	<b>11,00 mm/s</b>	<b>42</b>	<b>26%</b>	
K11 MP 63	Storheia 2	07.04.2017 19:23:32	<b>5,80 mm/s</b>	<b>42</b>	<b>14%</b>	
K11 MP 63	Storheia 2	07.04.2017 08:20:58	<b>11,60 mm/s</b>	<b>42</b>	<b>28%</b>	
K11 MP 63	Storheia 2	06.04.2017 16:05:25	<b>7,85 mm/s</b>	<b>42</b>	<b>19%</b>	
K11 MP 63	Storheia 2	06.04.2017 10:49:43	<b>13,60 mm/s</b>	<b>42</b>	<b>32%</b>	
K11 MP 63	Storheia 2	05.04.2017 18:16:30	<b>4,80 mm/s</b>	<b>42</b>	<b>11%</b>	
K11 MP 63	Storheia 2	05.04.2017 17:43:01	<b>8,20 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	04.04.2017 16:00:31	<b>5,70 mm/s</b>	<b>42</b>	<b>14%</b>	
K11 MP 63	Storheia 2	04.04.2017 11:36:57	<b>10,30 mm/s</b>	<b>42</b>	<b>25%</b>	
K11 MP 63	Storheia 2	03.04.2017 20:34:45	<b>10,10 mm/s</b>	<b>42</b>	<b>24%</b>	
K11 MP 63	Storheia 2	03.04.2017 18:33:41	<b>7,80 mm/s</b>	<b>42</b>	<b>19%</b>	
K11 MP 63	Storheia 2	01.04.2017 15:36:29	<b>9,45 mm/s</b>	<b>42</b>	<b>22%</b>	
K11 MP 63	Storheia 2	31.03.2017 21:53:41	<b>5,10 mm/s</b>	<b>42</b>	<b>12%</b>	
K11 MP 63	Storheia 2	31.03.2017 16:38:05	<b>20,40 mm/s</b>	<b>42</b>	<b>49%</b>	
K11 MP 63	Storheia 2	30.03.2017 16:42:23	<b>21,60 mm/s</b>	<b>42</b>	<b>51%</b>	
K11 MP 63	Storheia 2	30.03.2017 11:23:01	<b>5,40 mm/s</b>	<b>42</b>	<b>13%</b>	
K11 MP 63	Storheia 2	29.03.2017 19:24:45	<b>6,15 mm/s</b>	<b>42</b>	<b>15%</b>	
K11 MP 63	Storheia 2	29.03.2017 17:58:40	<b>8,55 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	29.03.2017 11:42:12	<b>17,30 mm/s</b>	<b>42</b>	<b>41%</b>	
K11 MP 63	Storheia 2	28.03.2017 21:10:11	<b>7,10 mm/s</b>	<b>42</b>	<b>17%</b>	
K11 MP 63	Storheia 2	28.03.2017 13:15:28	<b>11,10 mm/s</b>	<b>42</b>	<b>26%</b>	
K11 MP 63	Storheia 2	28.03.2017 07:43:44	<b>16,60 mm/s</b>	<b>42</b>	<b>40%</b>	
K11 MP 63	Storheia 2	27.03.2017 16:45:50	<b>17,00 mm/s</b>	<b>42</b>	<b>40%</b>	
K11 MP 63	Storheia 2	27.03.2017 08:52:05	<b>10,20 mm/s</b>	<b>42</b>	<b>24%</b>	
K11 MP 63	Storheia 2	25.03.2017 13:44:01	<b>5,50 mm/s</b>	<b>42</b>	<b>13%</b>	
K11 MP 63	Storheia 2	25.03.2017 12:18:43	<b>8,45 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	24.03.2017 19:46:41	<b>11,80 mm/s</b>	<b>42</b>	<b>28%</b>	
K11 MP 63	Storheia 2	24.03.2017 13:08:47	<b>11,00 mm/s</b>	<b>42</b>	<b>26%</b>	
K11 MP 63	Storheia 2	24.03.2017 10:35:30	<b>8,40 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	24.03.2017 07:59:04	<b>3,35 mm/s</b>	<b>42</b>	<b>8%</b>	
K11 MP 63	Storheia 2	23.03.2017 21:24:23	<b>14,90 mm/s</b>	<b>42</b>	<b>35%</b>	
K11 MP 63	Storheia 2	23.03.2017 15:39:17	<b>9,20 mm/s</b>	<b>42</b>	<b>22%</b>	
K11 MP 63	Storheia 2	23.03.2017 12:33:13	<b>8,55 mm/s</b>	<b>42</b>	<b>20%</b>	
K11 MP 63	Storheia 2	23.03.2017 09:24:04	<b>8,85 mm/s</b>	<b>42</b>	<b>21%</b>	
K11 MP 63	Storheia 2	22.03.2017 18:42:45	<b>14,80 mm/s</b>	<b>42</b>	<b>35%</b>	
K11 MP 63	Storheia 2	22.03.2017 10:44:30	<b>9,75 mm/s</b>	<b>42</b>	<b>23%</b>	
K11 MP 63	Storheia 2	22.03.2017 10:22:43	<b>8,75 mm/s</b>	<b>42</b>	<b>21%</b>	
K11 MP 63	Storheia 2	21.03.2017 19:44:28	<b>8,75 mm/s</b>	<b>42</b>	<b>21%</b>	
K11 MP 63	Storheia 2	21.03.2017 15:22:06	<b>4,20 mm/s</b>	<b>42</b>	<b>10%</b>	
K11 MP 63	Storheia 2	21.03.2017 11:56:27	<b>17,60 mm/s</b>	<b>42</b>	<b>42%</b>	
K11 MP 63	Storheia 2	21.03.2017 09:57:00	<b>7,05 mm/s</b>	<b>42</b>	<b>17%</b>	
K11 MP 63	Storheia 2	20.03.2017 18:48:24	<b>8,30 mm/s</b>	<b>42</b>	<b>20%</b>	

## Multiconsult

## Målepunktrapport

616337-E39 K11 Rystelsesmåling

K11 MP 63	Storheia 2	20.03.2017 13:23:43	<b>7,35 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	18.03.2017 14:45:20	<b>40,00 mm/s</b>	<b>42</b>	<b>95%</b>
K11 MP 63	Storheia 2	17.03.2017 19:57:18	<b>3,45 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	17.03.2017 18:24:22	<b>6,95 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	17.03.2017 18:22:12	<b>8,00 mm/s</b>	<b>42</b>	<b>19%</b>
K11 MP 63	Storheia 2	17.03.2017 14:20:52	<b>20,90 mm/s</b>	<b>42</b>	<b>50%</b>
K11 MP 63	Storheia 2	17.03.2017 09:59:48	<b>3,05 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	16.03.2017 21:52:01	<b>3,90 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	16.03.2017 18:57:11	<b>16,40 mm/s</b>	<b>42</b>	<b>39%</b>
K11 MP 63	Storheia 2	16.03.2017 09:58:16	<b>5,80 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	15.03.2017 21:58:03	<b>5,15 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	15.03.2017 12:55:37	<b>3,30 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	15.03.2017 11:09:08	<b>9,95 mm/s</b>	<b>42</b>	<b>24%</b>
K11 MP 63	Storheia 2	15.03.2017 08:13:50	<b>3,55 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	14.03.2017 21:31:20	<b>9,70 mm/s</b>	<b>42</b>	<b>23%</b>
K11 MP 63	Storheia 2	14.03.2017 12:05:03	<b>5,30 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	14.03.2017 10:26:00	<b>5,35 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	13.03.2017 12:50:39	<b>3,45 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	13.03.2017 11:13:58	<b>12,20 mm/s</b>	<b>42</b>	<b>29%</b>
K11 MP 63	Storheia 2	11.03.2017 15:10:07	<b>3,90 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	10.03.2017 20:41:33	<b>10,40 mm/s</b>	<b>42</b>	<b>25%</b>
K11 MP 63	Storheia 2	10.03.2017 19:05:45	<b>3,10 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	10.03.2017 13:58:53	<b>13,40 mm/s</b>	<b>42</b>	<b>32%</b>
K11 MP 63	Storheia 2	10.03.2017 08:19:06	<b>7,60 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	09.03.2017 21:40:25	<b>5,90 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	09.03.2017 20:40:38	<b>15,20 mm/s</b>	<b>42</b>	<b>36%</b>
K11 MP 63	Storheia 2	08.03.2017 21:42:43	<b>3,85 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	08.03.2017 20:43:20	<b>17,90 mm/s</b>	<b>42</b>	<b>43%</b>
K11 MP 63	Storheia 2	08.03.2017 15:10:45	<b>21,10 mm/s</b>	<b>42</b>	<b>50%</b>
K11 MP 63	Storheia 2	08.03.2017 14:33:28	<b>5,90 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	08.03.2017 09:58:27	<b>8,65 mm/s</b>	<b>42</b>	<b>21%</b>
K11 MP 63	Storheia 2	07.03.2017 14:27:23	<b>19,40 mm/s</b>	<b>42</b>	<b>46%</b>
K11 MP 63	Storheia 2	07.03.2017 13:49:16	<b>4,60 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	07.03.2017 08:24:07	<b>8,25 mm/s</b>	<b>42</b>	<b>20%</b>
K11 MP 63	Storheia 2	06.03.2017 17:13:15	<b>11,90 mm/s</b>	<b>42</b>	<b>28%</b>
K11 MP 63	Storheia 2	04.03.2017 15:19:21	<b>11,00 mm/s</b>	<b>42</b>	<b>26%</b>
K11 MP 63	Storheia 2	04.03.2017 08:05:43	<b>3,85 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	03.03.2017 16:42:51	<b>14,90 mm/s</b>	<b>42</b>	<b>35%</b>
K11 MP 63	Storheia 2	03.03.2017 12:36:11	<b>6,85 mm/s</b>	<b>42</b>	<b>16%</b>
K11 MP 63	Storheia 2	03.03.2017 12:34:24	<b>3,05 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	03.03.2017 09:38:06	<b>3,40 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	02.03.2017 20:26:16	<b>8,75 mm/s</b>	<b>42</b>	<b>21%</b>
K11 MP 63	Storheia 2	02.03.2017 08:35:13	<b>4,25 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	01.03.2017 21:15:05	<b>11,50 mm/s</b>	<b>42</b>	<b>27%</b>
K11 MP 63	Storheia 2	01.03.2017 21:00:19	<b>3,50 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	01.03.2017 13:54:01	<b>8,00 mm/s</b>	<b>42</b>	<b>19%</b>
K11 MP 63	Storheia 2	01.03.2017 09:05:41	<b>9,85 mm/s</b>	<b>42</b>	<b>23%</b>
K11 MP 63	Storheia 2	01.03.2017 08:33:10	<b>4,90 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	28.02.2017 15:37:42	<b>16,60 mm/s</b>	<b>42</b>	<b>40%</b>
K11 MP 63	Storheia 2	28.02.2017 10:36:30	<b>5,60 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	27.02.2017 20:09:22	<b>10,60 mm/s</b>	<b>42</b>	<b>25%</b>
K11 MP 63	Storheia 2	27.02.2017 12:09:15	<b>21,20 mm/s</b>	<b>42</b>	<b>50%</b>
K11 MP 63	Storheia 2	25.02.2017 14:36:03	<b>7,30 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	25.02.2017 08:05:57	<b>16,10 mm/s</b>	<b>42</b>	<b>38%</b>
K11 MP 63	Storheia 2	25.02.2017 08:01:50	<b>3,55 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	24.02.2017 15:46:36	<b>3,05 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	24.02.2017 15:17:11	<b>29,80 mm/s</b>	<b>42</b>	<b>71%</b>
K11 MP 63	Storheia 2	24.02.2017 08:46:04	<b>10,90 mm/s</b>	<b>42</b>	<b>26%</b>
K11 MP 63	Storheia 2	23.02.2017 17:54:38	<b>3,45 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	23.02.2017 16:46:49	<b>13,90 mm/s</b>	<b>42</b>	<b>33%</b>
K11 MP 63	Storheia 2	23.02.2017 10:54:30	<b>8,20 mm/s</b>	<b>42</b>	<b>20%</b>
K11 MP 63	Storheia 2	22.02.2017 19:08:53	<b>21,60 mm/s</b>	<b>42</b>	<b>51%</b>
K11 MP 63	Storheia 2	22.02.2017 11:13:18	<b>8,15 mm/s</b>	<b>42</b>	<b>19%</b>
K11 MP 63	Storheia 2	21.02.2017 21:19:51	<b>3,45 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	21.02.2017 19:39:41	<b>6,85 mm/s</b>	<b>42</b>	<b>16%</b>

## Multiconsult

## Målepunktrapport

616337-E39 K11 Rystelsesmåling

K11 MP 63	Storheia 2	21.02.2017 17:45:03	<b>3,10 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	21.02.2017 12:18:42	<b>7,50 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	20.02.2017 21:51:33	<b>7,25 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	20.02.2017 20:19:08	<b>4,10 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	20.02.2017 14:22:49	<b>14,20 mm/s</b>	<b>42</b>	<b>34%</b>
K11 MP 63	Storheia 2	20.02.2017 08:04:10	<b>3,40 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	18.02.2017 15:27:46	<b>4,40 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	17.02.2017 21:01:59	<b>6,40 mm/s</b>	<b>42</b>	<b>15%</b>
K11 MP 63	Storheia 2	17.02.2017 18:46:03	<b>3,90 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	17.02.2017 13:07:55	<b>5,30 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	16.02.2017 21:00:48	<b>5,25 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	16.02.2017 16:39:43	<b>4,25 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	16.02.2017 14:54:31	<b>3,35 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	16.02.2017 14:36:16	<b>16,20 mm/s</b>	<b>42</b>	<b>39%</b>
K11 MP 63	Storheia 2	16.02.2017 08:13:24	<b>3,40 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	16.02.2017 07:51:15	<b>3,70 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	15.02.2017 18:46:42	<b>3,80 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	15.02.2017 16:05:17	<b>6,50 mm/s</b>	<b>42</b>	<b>15%</b>
K11 MP 63	Storheia 2	15.02.2017 15:01:59	<b>18,50 mm/s</b>	<b>42</b>	<b>44%</b>
K11 MP 63	Storheia 2	15.02.2017 08:55:54	<b>5,30 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	14.02.2017 17:26:15	<b>4,85 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	14.02.2017 13:22:51	<b>3,55 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	14.02.2017 12:54:32	<b>11,10 mm/s</b>	<b>42</b>	<b>26%</b>
K11 MP 63	Storheia 2	13.02.2017 21:36:05	<b>5,90 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	13.02.2017 20:07:16	<b>5,80 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	13.02.2017 15:11:25	<b>3,90 mm/s</b>	<b>42</b>	<b>9%</b>
K11 MP 63	Storheia 2	13.02.2017 14:29:29	<b>8,00 mm/s</b>	<b>42</b>	<b>19%</b>
K11 MP 63	Storheia 2	13.02.2017 08:47:45	<b>3,15 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	11.02.2017 12:51:00	<b>7,50 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	11.02.2017 11:58:29	<b>7,60 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	11.02.2017 08:20:37	<b>6,50 mm/s</b>	<b>42</b>	<b>15%</b>
K11 MP 63	Storheia 2	10.02.2017 21:36:50	<b>3,00 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP 63	Storheia 2	10.02.2017 09:31:03	<b>7,75 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	10.02.2017 09:19:49	<b>7,00 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	09.02.2017 20:06:34	<b>3,50 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	09.02.2017 18:43:51	<b>8,70 mm/s</b>	<b>42</b>	<b>21%</b>
K11 MP 63	Storheia 2	09.02.2017 13:02:29	<b>9,80 mm/s</b>	<b>42</b>	<b>23%</b>
K11 MP 63	Storheia 2	09.02.2017 11:22:53	<b>4,00 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	09.02.2017 10:21:43	<b>25,40 mm/s</b>	<b>42</b>	<b>60%</b>
K11 MP 63	Storheia 2	08.02.2017 20:03:28	<b>5,25 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	08.02.2017 18:07:11	<b>7,50 mm/s</b>	<b>42</b>	<b>18%</b>
K11 MP 63	Storheia 2	08.02.2017 09:56:00	<b>4,80 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	08.02.2017 09:09:07	<b>6,00 mm/s</b>	<b>42</b>	<b>14%</b>
K11 MP 63	Storheia 2	07.02.2017 19:17:29	<b>4,00 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	07.02.2017 14:00:37	<b>7,05 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	07.02.2017 13:01:33	<b>5,35 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	06.02.2017 21:45:49	<b>9,20 mm/s</b>	<b>42</b>	<b>22%</b>
K11 MP 63	Storheia 2	06.02.2017 21:23:41	<b>5,55 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	06.02.2017 15:36:32	<b>4,90 mm/s</b>	<b>42</b>	<b>12%</b>
K11 MP 63	Storheia 2	06.02.2017 12:12:07	<b>8,60 mm/s</b>	<b>42</b>	<b>20%</b>
K11 MP 63	Storheia 2	06.02.2017 09:59:21	<b>4,10 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	04.02.2017 14:00:11	<b>10,30 mm/s</b>	<b>42</b>	<b>25%</b>
K11 MP 63	Storheia 2	04.02.2017 09:26:22	<b>5,30 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP 63	Storheia 2	03.02.2017 17:41:36	<b>7,15 mm/s</b>	<b>42</b>	<b>17%</b>
K11 MP 63	Storheia 2	03.02.2017 12:02:49	<b>3,30 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP 63	Storheia 2	03.02.2017 08:39:57	<b>8,20 mm/s</b>	<b>42</b>	<b>20%</b>
K11 MP 63	Storheia 2	02.02.2017 21:48:47	<b>4,55 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	02.02.2017 15:16:59	<b>4,45 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	02.02.2017 12:21:19	<b>10,60 mm/s</b>	<b>42</b>	<b>25%</b>
K11 MP 63	Storheia 2	02.02.2017 08:27:06	<b>4,75 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	01.02.2017 21:54:32	<b>4,80 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	31.01.2017 21:38:08	<b>24,50 mm/s</b>	<b>42</b>	<b>58%</b>
K11 MP 63	Storheia 2	31.01.2017 19:09:45	<b>8,45 mm/s</b>	<b>42</b>	<b>20%</b>
K11 MP 63	Storheia 2	31.01.2017 13:59:19	<b>4,60 mm/s</b>	<b>42</b>	<b>11%</b>
K11 MP 63	Storheia 2	31.01.2017 09:33:58	<b>8,40 mm/s</b>	<b>42</b>	<b>20%</b>

**Multiconsult**

K11 MP 63	Storheia 2	30.01.2017 21:24:03	<b>13,10 mm/s</b>	<b>42</b>	<b>31%</b>
K11 MP 63	Storheia 2	30.01.2017 17:17:52	<b>4,40 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	30.01.2017 13:28:19	<b>10,20 mm/s</b>	<b>42</b>	<b>24%</b>
K11 MP 63	Storheia 2	28.01.2017 15:40:13	<b>4,30 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	27.01.2017 21:12:21	<b>4,00 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP 63	Storheia 2	27.01.2017 21:12:18	<b>3,75 mm/s</b>	<b>42</b>	<b>9%</b>

**Målepunktrapport**

616337-E39 K11 Rystelsesmåling