

# Multiconsult

---

Rapportfilter      Til: 25.07.2017 13:24:47

---

Målepunkt	Plassering	Dato	Verdi	Grense	Andel i % av grense
K11 MP-108	Storheia 46	17.07.2017 16:15:01	<b>3,20 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP-108	Storheia 46	14.07.2017 07:42:02	<b>5,55 mm/s</b>	<b>42</b>	<b>13%</b>
K11 MP-108	Storheia 46	12.07.2017 08:37:03	<b>3,55 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP-108	Storheia 46	11.07.2017 14:16:16	<b>3,20 mm/s</b>	<b>42</b>	<b>8%</b>
K11 MP-108	Storheia 46	10.07.2017 19:49:06	<b>4,25 mm/s</b>	<b>42</b>	<b>10%</b>
K11 MP-108	Storheia 46	10.07.2017 10:36:47	<b>3,00 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP-108	Storheia 46	06.07.2017 15:15:00	<b>3,05 mm/s</b>	<b>42</b>	<b>7%</b>
K11 MP-108	Storheia 46	14.06.2017 12:46:18	<b>1,28 mm/s</b>	<b>42</b>	<b>3%</b>